

Bibliography of Precambrian glacial deposits and post-glacial cap carbonates
(Archean-Paleoproterozoic in blue)

1871: 1

Thomson, J., 1871. On the stratified rocks of Islay. *Report of the 41st Meeting of the British Association for the Advancement of Science, Edinburgh*, John Murray, London, pp. 110-111.

1877: 1

Thomson, J., 1877. On the geology of the island of Islay. *Transactions of the Geological Society of Glasgow* **5**, 200-222.

1884: 1

Woodward, H.P., 1884. Report on the range to the east of Farina. *Parliamentary Papers for 1884. Government of South Australia* **40**, 1-5.

1887: 1

Oldham, R.D., 1887. Geology of Simla and Jutogh. *Records of the Geological Survey of India* **20**.

1891: 1

Reusch, H., 1891. *Skuringmærker og morængrus eftervist i Finnmarken fra en periode meget ældre end 'istiden'* (Glacial striae and boulder-clay in Norwegian Lapponie from a period much older than the last ice age). *Norges Geologiske Undersøkelse* **1**, 78-85 (English summary, 97-100).

1897: 1

Strahan, A., 1897. On glacial phenomena of Paleozoic age in the Varanger Fiord. *Quarterly Journal of the Geological Society, London* **53**, 137-146, and Discussion, 153-156.

1898: 2

Garwood, E.J. & Gregory, J.W., 1898. Contribution to the glacial geology of Spitsbergen. *Quarterly Journal of the Geological Society, London* **54**, 197-225.

Schiøtz, O.E., 1898. Om Dr Reusch's præglaciale skuringdmerker. *Nyt Magazin Naturvissenschaften* **36**, 1-10.

1900: 1

Dal, A., 1900. Geologiske iagttagelser omkring Varangerfjorden.). *Norges Geologiske Undersøkelse* **28**, 1-16.

1901: 2

Chewings, C., 1901. Notes on glacial beds of Cambrian age in the far north of South Australia. *Transactions of the Royal Society of South Australia* **25**, 45-47.

Howchin, W., 1901. Preliminary note on the existence of glacial beds of Cambrian age in South Australia. *Transactions of the Royal Society of South Australia* **21**, 74-86.

1903: 1

David, T.W.E., 1903. Note by T.W. Edgeworth David. *Report of the Australian Association for the Advancement of Science* **9**, 199-200.

1904: 2

Howchin, W., 1904. The geology of the Mount Lofty Ranges. —Part II (the lower and basal beds of the Cambrian). *Transactions and Proceedings and Report of the Royal Society of South Australia* **30**, 227-262.

Willis, B., 1904. Geological research in eastern Asia. *Carnegie Institution of Washington, Yearbook* **3**, Washington, D.C., 275-291.

1906: 1

Schwarz, E.H.L., 1906. The three Paleozoic ice-ages of South Africa. *Journal of Geology* **14**, 683-691.

1907: 7

Blackwelder, E. & Willis, B., 1907. Research in China, Vol. 1:I, II. *Carnegie Institution of Washington, Publication* 54, Washington, D.C.

Coleman, A.P., 1907. A Lower Huronian ice age. *American Journal of Science* **23**, 187-192.

David, T.W.E., 1907a. Glaciation in Lower Cambrian, possibly Pre-Cambrian time. *Reports of the 10th Session, International Geological Congress 1906, Mexico* **1**, 271-274.

David, T.W.E., 1907b. Conditions of climate at different geological epochs, with special reference to glacial epochs. *Reports of the 10th Session, International Geological Congress 1906, Mexico* **1**, 437-482.

David, T.W.E., 1907c. Australasie: les conditions du climat aux époques géologiques. *Reports of the 10th Session, International Geological Congress (1906), Mexico*, 26 p.

David, T.W.E., 1907d. Some problems of Australian glaciations. Report of the Australian Association for the Advancement of Science **11**, 457-465.

Howchin, W., 1907. South Australia: Cambrian and (?) Permo-Carboniferous glaciation. *Report of the Australian Association for the Advancement of Science* **11**, 264-273.

1908: 3

Holland, T.H., 1908. On the occurrence of striated boulders in the Blaini Formation of Simla, with a discussion of the geological age of the beds. *Records of the Geological Survey of India* **37**(3), 129-135.

Howchin, W., 1908a. Glacial beds of Cambrian age in South Australia. *Quarterly Journal of the Geological Society, London* **64**, 234-259.

Howchin, W., 1908b. Report on Cambrian and (?) Permo-Carboniferous glaciation in South Australia. *Australasian Association for the Advancement of Science, Adelaide Session, 1907, Glacial Research Committee, South Australia*, 9 p.

1910: 1

Sayles, R.W. & LaForge, L., 1910. The glacial origin of the Roxbury Conglomerate. *Science* **32**, 723-724.

1911: 1

Howchin, W., 1911. Über die Glazialschieten Cambrischen Alters in Südaustralien Eine Entgegnung. *Zeitschrift der Deutschen Geologischen Gesellschaft* **63**, 220-228.

1912: 3

Howchin, W., 1912a. Australian glaciations. *Journal of Geology* **20**, 193-227.

Howchin, W., 1912b. Cambrian and Permo-Carboniferous glaciation. *Report of the Australian Association for the Advancement of Science* **13**, 203-208.

Mawson, D., 1912. Geological investigations in the Broken Hill Area [glacial-interglacial—glacial successions]. *Memoirs of the Royal Society of South Australia* **2**, 211-319.

1913: 3

Hintze, F.F., 1913. A contribution to the geology of the Wasatch Mountains, Utah. *Annals of the New York Academy of Sciences* **23**, 85-143.

Jack, R.L., 1913. The Mount Grainger Goldfield. *Report of the Geological Survey of South Australia* **1**, 1-24.

Wilson, M.E., 1913. The Cobalt Series, its character and origin. *Journal of Geology* **21**, 121-141.

1914: 1

Sayles, R.W., 1914. The Squantum Tillite. *Bulletin of the Museum of Comparative Zoology at Harvard College* **56**, 141-175, 12 plates, Cambridge, MA.

1915: 1

Rogers, A.W., 1915. The geology of part of Namaqualand. *Transactions of the Geological Society of South Africa* **18**, 72-101, 14 plates.

1916: 1

Waterhouse, L.L., 1916. Notes on the geology of King Island. *Annual Report to the Secretary for Mines, Tasmania, for 1915*, 88-93.

1918: 2

Holtedahl, O., 1918. Varangerhalvøen: Strøet omkring bunden av Varangerfjord. *Norsk Geologiske Undersøkelse* **84**, 148-173.

Howchin, W., 1918. *The Geology of South Australia, 1st edition*. Gillingham & Co., Ltd., Adelaide, 543 p.

1920: 1

Howchin, W., 1920. Past glacial action in Australia. *Official Yearbook of the Australian Census and Statistics Bureau* **13**, 1133-1146.

1922: 1

Holtedahl, O., 1922. A tillite-like conglomerate in the "Eocambrian" sparagmite of southern Norway. *American Journal of Science* **4**, 165-173.

1924: 1

Lee, J.S. & Chao, Y.T., 1924. Geology of the gorge district of the Yangtze (from Ichang to Tzekuei) with special reference to the development of the gorges. *Bulletin of the Geological Society of China* **3**, 351-391.

1925: 1

Blackwelder, E., 1925. Wasatch Mountains revisited (abstract). *Geological Society of America Bulletin* **36**, 132-133.

1926. 4

Blackwelder, E., 1926. Precambrian geology of the Medicine Bow Mountains. *Geological Society of America Bulletin* **37**, 615-658.

Coleman, A.P., 1926. *Ice ages, recent and ancient*. MacMillan, New York, 296 pp.

Howchin, W., 1926. The Sturtian Tillite in the Willouran Ranges near Maree (Hergott) and in the northeast portions of the Flinders Ranges. *Report of the Australian Association for the Advancement of Science* **17**, 67-76.

Wadia, D.N., 1926. *Geology of India*. London, 1926.

1927: 1

Howchin, W., 1927. The Sturtian Tillite in the neighbourhood of Eden and in the Hundreds of Kapunda, Neales and English, South Australia. *Transactions of the Royal Society of South Australia* **51**, 330-349.

1928: 1

Howchin, W., 1928. The Sturtian Tillite and associated beds on the western scarps of the southern Flinders Ranges. *Transactions of the Royal Society of South Australia* **52**, 82-94.

1929: 3

Beetz, W., 1929. Über das Wahrscheinlich altcambrische oder jungproterozoische Alter der Glazialschichten an der Basis des Kundelungu-Systems in Katanga und am unteren Kongo. *Neues Jahrbuch für Mineralogie, Geologie und Paläontologie, Beilagebände. Abteilung B.* Bd. **61**, 61-82.

Howchin, W., 1929. *The Geology of South Australia, 2nd ed.* Gillingham & Co., Ltd., Adelaide.

Nicolaev, I.G., 1929. Glacial deposits—tillites—of the Lower Cambrian age in the Yenisei Ridge. *Compte Rendu. XV International Geological Congress, South Africa*, No. **14A**, 103-110.

1930: 6

Moraes Rego, L.F. de, 1930. Glaciação eopaleozóica no centro do Brazil. *Anais Academia Brasileira de Ciências* **2**, 109-112.

Holtedahl, O., 1930. Additional observations on the rock formations of Finnmarken, northern Norway. *Norsk Geologisk Tidsskrift* **11**, 16-279.

Kulling, O., 1930. Stratigraphic studies of the geology of Northeast Greenland. *Meddelelser om Grønland* **74**, 317-314.

Nikolaev, J., 1930. The glacial deposits (tillites) of Lower Cambrian age in the Yenisei Range. *Bulletin of the Geological and Prospecting Service of the U.S.S.R.* **49**(7), 1-15.

Poulsen, C., 1930. Notes on glacial deposits at the base of the Cambrian in East Greenland. *Meddelelser om Grønland* **74**, 299-305.

Rogers, A.W., 1930. Pre-Cape tillites in the Union of South Africa. *International Geological Congress, Compte Rendu XV Session, South Africa, 1929*. Vol. II, 83-84, Pretoria.

1931: 2

Gevers, T.W., 1931. An ancient tillite in South-West Africa. *Transactions of the Geological Society of South Africa* **34**, 1-17.

Rosendahl, H., 1931. Bidrag til Varangernesets geologi. *Norsk Geologisk Tidsskrift* **25**, 327-349.

1932: 2

Blackwelder, E., 1932. An ancient glacial formation in Utah. *Journal of Geology* **40**, 289-304.

Tchurakov, A.N., 1932. Traces of Proterozoic glaciation in the southern part of Central Siberia. *Geological Society of America Bulletin* **43**, 581-602.

1933:

Baud, L., 1933. Le conglomérat argilo-calcaireux dans la région de Kayes et de Bafoulabé et sa position stratigraphique. *Compte Rendu* **197**, 172-173.

Furon, R., 1933. Observations sur la stratigraphie de l'ouest africain (Mauritanie et Soudan). *Compte Rendu* **196**, 1905-1906.

1934: 1

Kulling, O., 1934. Scientific results of the Swedish-Norwegian Arctic expedition in the summer of 1931. *Geografiska Annaler Stockholm* **16**, 161-253.

1936: 1

Lee, Y.Y., 1936. The Sinian glaciation in the lower Yangtze valley. *Bulletin of the Geological Society of China* **15**, 131-.

1937: 2

Føyn, S., 1937. The Eocambrian series of the Tana district, northern Norway. *Norsk Geologisk Tidsskrift* **17**, 65-164, 4 plates, 1:250,000 scale map.

Norin, E., 1937. Geology of the western Quruq Tagh, eastern Tien Shan. *Reports of the Sino-Swedish Expedition III. Geology*. Bokförlags Aktiebolaget Thule, Stockholm, 194 p.

1938: 1

Kulling, O., 1938. Notes on varved boulder-bearing mudstone in Eocambrian glacials in the mountains of northern Sweden. *Geologiska Föreningens i Stockholm Förhandlingar* **60**, 392-396.

1939: 1

Davies, K.A., 1939. The glacial sediments of Bunyoro, N.W. Uganda. *Bulletin of the Geological Survey of Uganda*, **3**, 20-37.

1940: 9

- Browne, W.R., 1940. Late Proterozoic(?) glaciation in Australia. *Report of the 17th Session, International Geological Congress 1937, Moscow* **6**, 57-63, 1 plate.
- Davies, K.A., 1940. The glacial series of Bunyoro, north Uganda. *Report of the 17th Session, International Geological Congress 1937, Moscow* **6**, 115-119.
- Gevers, T.W. & Beetz, W., 1940. Pre-Dwyka glacial periods in southern Africa. *Report of the 17th Session, International Geological Congress 1937, Moscow* **6**, 65-98.
- Howell, B.F., 1940. Late Proterozoic and Early Cambrian climates. *Report of the 17th Session, International Geological Congress 1937, Moscow* **6**, 7-10.
- Lee, J.S. & Lee, Y.Y., 1940. Sinian glaciation of China. *Report of the 17th Session, International Geological Congress 1937, Moscow* **6**, 33-41.
- Norin, E., 1940. The Cambrian and sub-Cambrian sediments of central Kuruk-Tagh, eastern Tien-Shan. *Report of the 17th Session, International Geological Congress 1937, Moscow* **6**, 29-31, 1 fig., 3 plates.
- Robert, M., 1940. La glaciation du Kundelungu au Katanga (Congo Belge). *Report of the 17th Session, International Geological Congress 1937, Moscow* **6**, 99-113.
- Strand, T., 1940. Fossil climates as indicated by the Eocambrian and Paleozoic deposits in Norway. *Report, XVII International Geological Congress, Moscow* **6**, 11-20.
- Tchurakov, A.N., 1940. Die Proterozoische Vergletscherung Sibiriens. *Report of the 17th Session, International Geological Congress 1937, Moscow* **6**, 21-28, 1 fig., 1 plate.

1941:

- Fleming, W.L.S. & Edmonds, J.M., 1941. The Hecla Hoek rocks of New Friesland (Spitsbergen). *Geological Magazine* **78**, 65-163.
- le Roex, H.D., 1941. A tillite in the Otavi Mountains, S.W.A. *Transactions of the Geological Society of South Africa* **44**, 207-218.

1943:

- Gaertner, H.R. von, 1943. Bemerkungen über den Tillit von Bigganjargga am Varangerfjord. *Geologische Rundschau* **34**, 226-231.

1945: 2

- Dorr, 2nd, J.V.N., 1945. Manganese and iron deposits of Morro do Urucum, Mato Grosso, Brazil. *United States Geological Survey Bulletin* **946-A**, 1-47, 6 plates (in back folder).
- Rosendahl, H., 1945. Prekambrium-Eokambrium I Finnmark. *Norsk Geologisk Tidsskrift* **25**, 327-349.

1946:

- Almeida, F.F.M., 1946. Origem dos minérios de ferro y manganes de Urucum (Corumbá, Estado Mato Grosso). *Boletim de Divisão de Geologia e Mineralogia* **119**, 58 p.

1947: 3

- Cahen, L., 1947a. Les glaciations pré-Karoo du bassin du Congo et de l'Afrique australe. *Bulletin de la Société Belge Géologique* **56**, 109-157.
- Cahen, L., 1947b. A propos de formations éoliennes périglaciaires de la série de Mwashya. *Bulletin de la Société Belge Géologique* **56**, 8-15.

Carey, S.W., 1947. Occurrence of tillite on King Island. *Reports of the Australian Association for the Advancement of Science* **52**, 349.

1949: 3

Mawson, D., 1949. The Late Precambrian ice age and glacial record of the Bibliando dome. *Journal and Proceedings of the Royal Society of New South Wales* **82**, 150-174.

Mawson, D., 1949. Sturtian tillite of Mount Jacob and Mount Warren Hastings, north Flinders Ranges. *Transactions of the Royal Society of South Australia* **72**, 244-251.

Mawson, D., 1949. The Elatina glaciation: a third recurrence of glaciation evidenced in the Adelaide system. *Transactions of the Royal Society of South Australia* **73**, 117-121.

1950: 4

David, T.W.E., 1950. *The Geology of the Commonwealth of Australia, Vol. 1. Chapter 11, Upper Pre-Cambrian Adelaide System and its Equivalents*. Edward Arnold, London, p. 50-97.

Cahen, L., 1950. Le Calcaire de Sekelolo, le Complexe tillitique et la Dolomie rose C₁ dans l'Anticlinal de Congo dia Kati (Bas-Congo). *Annales du Musée du Congo Belge, Sciences Géologiques* **7**, 13-54, 19 plates.

Mawson, D. & Sprigg, R.C., 1950. Subdivision of the Adelaide System. *Australian Journal of Science* **13**, 69-72.

Wegmann, C.E., Dangeard, L. & Graindor, M.J., 1950. Sue quelques caractères remarquables de la formation pré-cambrienne connue sous le nom de Poudinage de Granville. *Compte Rendus* **230**, 979-

1951: 3

Kulling, O., 1951. Spår av Varangeristiden i Norbotten. Eokambriska varvkiffrar och tilliter i Norrbottensfällens östra rand, i Nordligaste Sverige. *Sveriges Geologiska Undersökning, Avhandlingar och uppsatser, Series C, no. 503, Årsbok* **43** for 1949, 1-44.

Poulsen, C. & Rasmussen, H.W., 1951. Geological map (scale 1:50,000) and description of Ella Ø. *Meddelelser om Grønland* **151**(5), 1-25.

Wegmann, E., 1951. Subkambrische Tillite in der herzynischen Faltungszone. *Geologische Rundschau* **39**, 221-

1952: 1

Wilson, A.F., 1952. Precambrian tillites east of the Everard Ranges, north-western South Australia. *Transactions of the Royal Society of South Australia* **75**, 160-163.

1953: 1

Cahen, L., Choubert, G., Hindermeier, J. & Hollard, H., 1953. Sur la présence probable de tillites dans le Précambrien III de l'Anti-Atlas central. *Compte Rendu Académie Science, Paris* **236**, 1291-1293.

1954: 1

Sutton, J. & Watson, J., 1954. Ice-borne boulders in the Macduff group of the Dalradian of Banffshire. *Geological Magazine* **91**, 391-398.

1955: 2

Schaub, H.P., 1955. Tectonics and morphology of Kap Oswald (NE-Greenland), with additional remarks on the tillites. *Meddelelser om Grønland* **103**(10), 1-14.

Wiebols, J.H., 1955. A suggested glacial origin for the Witwatersrand conglomerates. *Transactions of the Geological Society of South Africa* **48**, 367-387.

1956: 2

Harland, W.B. & Wilson, C.B., 1956. The Hecla Hoek Succession in Ny Friesland, Spitsbergen. *Geological Magazine* **93**, 2265-286.

Nalivkin, D.V., 1956. *Ucheniye o fatsiyak. Geograficheskiye usloviya obrazovaniya osadkov*, 2 (Science of facies. Geographical environment of sedimentation). Izvestiya Akademia Nauk SSSR, Moscow.

1957: 1

Sommer, M., 1957. Geologie von Lyell Land (NE-Grønland). *Meddelelser om Grønland* **155**(2), 1-157.

1959: 2

Harland, W.B. & Bidgood, D.E.T., 1959. Palaeomagnetism in some Norwegian sparagmites and the late pre-Cambrian ice age. *Nature* **184**, 1860-1862.

Maciel, P., 1959. Tilito Cambriano(?) no Estado de Mato Grosso. *Sociedade Brasileira Geologia Boletino* **8**, 3-49.

1960: 1

Zimmermann, M., 1960. Nouvelle subdivision des séries antégothlandiennes de l'Afrique occidentale (Mauritanie, Soudan, Sénégal). *In: Reports of the 21st International Geological Congress* **8**, Copenhagen, 26-36.

1960: 4

Dangeard, L. & Doré, F., 1960. La tillite antecambrienne de St Germain d'Ectot (Calvados). *21st International Geological Congress, Copenhagen, 1960, Pt. VIII. Late Pre-Cambrian and Cambrian stratigraphy*, 24-25.

Holtedahl, O., 1960. Stratigraphy of the Sparagmite Group, including the "Older Sandstone divisions of Finnmark". *In: Holtedahl, O. (ed.) Geology of Norway. Norges Geologiske Undersøkelse* **208**, 111-127.

Ziegler, P.A., 1960. Frühpaläozoische Tillite in östlichen Yukon-Territorium (Kanada). *Eclogae Geologicae Helveticae* **52**, 735-741.

Zimmermann, M., 1960. Nouvelle subdivision des séries antégothlandiennes de l'Afrique occidentale (Mauritanie, Soudan, Sénégal). *In: Reports of the 21st International Geological Congress* **8**, Copenhagen, 26-36.

1961: 3

Bidgood, D.E.T. & Harland, W.B., 1961. Palaeomagnetism in some east Greenland sedimentary rocks. *Nature* **189**, 633-634.

Dott, R.H.Jr., 1961. Squantum "tillite", Massachusetts—evidence of glaciation or subaqueous mass movements? *Geological Society of America Bulletin* **72**, 1289-1305.

Katz, H.R., 1961. Late Precambrian to Cambrian stratigraphy in East Greenland. *In: Raasch, G.O. (ed) Geology of the Arctic, Vol 1.* University of Toronto Press, Toronto, 299-328.

1963: 3

Cahen, L., 1963. *Glaciations anciennes et dérive des continents* (Ancient glaciations and continental drift). *Annales de la Société Géologique de Belgique* **86**, 19-83.

Schermerhorn, L.J.G. & Stanton, W.I., 1963. Tilloids in the West Congo geosyncline. *Quarterly Journal of the Geological Society of London* **119**, 201-241.

Stanton, W.I., Schermerhorn, L.J.G. & Korpershoek, H.R., 1963. The West Congo System. *Serviços de Geologia e Minas, Luanda, Boletim* **8**, 69-78.

1964: 15

Chumakov, N.M., 1964. Präkambrische tillit-ähnliche Gesteine der Sowjetunion. *Geologische Rundschau* **54**, 83-102.

Delgarno, C.D. & Johnson, J.E., 1964. Glacials of the Marinoan Series. *Quarterly Geological Notes, Geological Survey of South Australia* **11**, 3-4.

Fiala, F., 1964. Eokambrische Tillite der Zelezne hory, Ostböhmen. *Geologische Rundschau* **54**, 102-115.

Graindor, M.J., 1964. Les tillites ante-cambriennes de Normandie. *Geologische Rundschau* **54**, 61-83.

Harland, W.B., 1964. Evidence of late Precambrian glaciation and its significance. *In: Nairn, A.E.M. (ed.) Problems in Palaeoclimatology.* Interscience, London, p. 119-149.

Harland, W.B., 1964. Critical evidence for a great infra-Cambrian glaciation. *Geologische Rundschau* **54**, 45-61.

Harland, W.B. & Rudwick, M.J.S., 1964. The great infra-Cambrian ice age. *Scientific American* **211**(2), 28-36.

Mirams, R., 1964. A Sturtian glacial pavement at Merinjina Well, near Wooltana. *Quarterly Geological Notes of the Geological Survey of South Australia* **11**, 4-5.

Rudwick, M.J.S., 1964. The infra-Cambrian glaciation and the origin of the Cambrian fauna. *In: Nairn, A.E.M. (ed.) Problems in Palaeoclimatology.* Interscience, London, p. 150-155 and 184-185.

Schwarzbach, M., 1964. *Climates of the Past.* D. Van Nostrand Co, Ltd, London, 328 p. (English translation of the 2nd revised edition of *Das Klima der Vorzeit.* Ferdinand Enke Verlag, Stuttgart, 1961.)

Schwarzbach, M., 1964. Paläoklimatologische Eindrücke aus Australien nebst einigen allgemeinen Bemerkungen zur älteren Klimageschichte der Erde. *Geologische Rundschau* **54**, 128-161.

Spjeldnaes, N., 1964. The Eocambrian glaciation in Norway. *Geologische Rundschau* **54**, 24-45.

Thompson, B.P. *et al.*, 1964. Precambrian rock groups in the Adelaide Geosyncline: a new subdivision—the Umberatana Group. *Quarterly Geological Notes, Geological Survey of South Australia* **9**, 7-12.

Wilson, C.B. & Harland, W.B., 1964. The Polarisbreen Series and other evidences of late pre-Cambrian ice ages in Spitsbergen. *Geological Magazine* **101**, 198-219.

Winterer, E.L., 1964. Late Precambrian pebbly mudstone in Normandy, France: Tillite or tilloid? *In: Nairn, A.E.M. (ed.) Problems in Palaeoclimatology.* Interscience, London, p. 159-187.

1965: 6

- Delgarno, C.D. & Johnson, J.E., 1965. The Holowilena Ironstone, a Sturtian glacial unit. *Quarterly Geological Notes, Geological Survey of South Australia* **13**.
- Dow, D.B., 1965. Evidence of a Late Pre-Cambrian glaciation in the Kimberley Region of Western Australia. *Geological Magazine* **102**, 407-419.
- Kilburn, C., Pitcher, W.S. & Shackleton, R.M., 1965. Stratigraphy and origin of the Port Askaig Boulder Bed series (Dalradian). *Geological Journal* **4**, 343-360.
- Martin, H., 1965a. *The Precambrian Geology of South West Africa and Namaqualand*. Precambrian Research Unit Bulletin **1**, University of Cape Town, South Africa, 159 p.
- Martin, H., 1965b. *Beobachtungen zum Problem der jung-präkambrischen Glazialen Ablagerungen in Südwestafrika* (Observations concerning the problem of the late Precambrian glacial deposits in South West Africa). *Geologische Rundschau* **54**, 115-127.
- Schenk, P.E., 1965. Depositional environment of the Gowganda Formation (Precambrian) at the south end of Lake Timagami, Ontario. *Journal of Sedimentary Petrology* **35**, 309-318.

1966: 3

- Howarth, R.J., Kilburn, C. & Leake, B.E., 1966. The Boulder Bed succession at Glencolombkille, County Donegal. *Proceedings of the Royal Irish Academy* **65B**, 117-138.
- Lindsey, D.A., 1966. Sediment transport in a Precambrian ice-age: the Huronian Gowganda Formation. *Science* **154**, 1422-1423.
- Reading, H.G. & Walker, R.G., 1966. Sedimentation of Eocambrian tillites and associated sediments in Finnmark, northern Norway. *Palaeogeography, Palaeoclimatology, Palaeoecology* **2**, 177-212.

1967: 3

- Bjørlykke, K., 1967. The Eocambrian Reusch moraine at Bigganjargga and the geology Varangerfjord, northern Norway. *Norsk Geologiske Undersøkelse* **251**, 18-44.
- Cahen, L. & Lepersonne, J., 1967. The Precambrian of the Congo, Rwanda, and Burundi. In: Rankama, K. (ed.) *The Precambrian, Vol. 3*. Interscience Publishers, New York, p. 143-290.
- Troxel, B.W., 1967. Sedimentary rocks of Late Precambrian and Cambrian age in the southern Salt Spring Hills, southeastern Death Valley, California. *Short Contributions to California Geology, Special Report* **92**, 33-41.

1968: 5

- Chumakov, N.M., 1968. On the character of the Late Precambrian glaciation of Spitsbergen (translated title). *Doklady Akademia Nauk SSSR, Geology Series* **180**, 1446-1449.
- Eriksson, E., 1968. Air-ocean-icecap interactions in relation to climatic fluctuations and glaciation cycles. *Meteorological Monographs* **8**, 68-92.
- Perry, W.J. & Roberts, H.G., 1968. Late Precambrian glaciated pavements in the Kimberley Region, Western Australia. *Journal of the Geological Society of Australia* **15**(1), 51-56.
- Roscoe, S.M., 1968. Huronian rocks and unraniferous conglomerates in the Canadian Shield. *Geological Survey of Canada Paper* **68-40**, 205 p.

Spencer, A.M. & Pitcher, W.S., 1968. Occurrence of the Port Askaig Tillite in north-east Scotland. *Proceedings of the Geological Society of London, September no. 1650*, 195-198.

1969: 9

- Biju-Duval, B. & Gariel, O., 1969. Nouvelles observations sur les phénomènes glaciaires “Éocambriens” de la bordure nord de la synclise de Taoudeni, entre le Hank et le Tanezrouft, Sahara occidental. *Palaeogeography, Palaeoclimatology, Palaeoecology* **6**, 283-315.
- Budyko, M.I., 1969. The effect of solar radiation variations on the climate of the Earth. *Tellus* **21**, 611-619.
- Dow, D.B. & Gemuts, I., 1969. Geology of the Kimberley Region, Western Australia. *Bureau of Mineral Resources, Geology and Geophysics, Bulletin* **106**, Canberra, ACT, 135 p.
- Lindsey, D.A., 1969. Glacial sedimentology of the Precambrian Gowganda Formation, Ontario, Canada. *Geological Society of America Bulletin* **80**, 1685-1702.
- Isotta, C.A., Rocha-Campos, A.C. & Yoshida, R., 1969. Striated pavement of the Upper Pre-Cambrian glaciation in Brazil. *Nature* **222**, 466-468.
- Leprun, J.-C. & Trompette, R., 1969. Subdivision du Voltaïen du massif de Gobnangou (République de Haute-Volta) en deux séries discordantes séparées par une tillite d’âge éocambrien probable. *Comptes Rendus de l’Académie des Sciences, Paris* **269**, 2187-2190.
- Saito, R., 1969. Glacier problems of Late Pre-Cambrian Eon. *Kumamoto Journal of Science, Ser. B, Section 1 Geology* **8**, 7-44.
- Sellers, W.D., 1969. A global climatic model based on the energy balance of the Earth-atmosphere system. *Journal of Applied Meteorology* **8**, 392-400.
- Spencer, A.M., 1969. Late Pre-Cambrian glaciation in Scotland (Discussions and Replies) and Traegus, J.E., The Kinlochlaggan Boulder Bed (Discussion and Replies), Ordinary General Meeting, 20 November 1968. *Proceedings of the Geological Society of London, September no. 1657*, 177-198.
- Young, G.M., 1969. Geochemistry of Early Proterozoic tillites and argillites of the Gowganda Formation, Ontario. *Geochimica et Cosmochimica Acta* **33**, 483-492.

1970: 4

- Bowes, D.R., 1970. Petrochemistry of Upper Proterozoic glaciogene rocks of the Torrowangee Series at Poolamacca, Broken Hill, New South Wales. *Proceedings of the Geologists’ Association* **81**, 473-482.
- Eisbacher, G.H., 1970. Contemporaneous faulting and clastic intrusions in the Quirke Lake Group, Elliot Lake, Ontario. *Canadian Journal of Earth Sciences* **7**, 215-225.
- Whitten, G.F., 1970. The investigation and exploitation of the Razorback Ridge iron deposit. *Geological Survey of South Australia Reports of Investigations* **33**, 165 p.
- Young, G.M., 1970. An extensive Early Proterozoic glaciation in North America? *Palaeogeography, Palaeoclimatology, Palaeoecology* **7**, 85-101.

1971: 8

- Brückner, W.D. & Anderson, M.M., 1971. Late Precambrian glacial deposits in southeastern Newfoundland—A preliminary note. *Proceedings of the Geological Association of Canada* **24**, 95-102.

- Crawford, A.R. & Daily, B., 1971. Probable non-synchronicity of Late Precambrian glaciations. *Nature* **230**, 111-112.
- Crittenden, M.J., Schaeffer, F., Trimble, D. & Woodward, L., 1971. Nomenclature and correlation of some Upper Precambrian and basal Cambrian sequences in western Utah and southeastern Idaho. *Geological Society of America Bulletin* **82**, 581-602.
- Dunn, P.R., Thomson, B.P. & Rankama, K., 1971. Late Pre-Cambrian glaciation in Australia as a stratigraphic boundary. *Nature* **231**, 498-502.
- Howarth, R.J., 1971. The Portaskaig Tillite succession (Dalradian) of Co. Donegal. *Proceedings of the Royal Irish Academy* **71B**, 1-36.
- Jepsen, H.F., 1971. The Precambrian, Eocambrian and Early Palaeozoic stratigraphy of the Jørgen Brønlund Fjord area, Peary Land, North Greenland. *Meddelelser om Grønland* **192**(2), 1-42.
- Lindsey, D.A., 1971. Glacial marine sediments in the Precambrian Gowganda Formation at Whitefish Falls, Ontario (Canada). *Palaeogeography, Palaeoclimatology, Palaeoecology* **9**, 7-25.
- Roberts, J.D., 1971. Late Precambrian glaciation: an anti-greenhouse effect? *Nature* **234**, 216.
- Spencer, A.M., 1971. Late Pre-Cambrian glaciation in Scotland. *Geological Society of London Memoir* **6**, 99 pp.

1972: 7

- Binda, P.L. & Van Eden, J.G., 1972. Sedimentological evidence on the origin of the Precambrian Great Conglomerate (Kundelungu Tillite), Zambia. *Palaeogeography, Palaeoclimatology, Palaeoecology* **12**, 151-168.
- Kröner, A. & Rankama, K., 1972. Late Precambrian glaciogenic sedimentary rocks in southern Africa: a compilation with definitions and correlations. *Precambrian Research Unit Bulletin* **11**, University of Cape Town, South Africa, 37 p.
- Saito, R., 1972. Geological evidence regarding the nature of palaeoclimatic polar wandering in Pre-Cambrian and Palaeozoic Eon. *Kumamoto Journal of Science, Geology* **9**(2), 35-50.
- Spencer, A.M. & Spencer, M.O., 1972. The Late Precambrian/Lower Cambrian Bonahaven Dolomite of Islay and its stromatolites. *Scottish Journal of Geology* **8**, 269-282.
- Van Eden, J.G. & Binda, P.L., 1972. Scope of stratigraphic and sedimentologic analysis of the Katanga Sequence, Zambia. *Geologie en Mijnbouw* **51**, 321-328.
- Williams, G.E., 1972. Geological evidence relating to the origin and secular rotation of the Solar system. *Modern Geology* **3**, 165-181.
- Young, G.M., 1972. Downward intrusive breccias in the Huronian Espanola Formation, Ontario, Canada. *Canadian Journal of Earth Sciences* **9**, 756-762.

1973: 8

- Cooper, P.F., 1973. Striated pebbles from the Late Precambrian Adelaidean. *Quarterly Notes, Geological Survey of New South Wales* **11**, 13.
- Edwards, M.B., Baylis, P., Gibling, M., Goffe, W., Potter, M. & Suthren, R.J., 1973. Stratigraphy of the 'Older Sandstone Series' (Tanafjord Group) and Vestertana Group north of Stallogaissa, Laksefjord District, Finnmark. *Norges Geologiske Undersøkelse* **294**, 25-41.
- Kröner, A. & Correira, H., 1973. Further evidence for glaciogenic origin of Late Precambrian mixtites in Angola. *Nature* **246**, 115-117.

- Kröner, A. & Rankama, K., 1973. Late Precambrian glaciogenic sedimentary rocks in southern Africa: A compilation with definitions and corrections. *Geological Survey of Finland Bulletin* **45**, 79-102.
- Piper, J.D.A., 1973. Latitudinal extent of late Precambrian glaciations. *Nature* **244**, 342.
- Rankama, K., 1973. The Late Precambrian glaciation, with particular reference to the Southern Hemisphere. *Journal and Proceedings, Royal Society of New South Wales* **106**, 89-97.
- Spjeldnæs, N., 1973. Moraine stratigraphy, with examples from the basal Cambrian (“Eocambrian”) and Ordovician glaciations. *Bulletin of the Geological Institute, University of Uppsala* **5**, 165-171.
- Williams, G.E., 1973. Geotectonic cycles, lunar evolution, and the dynamics of the Earth-Moon system. *Modern Geology* **4**, 159-183.

1974: 9

- Bijou-Duval, B., Deynoux, M. & Rognon, P., 1974. Essai d’interprétation des “fractures en gradins” [stepped fractures] observées dans les formations glaciaires Précambriennes et Ordoviciennes du Sahara. *Revue de Géographie Physique et de Géologie Dynamique* **16**, 503-512.
- Bjørlykke, K., 1973. Glacial conglomerates of Late Precambrian age from the Bunyoro Series, W. Uganda. *Geologische Rundschau* **62**, 938-947.
- Cloud, P., Wright, L.A., Williams, E.G., Diehl, P., & Walter, M.R., 1974. Giant stromatolites and associated vertical tubes from the upper Proterozoic Noonday Dolomite, Death Valley region, eastern California. *Geological Society of America Bulletin* **85**, 1869-1882.
- Edwards, M.B., 1974. Sedimentology of Late Precambrian Svaenor and Kapp Sparre Formations at Aldousbreen, Wahlenbergfjorden, Nordaustlandet. *Norsk Polarinstitutt Årbok* **1974**, 51-61.
- Held, I.M. & Suarez, M.J., 1974. Simple albedo feedback models of the icecaps. *Tellus* **26**(6), 613-629.
- Jago, J.B., 1974. The origin of the Cottons Breccia, King Island, Tasmania. *Transactions of the Royal Society of South Australia* **98**(1), 13-28.
- McElhinny, M.W., Giddings, J.W. & Embleton, B.J.J., 1974. Palaeomagnetic results and late Precambrian glaciations. *Nature* **248**, 557-561.
- Schermerhorn, L.J.G., 1974. Late Precambrian mixtites: glacial and/or non-glacial? *American Journal of Science* **274**, 673-824.
- Tarling, D. H., 1974. A palaeomagnetic study of Precambrian tillites in Scotland. *Journal of the Geological Society, London* **130**, 163-177.
- Williams, G.E., 1974. Discussion of Late Precambrian glacial climate and the Earth’s obliquity. *Journal of the Geological Society, London* **130**, 599-601.

1975: 7

- Edwards, M.B., 1975. Glacial retreat sedimentation in the Smalfjord Formation, Late Precambrian, north Norway. *Sedimentology* **22**, 75-94.
- Röshoff, K., 1975. A probable glaciogenic sediment in the Särvi Nappe, central Swedish Caledonides. *Geologiska Föreningens i Stockholm Förhandlingar* **97**, 192-195.
- Pflug, R. & Schöll, W.U., 1975. Proterozoic glaciations in eastern Brazil: a review. *Geologische Rundschau* **64**, 287-299.

- Schermerhorn, L.J.G., 1975. Tectonic framework of Late Precambrian supposed glacials. *In*: Wright, A.E. and Moseley (eds.) *Ice Ages: Ancient and Modern*. Seel House Press, Liverpool, 241-274.
- Spencer, A.M., 1975. Late Precambrian glaciation in the North Atlantic region. *In*: Wright, A.E. and Moseley, F. (eds) *Ice Ages: Ancient and Modern*. Seel House Press, Liverpool, p. 217-240.
- Wetherald, R.T. & Manabe, S., 1975. The effects of changing the Solar constant on the climate of a general circulation model. *Journal of the Atmospheric Sciences* **32**, 2044-2059.
- Williams, G.E., 1975. Late Precambrian glacial climate and the Earth's obliquity. *Geological Magazine* **112**, 441-544.

1976: 10

- Bjørlykke, K., Elvsborg, A. & Høy, T., 1976. Late Precambrian sedimentation in the central sparagmite basin of south Norway. *Norsk Geologisk Tidsskrift* **56**, 233-290.
- Deynoux, M. & Trompette, R., 1976. Discussion: Late Precambrian mixtites: glacial and/or nonglacial? Dealing especially with the mixtites of West Africa. *American Journal of Science* **276**, 1302-1315.
- Edwards, M.B., 1976. Sedimentology of Late Precambrian Svaenor and Kapp Sparre Formations at Aldousbreen, Wahlenbergfjorden, Nordaustlandet. *Norsk Polarinstitut Årbok* **1974**, 51-61, Oslo.
- Forbes, B.G. & Cooper, R.S., 1976. The Pualco Tillite of the Olary Region, South Australia. *Quarterly Geological Notes, Geological Survey of South Australia* **60**, 2-5.
- Nystuen, J., 1976a. Late Precambrian Moelv tillite deposited on a discontinuity surface associated with a fossil ice wedge, Rendalen, southern Norway. *Norsk Geologiske Tidsskrift* **56**, 29-50.
- Nystuen, J.P., 1976b. Facies and sedimentation of the Late Precambrian Moelv Tillite in the eastern part of the Sparagmite Region, southern Norway. *Norges Geologiske Undersøkelse* **329**, 1-70.
- Roberts, J.D., 1976. Late Precambrian dolomites, Vendian glaciation, and synchronicity of Vendian glaciations. *Journal of Geology* **84**, 47-63.
- Schermerhorn, L.J.G., 1976. Reply: Late Precambrian mixtites: glacial and/or nonglacial? Dealing especially with the mixtites of West Africa. *American Journal of Science* **276**, 1315-1324.
- Vidal, G., 1976. Late Precambrian acritarchs from the Eleonore Bay Group and Tillite Group in East Greenland. *Grønlands Geologiske Undersøgelse Rapport* **78**, 19 p.
- Young, G.M., 1976. Iron-formation and glaciogenic rocks of the Rapitan Group, Northwest Territories, Canada. *Precambrian Research* **3**, 137-158.

1977: 8

- Chamley, H., Deynoux, M., Giroud d'Argoud, G. & Trompette, R., 1977. Minéraux argileux des formations glaciaires et de leur substratum dans le Précambrien Supérieur de l'Adrar de Mauretanie, Afrique Occidentale. *Sciences Géologie, Strasbourg, Bulletin* **30**, 207-227.
- Coates, R.P. & Forbes, B.G., 1977. Evidence for two Sturtian glaciations in South Australia—a reply. *Quarterly Geological Notes, Geological Survey of South Australia* **64**, 19-10.
- Lindzen, R.S. & Farrell, B., 1977. Some realistic modifications of simple climate models. *Journal of Atmospheric Sciences* **34**, 1487-1500.

- Kröner, A., 1977. Non-synchronicity of Late Precambrian glaciations in Africa. *Journal of Geology* **85**, 289-303.
- Murell, B., Link, P.K. & Gostin, V.A., 1977. Evidence for only one Sturtian glacial period in the 'Copley' map area. *Quarterly Geological Notes, Geological Survey of South Australia* **64**, 16-19.
- Roberts, J.D. 1977. Late Precambrian dolomites, Vendian glaciation, and synchronicity of Vendian glaciations: a reply. *Journal of Geology* **85**, 251-252.
- Schermerhorn, L.J.G., 1977. Late Precambrian dolomites, Vendian glaciation, and synchronicity of Vendian glaciations: a discussion. *Journal of Geology* **85**, 247-250.
- Williams, G.E. 1977. Late Precambrian dolomites, Vendian glaciation, and synchronicity of Vendian glaciations: a discussion. *Journal of Geology* **85**, 250-252.

1978: 6

- Chumakov, N.M., 1978. *Precambrian tillites and tilloids* (translated title). 202 p., Nauka, Moscow.
- Deynoux, M., Trompette, R., Clauer, N. & Sougy, J., 1978. Upper Precambrian and Lowermost Paleozoic correlations in West Africa and in the western part of Central Africa. Probable diachronism of the Late Precambrian tillite. *Geologische Rundschau* **67**, 615-630.
- Eisbacher, G.H., 1978. Re-definition and subdivision of the Rapitan Group, Mackenzie Mountains. *Geological Survey of Canada Paper* **77-35**, 21 p.
- Plummer, P.S., 1978. Note on the palaeoenvironmental significance of the Nuccaleena Formation (upper Precambrian), central Flinders Ranges, South Australia. *Journal of the Geological Society of Australia* **25**, 395-402.
- Preiss, W.V., Walter, M.R., Coates, R.P. & Wills, A.T., 1978. Lithological correlation of the Adelaidean glaciogenic rocks in parts of the Amadeus, Ngalia & Georgina basins. *Bureau of Mineral Resources, Journal of Australian Geology and Geophysics* **3**, 43-53.
- Wright, L., Williams, E.G., & Cloud, P., 1978. Algal and cryptalgal structures and platform environments of the late pre-Phanerozoic Noonday Dolomite, eastern California. *Geological Society of America Bulletin* **89**, 321-333.

1979: 5

- Caldas, J., 1979. Evidencias de una glaciación Precambriana en la costa sur del Perú. *Segundo Congreso Geológico Chileno, Arica*, Vol. J, 29-37.
- Edwards, M.B., 1979. Late Precambrian glacial loessites from north Norway and Svalbard. *Journal of Sedimentary Petrology* **49**, 85-92.
- McLennan, S.M., Fryer, B.J., Fryer, B.J., & Young, G.M., 1979. The geochemistry of the carbonate-rich Espanola Formation (Huronian) with emphasis on the rare earth elements. *Canadian Journal of Earth Sciences* **16**, 230-239.
- Nystuen, J.P. & Sæther, T., 1979. Clast studies in the Late Precambrian Moelv Tillite and Osdal Conglomerate, Sparagmite Region, south Norway. *Norsk Geologisk Tidsskrift* **59**, 239-251.
- Williams, G.E., 1979. Sedimentology, stable-isotope geochemistry and palaeoenvironment of dolostones capping late Precambrian glacial sequences in Australia. *Journal of the Geological Society of Australia* **26**, 377-386.

1980: 5

- Coats, R.P. & Preiss, W.V., 1980. Stratigraphic and geochronological reinterpretation of Late Proterozoic glaciogenic sequences in the Kimberley Region, Western Australia. *Precambrian Research* **13**, 181-208.
- Deynoux, M., 1980. Les formations glaciaires du Précambrien terminal et de la fin de l'Ordovicien en Afrique de l'Ouest: deux exemples de glaciation d'Inlandsis sur une plateforme stable. *Travaux des Laboratoires des Sciences de la Terre, St. Jérôme, Marseille*, 554 p.
- Føyn, S. & Siedlecki, S., 1980. Glacial stadials and interstadials of the Late Precambrian Smalfjord Tillite on Laksfjordvidda, Finnmark, north Norway. *Norges Geologiske Undersøkelse* **358**, 31-52.
- Hegenberger, W. & Seeger, K.G., 1980. The geology of the Gobabis area. Explanation of Sheet 2218, scale 1:250,000. Geological Survey of South West Africa/Namibia, Windhoek, 11 p.
- Ojakangas, R.W. & Matsch, C.L., 1980. Upper Precambrian (Eocambrian) Mineral Fork Tillite of Utah: a continental glacial and glaciomarine sequence. *Geological Society of America Bulletin* **91**, 495-501.

1981: 71

- Aalto, K.R., 1981. The Late Precambrian Toby Formation of British Columbia, Idaho and Washington. *In: Hambrey, M.J. and Harland, W.B. (eds) Earth's Pre-Pleistocene Glacial Record*. Cambridge University Press, Cambridge, p. 731-735.
- Allison, C.W., Young, G.M., Yeo, G.M. & Delaney, G.D., 1981. Glacigenic rocks of the Upper Tindir Group, east-central Alaska. *In: Hambrey, M.J. and Harland, W.B. (eds) Earth's Pre-Pleistocene Glacial Record*. Cambridge University Press, Cambridge, p. 720-723.
- Anderson, M.M. & King, A.F., 1981. Precambrian tillites of the Conception Group on the Avalon Peninsula, southeastern Newfoundland. *In: Hambrey, M.J. and Harland, W.B. (eds) Earth's Pre-Pleistocene Glacial Record*. Cambridge University Press, Cambridge, p. 760-767.
- Blick, N., 1981. Late Precambrian glaciation in Utah. *In: Hambrey, M.J. and Harland, W.B. (eds) Earth's Pre-Pleistocene Glacial Record*. Cambridge University Press, Cambridge, p. 740-744.
- Bjørlykke, K., 1981. Late Precambrian tillites of the Bunyoro Series, western Uganda. *In: Hambrey, M.J. and Harland, W.B. (eds) Earth's Pre-Pleistocene Glacial Record*. Cambridge University Press, Cambridge, p. 151-152.
- Bjørlykke, K. & Nystuen, J.P., 1981. Late Precambrian tillites of South Norway. *In: Hambrey, M.J. and Harland, W.B. (eds) Earth's Pre-Pleistocene Glacial Record*. Cambridge University Press, Cambridge, p. 624-628.
- Boulton, G.S. & Deynoux, M., 1981. Sedimentation in glacial environments and the identification of tills and tillites in ancient sedimentary sequences. *Precambrian Research* **15**, 397-422.
- Caby, R. & Fabré, J., 1981. Late Precambrian to Early Paleozoic diamictites, tillites and associated glaciogenic sediments in the Série Pourrée of western Hoggar. *In: Hambrey, M.J. and Harland, W.B. (eds) Earth's Pre-Pleistocene Glacial Record*. Cambridge University Press, Cambridge, p. 140-145.
- Caby, R. & Fabré, J., 1981. Tillites in the latest Precambrian strata of the Touareg Shield (central Sahara). *In: Hambrey, M.J. and Harland, W.B. (eds) Earth's Pre-Pleistocene Glacial Record*. Cambridge University Press, Cambridge, p. 146-149.

- Cahen, L. & Lepersonne, J., 1981. Proterozoic diamictites of Lower Zaire. *In: Hambrey, M.J. and Harland, W.B. (eds) Earth's Pre-Pleistocene Glacial Record*. Cambridge University Press, Cambridge, p. 153-157.
- Clemmensen, L.B., 1981. Late Precambrian tilloids of Peary Land, North Greenland. *In: Hambrey, M.J. and Harland, W.B. (eds) Earth's Pre-Pleistocene Glacial Record*. Cambridge University Press, Cambridge, p. 782-786.
- Chumakov, N.M., 1981. Upper Proterozoic glaciogenic rocks and their stratigraphic significance. *Precambrian Research* **15**, 373-395.
- Chumakov, N.M., 1981. Late Precambrian glacial deposits of the Vilchitsy Formation of western regions of the U.S.S.R. *In: Hambrey, M.J. and Harland, W.B. (eds) Earth's Pre-Pleistocene Glacial Record*. Cambridge University Press, Cambridge, p. 655-659.
- Chumakov, N.M., 1981. Late Precambrian glacial deposits of the Blon Formation, Belorussia, U.S.S.R. *In: Hambrey, M.J. and Harland, W.B. (eds) Earth's Pre-Pleistocene Glacial Record*. Cambridge University Press, Cambridge, p. 660-662.
- Chumakov, N.M., 1981. Late Precambrian tillites of the Ryazan' Province and adjacent regions of the U.S.S.R. *In: Hambrey, M.J. and Harland, W.B. (eds) Earth's Pre-Pleistocene Glacial Record*. Cambridge University Press, Cambridge, p. 664.
- Chumakov, N.M., 1981. Late Precambrian tillites of the Yablonovka Formation of the Karelian Neck, U.S.S.R. *In: Hambrey, M.J. and Harland, W.B. (eds) Earth's Pre-Pleistocene Glacial Record*. Cambridge University Press, Cambridge, p. 666-669.
- Chumakov, N.M., 1981. Late Precambrian Churochnaya tillites of the Polyudov ridge, U.S.S.R. *In: Hambrey, M.J. and Harland, W.B. (eds) Earth's Pre-Pleistocene Glacial Record*. Cambridge University Press, Cambridge, p. 665.
- Chumakov, N.M., 1981. Late Precambrian Kurgashlya tilloids, southern Urals, U.S.S.R. *In: Hambrey, M.J. and Harland, W.B. (eds) Earth's Pre-Pleistocene Glacial Record*. Cambridge University Press, Cambridge, p. 674-677.
- Coates, R.P., 1981. Late Proterozoic (Adelaidean) tillites of the Adelaide Geosyncline. *In: Hambrey, M.J. and Harland, W.B. (eds) Earth's Pre-Pleistocene Glacial Record*. Cambridge University Press, Cambridge, p. 537-548.
- Cobbing, E.J., 1981. Tillites at the base of the possible Early Palaeozoic Marcona Formation, southwest coastal Chile. *In: Hambrey, M.J. and Harland, W.B. (eds) Earth's Pre-Pleistocene Glacial Record*. Cambridge University Press, Cambridge, p. 899-901.
- Deynoux, M. & Trompette, R., 1981. Late Precambrian tillites of the Taoudeni Basin, West Africa. *In: Hambrey, M.J. and Harland, W.B. (eds) Earth's Pre-Pleistocene Glacial Record*. Cambridge University Press, Cambridge, p. 123-131.
- Doré, F., 1981. Late Precambrian tilloids of Normandy (Armorican Massif). *In: Hambrey, M.J. and Harland, W.B. (eds) Earth's Pre-Pleistocene Glacial Record*. Cambridge University Press, Cambridge, p. 643-646.
- Edwards, M.B. & Føyn, S., 1981. Late Precambrian tillites in Finnmark, North Norway. *In: Hambrey, M.J. and Harland, W.B. (eds) Earth's Pre-Pleistocene Glacial Record*. Cambridge University Press, Cambridge, p. 606-610.
- Eisbacher, G.H., 1981. Sedimentary tectonics and glacial record in the Windermere Supergroup, Mackenzie Mountains, northwestern Canada. *Geological Survey of Canada Paper* **80-27**, 40 p.

- Eisbacher, G.H., 1981. Late Precambrian tillites of the northern Yukon-Northwest Territories region, Canada. *In: Hambrey, M.J. and Harland, W.B. (eds) Earth's Pre-Pleistocene Glacial Record*. Cambridge University Press, Cambridge, p. 724-727.
- Eisbacher, G.H., 1981. The Late Precambrian Mount Lloyd George diamictites, northern British Columbia. *In: Hambrey, M.J. and Harland, W.B. (eds) Earth's Pre-Pleistocene Glacial Record*. Cambridge University Press, Cambridge, p. 728-730.
- Fiala, F., 1981. Latest Precambrian tilloids of Eastern Bohemia, Czechoslovakia. *In: Hambrey, M.J. and Harland, W.B. (eds) Earth's Pre-Pleistocene Glacial Record*. Cambridge University Press, Cambridge, p. 647-649.
- Gair, J.E., 1981. Lower Proterozoic glacial deposits of northern Michigan, U.S.A. *In: Hambrey, M.J. and Harland, W.B. (eds) Earth's Pre-Pleistocene Glacial Record*. Cambridge University Press, Cambridge, p. 803-806.
- Hambrey, M.J. & Harland, W.B., 1981. *Earth's Pre-Pleistocene Glacial Record*. Cambridge University Press, London, 1004 p.
- Hambrey, M.J., Harland, W.B. & Waddams, P., 1981. Late Precambrian tillites of Svalbard. *In: Hambrey, M.J. and Harland, W.B. (eds) Earth's Pre-Pleistocene Glacial Record*. Cambridge University Press, Cambridge, p. 592-600.
- Hambrey, M.J. & Waddams, P., 1981. Glacigenic boulder-bearing deposits in the Upper Dalradian Macduff Slates, northeastern Scotland. *In: Hambrey, M.J. and Harland, W.B. (eds) Earth's Pre-Pleistocene Glacial Record*. Cambridge University Press, Cambridge, p. 571-575.
- Higgins, A.K., 1981. The Late Precambrian Tillite Group of the King Oscars Fjord and Kejser Franz Josefs Fjord region of East Greenland. *In: Hambrey, M.J. and Harland, W.B. (eds) Earth's Pre-Pleistocene Glacial Record*. Cambridge University Press, Cambridge, p. 778-781.
- Houston, R.S., Lanthier, L.R., Karlstrom, K.K. & Sylvester, G., 1981. Early Proterozoic diamictite of southern Wyoming. *In: Hambrey, M.J. and Harland, W.B. (eds) Earth's Pre-Pleistocene Glacial Record*. Cambridge University Press, Cambridge, p. 795-799.
- Jago, J.B., 1981. Possible Late Precambrian (Adelaidean) tillites of Tasmania. *In: Hambrey, M.J. and Harland, W.B. (eds) Earth's Pre-Pleistocene Glacial Record*. Cambridge University Press, Cambridge, p. 549-554.
- Knoll, A.H., Blick, N., & Awramik, S.M., 1981. Stratigraphic and ecologic implications of Late Precambrian microfossils from Utah. *American Journal of Science* **281**, 247-263.
- Kröner, A., 1981. Late Precambrian diamictites of South Africa and Namibia. *In: Hambrey, M.J. and Harland, W.B. (eds) Earth's Pre-Pleistocene Glacial Record*. Cambridge University Press, Cambridge, p. 167-177.
- Kumpulainen, R., 1981. The Late Precambrian Lillfjället Formation in the southern Swedish Caledonides. *In: Hambrey, M.J. and Harland, W.B. (eds) Earth's Pre-Pleistocene Glacial Record*. Cambridge University Press, Cambridge, p. 620-623.
- Liao, S.F., 1981. Sinian glacial deposits of Guizhou Province, China. *In: Hambrey, M.J. and Harland, W.B. (eds) Earth's Pre-Pleistocene Glacial Record*. Cambridge University Press, Cambridge, p. 414-423.
- Link, P.K., 1981. Upper Proterozoic diamictites in south-eastern Idaho, U.S.A. *In: Hambrey, M.J. and Harland, W.B. (eds) Earth's Pre-Pleistocene Glacial Record*. Cambridge University Press, Cambridge, p. 736-739.

- Link, P.K. & Gostin, V.A., 1981. Facies and palaeogeography of Sturtian glacial strata (late Precambrian), South Australia. *American Journal of Science* **281**, 353-374.
- Long, D.G.F., 1981. Glacigenic rocks in the Early Proterozoic Chibougamau Formation of northern Quebec. *In: Hambrey, M.J. and Harland, W.B. (eds) Earth's Pre-Pleistocene Glacial Record*. Cambridge University Press, Cambridge, p. 817-820.
- Max, M.D., 1981. Dalradian tillite of northwestern Ireland. *In: Hambrey, M.J. and Harland, W.B. (eds) Earth's Pre-Pleistocene Glacial Record*. Cambridge University Press, Cambridge, p. 640-642.
- Miller, J.M.G., Wright, L.A. & Troxel, B.W., 1981. The Late Precambrian Kingston Peak Formation, Death Valley region, California. *In: Hambrey, M.J. and Harland, W.B. (eds) Earth's Pre-Pleistocene Glacial Record*. Cambridge University Press, Cambridge, p. 743-748.
- Mu, Y., 1981. Luoquan Tillite of the Sinian System in China. *In: Hambrey, M.J. and Harland, W.B. (eds) Earth's Pre-Pleistocene Glacial Record*. Cambridge University Press, Cambridge, p. 402-413.
- Negrutsa, T.F. & Negrutsa, V.Z., 1981. Early Proterozoic Lammos tilloids of the Kola Peninsula, U.S.S.R. *In: Hambrey, M.J. and Harland, W.B. (eds) Earth's Pre-Pleistocene Glacial Record*. Cambridge University Press, Cambridge, p. 678-680.
- Negrutsa, T.F. & Negrutsa, V.Z., 1981. Early Proterozoic Sarioli tilloids in the eastern part of the Baltic Shield, U.S.S.R. *In: Hambrey, M.J. and Harland, W.B. (eds) Earth's Pre-Pleistocene Glacial Record*. Cambridge University Press, Cambridge, p. 683-686.
- North, G.R., Cahalan, R.F., and Coakley, J.A.Jr., 1981. Energy balance climate models. *Reviews of Geophysics and Space Physics* **19**, 91-121.
- Plumb, K.A., 1981. Late Proterozoic (Adelaidean) tillites of the Kimberley–Victoria River region, Western Australia and Northern Territory. *In: Hambrey, M.J. and Harland, W.B. (eds) Earth's Pre-Pleistocene Glacial Record*. Cambridge University Press, Cambridge, p. 504-514.
- Plumb, K.A., 1981. Late Proterozoic (Adelaidean) tillite of the Duchess area, northwestern Queensland. *In: Hambrey, M.J. and Harland, W.B. (eds) Earth's Pre-Pleistocene Glacial Record*. Cambridge University Press, Cambridge, p. 528-530.
- Preiss, W.V. & Forbes, B.G., 1981. Stratigraphy, correlation and sedimentary history of Adelaidean (Late Proterozoic) basins in Australia. *Precambrian Research* **15**, 255-304.
- Rehmer, J., 1981. The Squantum tilloid Member of the Roxbury Conglomerate of Boston, Massachusetts. *In: Hambrey, M.J. and Harland, W.B. (eds) Earth's Pre-Pleistocene Glacial Record*. Cambridge University Press, Cambridge, p. 756-759.
- Rocha-Campos, A.C. & Hasui, Y., 1981. Late Precambrian Jangada Group and Puga Formation of central western Brazil. *In: Hambrey, M.J. and Harland, W.B. (eds) Earth's Pre-Pleistocene Glacial Record*. Cambridge University Press, Cambridge, p. 916-919.
- Rocha-Campos, A.C. & Hasui, Y., 1981. Proterozoic diamictites of western Minas Gerais and eastern Goiás, central Brazil. *In: Hambrey, M.J. and Harland, W.B. (eds) Earth's Pre-Pleistocene Glacial Record*. Cambridge University Press, Cambridge, p. 920-923.
- Rocha-Campos, A.C. & Hasui, Y., 1981. Tillites of the Macaúbas Group (Proterozoic) in central Minas Gerais and southern Bahia, Brazil. *In: Hambrey, M.J. and Harland, W.B. (eds) Earth's Pre-Pleistocene Glacial Record*. Cambridge University Press, Cambridge, p. 933-938.

- Schermerhorn, L.J.G., 1981. Late Precambrian tilloids of northwestern Angola. *In: Hambrey, M.J. and Harland, W.B. (eds) Earth's Pre-Pleistocene Glacial Record*. Cambridge University Press, Cambridge, p. 158-161.
- Schwab, F.L., 1981. Late Precambrian tillites of the Appalachians. *In: Hambrey, M.J. and Harland, W.B. (eds) Earth's Pre-Pleistocene Glacial Record*. Cambridge University Press, Cambridge, p. 751-755.
- Spencer, A.M., 1981. The Late Precambrian Port Askaig Tillite in Scotland. *In: Hambrey, M.J. and Harland, W.B. (eds) Earth's Pre-Pleistocene Glacial Record*. Cambridge University Press, Cambridge, p. 632-636.
- Strömberg, A.G.B., 1981. The Late Precambrian Sjö tillite and the Vakkejokk breccia in the northern Swedish Caledonides. *In: Hambrey, M.J. and Harland, W.B. (eds) Earth's Pre-Pleistocene Glacial Record*. Cambridge University Press, Cambridge, p. 611-614.
- Thelander, T., 1981. The Late Precambrian Långmarkberg Formation in the central Swedish Caledonides. *In: Hambrey, M.J. and Harland, W.B. (eds) Earth's Pre-Pleistocene Glacial Record*. Cambridge University Press, Cambridge, p. 615-619.
- Treagus, J.E., 1981. The Lower Dalradian Kinlochlaggan Boulder Bed, central Scotland. *In: Hambrey, M.J. and Harland, W.B. (eds) Earth's Pre-Pleistocene Glacial Record*. Cambridge University Press, Cambridge, p. 637-639.
- Trendall, A.F., 1981. The Lower Proterozoic Meteorite Bore Member, Hamersley Basin, Western Australia. *In: Hambrey, M.J. and Harland, W.B. (eds) Earth's Pre-Pleistocene Glacial Record*. Cambridge University Press, Cambridge, p. 555-557.
- Trompette, R., 1981. Late Precambrian tillites of the Volta Basin and the Dahomeyides Orogenic Belt (Benin, Ghana, Togo and Upper-Volta). *In: Hambrey, M.J. and Harland, W.B. (eds) Earth's Pre-Pleistocene Glacial Record*. Cambridge University Press, Cambridge, p. 135-139.
- Tucker, M.E. & Reid, P.C., 1981. Late Precambrian glacial sediments, Sierra Leone. *In: Hambrey, M.J. and Harland, W.B. (eds) Earth's Pre-Pleistocene Glacial Record*. Cambridge University Press, Cambridge, p. 132-134.
- Tuckwell, K.D., 1981. Adelaidean diamictites of the Broken Hill District of New South Wales. *In: Hambrey, M.J. and Harland, W.B. (eds) Earth's Pre-Pleistocene Glacial Record*. Cambridge University Press, Cambridge, p. 531-536.
- Vidal, G. & Bylund, G., 1981. Late Precambrian boulder beds in the Visingsø Beds, south Sweden. *In: Hambrey, M.J. and Harland, W.B. (eds) Earth's Pre-Pleistocene Glacial Record*. Cambridge University Press, Cambridge, p. 629-631.
- Visser, J.N.J., 1981. The mid-Precambrian tillite in the Griqualand West and Transvaal Basins, South Africa. *In: Hambrey, M.J. and Harland, W.B. (eds) Earth's Pre-Pleistocene Glacial Record*. Cambridge University Press, Cambridge, p. 180-184.
- Walde, D.H.G., Gierth, E. & Leonardos, O.H., 1981. Stratigraphy and mineralogy of the manganese ores of Urucum, Mato Grosso, Brazil. *Geologische Rundschau* **70**, 1077-1085.
- Walker, J.C.G., Hays, P.B. & Kasting, J.F., 1981. A negative feedback mechanism for the long-term stabilization of Earth's surface temperature. *Journal of Geophysical Research* **86**(C10), 9776-9782.
- Walter, M., 1981. Late Proterozoic tillites of the southwestern Georgina Basin, Australia. *In: Hambrey, M.J. and Harland, W.B. (eds) Earth's Pre-Pleistocene Glacial Record*. Cambridge University Press, Cambridge, p. 525-527.

- Wang, Y., Lu, S., & Gao, Z., 1981. Sinian tillites of China. *In: Hambrey, M.J. and Harland, W.B. (eds) Earth's Pre-Pleistocene Glacial Record*. Cambridge University Press, Cambridge, p. 386-401.
- Wells, A.T., 1981. Late Proterozoic diamictites of the Amadeus and Ngalia Basins, central Australia. *In: Hambrey, M.J. and Harland, W.B. (eds) Earth's Pre-Pleistocene Glacial Record*. Cambridge University Press, Cambridge, p. 515-524.
- Williams, G.E., 1981. Sunspot periods in the late Precambrian glacial climate and solar-planetary relations. *Nature* **291**, 624-628.
- Yeo, G.M., 1981. The Late Proterozoic Rapitan glaciation in the northern Cordillera. *In: Campbell, F.H.A. (ed.) Proterozoic Basins of Canada*. Geological Survey of Canada Paper **81-10**, 25-46.
- Young, G.M., 1981. The Early Proterozoic Gowganda Formation, Ontario, Canada. *In: Hambrey, M.J. and Harland, W.B. (eds) Earth's Pre-Pleistocene Glacial Record*. Cambridge University Press, Cambridge, p. 807-812.
- Young, G.M. & McLennan, S.M., 1981. Early Proterozoic Padlei Formation, Northwest Territories, Canada. *In: Hambrey, M.J. and Harland, W.B. (eds) Earth's Pre-Pleistocene Glacial Record*. Cambridge University Press, Cambridge, p. 790-794.

1982: 7

- Deynoux, M., 1982. Periglacial polygonal structures and sand wedges in the late Precambrian glacial formations of the Taoudeni Basin in Adrar of Mauretania (West Africa). *Palaeogeography, Palaeoclimatology, Palaeoecology* **39**, 55-70.
- Endal, A.S. & Schatten, K.H., 1982. The faint young sun-climate paradox: continental influences. *Journal of Geophysical Research* **87**, 7295-7302.
- Goguel, J., 1982. Eos cover watchers. *Eos* **63**(17), 250.
- Gorin, G.E., Racz, L.G., & Walter, M.R., 1982. Late Precambrian-Cambrian sediments of Huqf Group, Sultanate of Oman. *American Association of Petroleum Geologists Bulletin* **66**, 2609-2627.
- Hambrey, M.J., 1982. Late Precambrian diamictites of northeastern Svalbard. *Geological Magazine* **119**, 527-551.
- Schatten, K.H. & Endal, A.S., 1982. The faint young sun—climate paradox: volcanic influences. *Geophysical Research Letters* **9**, 1309-1311.
- Williams, G., 1982. Tidal rhythm disputed. *Eos* **63**(39), 794.
- Young, G.M., 1982. The late Proterozoic Tindir Group, east-central Alaska: evolution of a continental margin. *Geological Society of America Bulletin* **93**, 759-783.

1983: 11

- Anderson, J.B., 1983. Ancient glacial-marine deposits: their spatial and temporal distribution. *In: Molnia, B.F. (ed.) Glacial-Marine Sedimentation*. Plenum Press, New York, p. 3-92.
- Christie-Blick, N., 1983. Glacial-marine and subglacial sedimentation, Upper Proterozoic Mineral Fork Formation, Utah. *In: Molnia, B.F. (ed.) Glacial-Marine Sedimentation*. Plenum Press, New York, p. 703-776.
- Crittenden, M.D.Jr., Christie-Blick, N., & Link, P.K., 1983. Evidence for two pulses of glaciation during the late Proterozoic in northern Utah and southeastern Idaho. *Geological Society of America Bulletin* **94**, 437-450.

- Deynoux, M., 1983. Late Precambrian and Upper Ordovician glaciations in the Taoudeni Basin, West Africa. An introduction to the field excursion of "Till Mauretania 83" symposium. *In: Deynoux, M. (ed.) Symposium Till Mauretania 83, West African palaeoglaciations, characterization and evolution of glacial phenomena through space and time.* Abstracts of Communications and introduction to the field excursion, Université de Poitiers, France, p. 43-86 (French/English).
- Eyles, C.H. & Eyles, N., 1983. Glaciomarine model for upper Precambrian diamictites of the Port Askaig Formation, Scotland. *Geology* **11**, 692-696.
- Fairchild, I.J., 1983. Effects of glacial transport and neomorphism on Precambrian dolomite crystal sizes. *Nature* **304**, 714-716,
- Hambrey, M.J., 1983. Correlation of late Proterozoic tillites in the North Atlantic region and Europe. *Geological Magazine* **120**, 290-320.
- Harland, W.B., 1983. The Proterozoic glacial record. *In: Medaris, L.G. et al. (eds.) Proterozoic Geology. Geological Society of America Memoir* **161**, 279-288.
- Link, P.K., 1983. Glacial and tectonically influenced sedimentation in the Upper Proterozoic Pocatello Formation, southeastern Idaho. *In: Miller, D.M., Todd, V.R., and Howard, K.A. (eds.) Tectonic and Stratigraphic Studies in the Eastern Great Basin. Geological Society of America Memoir* **157**, Boulder, CO, p. 165-181.
- Miall, A.D., 1983. Glaciomarine sedimentation in the Gowganda Formation (Huronian), northern Ontario. *Journal of Sedimentary Petrology* **53**, 477-491.
- Walter, M.R. & Bauld, J., 1983. The association of sulphate evaporites, stromatolitic carbonates and glacial sediments: examples from the Proterozoic of Australia and the Cainozoic of Antarctic. *Precambrian Research* **21**, 129-148.

1984: 5

- Edwards, M.B., 1984. Sedimentology of the Upper Proterozoic glacial record, Vestertana Group, Finnmark, North Norway. *Norges Geologiske Undersøkelse Bulletin* **394**, 76 p.
- Fairchild, I.J. & Hambrey, M.J., 1984. The Vendian succession of northeastern Spitsbergen: petrogenesis of a dolomite-tillite association. *Precambrian Research* **26**, 111-167.
- Sheldon, R.P., 1984. Ice-ring origin of the Earth's atmosphere and hydrosphere and Late Proterozoic-Cambrian hypothesis. *Geological Survey of India Special Publication* **17**, 17-21.
- Sokolov, B.S. & Fedonkin, M.A., 1984. The Precambrian—Cambrian boundary on the East European Platform. *Episodes* **7**, 00-19.
- Spalletti, L. & Del Valle, A., 1984. Las diamictitas del sector oriental de Tandilia: caracteres sedimentológicos y origen. *Revista de la Asociación Geológica Argentina* **39**, 188-206.

1985: 19

- Bjørlykke, K., 1985. Glaciations, preservation of their sedimentary record and sea level changes—a discussion based on the Late Precambrian and Lower Palaeozoic sequence in Norway. *Palaeogeography, Palaeoclimatology, Palaeoecology* **51**, 197-207.
- Deynoux, M., 1985. Terrestrial or waterlain glacial diamictites? Three case studies from the late Proterozoic and late Ordovician glacial drifts in West Africa. *Palaeogeography, Palaeoclimatology, Palaeoecology* **51**, 97-141.
- Eisbacher, G.H., 1985. Late Proterozoic rifting, glacial sedimentation, and sedimentary cycles in the light of Windermere deposition, western Canada. *Palaeogeography, Palaeoclimatology, Palaeoecology* **51**, 231-254.

- Eyles, C.H., Eyles, N., 1985. Reply to Comment on 'Glaciomarine model for upper Precambrian diamictites of the Port Askaig Formation. *Geology* **13**, 89-90.
- Fairchild, I.J., 1985. Comment on 'Glaciomarine model for upper Precambrian diamictites of the Port Askaig Formation. *Geology* **13**, 89.
- Gao, Z. & Jianxin, Q., 1985. Sinian glacial deposits in Xinjiang, Northwest China. *Precambrian Research* **29**, 143-147.
- Hambrey, M.J. & Harland, W.B., 1985. The Late Proterozoic glacial era. *Palaeogeography, Palaeoclimatology, Palaeoecology* **51**, 255-272.
- Lu, S.N., Ma, G.G., Gao, Z.J. & Lin, W.X., 1985. Primary research on the glaciogenic rocks of the Late Precambrian in China. In: Precambrian Geology Committee (Eds.) *Precambrian Geology, No. 1, The Collected Works on the Late Precambrian Glaciogenic Rocks of China*. Geology Publication House, Beijing, pp. 1-86.
- Martin, H., Porada, H., & Walliser, O.H., 1985. Mixtite deposits of the Damara sequence, Namibia, problems of interpretation. *Palaeogeography, Palaeoclimatology, Palaeoecology* **51**, 159-196.
- Miall, A.D., 1985. Sedimentation of an early Proterozoic continental margin: the Gowganda Formation (Huronian), Elliot Lake area, Ontario, Canada. *Sedimentology* **32**, 763-788.
- Miller, J.M.G., 1985. Glacial and syntectonic sedimentation: the upper Proterozoic Kingston Peak Formation, southern Panamint Range, eastern California. *Geological Society of America Bulletin* **96**, 1537-1553.
- Montes, A.S.L., Gravenor, C.P. & Montes, M.L., 1985. Glacial sedimentation in the late precambrian Bebedouro Formation, Bahia, Brazil. *Sedimentary Geology* **44**, 349-358.
- Nystuen, J.P., 1985. Facies and preservation of glaciogenic sequences from the Varanger ice age in Scandinavia and other parts of the North Atlantic region. *Palaeogeography, Palaeoclimatology, Palaeoecology* **51**, 209-229.
- Spencer, A.M., 1985. Mechanisms and environments of deposition of Late Precambrian geosynclinal tillites: Scotland and East Greenland. *Palaeogeography, Palaeoclimatology, Palaeoecology* **51**, 143-157.
- Williams, G.E., 1985. Solar affinity of sedimentary cycles in the late Precambrian Elatina Formation. *Australian Journal of Physics* **38**, 1027-1043.
- Williams, G.E. & Sonett, C.P., 1985. Solar signature in sedimentary cycles from the late Precambrian Elatina Formation, Australia. *Nature* **318**, 523-527.
- Williams, G.E. & Tonkin, D.G., 1985. Periglacial structures and paleoclimatic significance of a late Precambrian block field in the Cattle Grid copper mine, Mount Gunson, South Australia. *Australian Journal of Earth Sciences* **32**, 287-300.
- Young, G.M. & Nesbitt, H.W., 1985. The Gowganda Formation in the southern part of the Huronian outcrop belt, Ontario, Canada: stratigraphy, depositional environments and regional tectonics significance. *Precambrian Research* **29**, 265-301.

1986: 6

- Henry, G., Stanistreet, I.G., & Maiden, K.J., 1986. Preliminary results of a sedimentological study of the Chuos Formation in the Central Zone of the Damara Orogen: evidence for mass flow processes and glacial activity. *Communications of the Geological Survey of Namibia* **2**, 75-92.

- Knoll, A.H., Hayes, J.M., Kaufman, A.J., Swett, K., & Lambert, I.B., 1986. Secular variation in carbon isotope ratios from Upper Proterozoic successions of Svalbard and East Greenland. *Nature* **321**, 831-838.
- Embleton, B.J.J. & Williams, G.E., 1986. Low latitude of deposition for late Precambrian periglacial varvites in South Australia: implications for palaeoclimatology. *Earth and Planetary Science Letters* **79**, 419-430.
- Makhnach, A.S., Veretennikov, N.V. & Shkuratov, V.I., 1986. Vendian rocks of the western part of the East European Platform: stratotype range, boundaries and principles of their establishment. *Geological Magazine* **123**, 349-356.
- Tucker, M.E., 1986. Formerly aragonitic limestones associated with tillites in the late Proterozoic of Death Valley, California. *Journal of Sedimentary Petrology* **56**, 818-830.
- Williams, G.E., 1986. Precambrian permafrost horizons as indicators of palaeoclimate. *Precambrian Research* **32**, 233-242.

1987: 8

- Clauer, N. & Deynoux, M., 1987. New information on the probably isotopic age of the late Proterozoic glaciation in West Africa. *Precambrian Research* **37**, 89-94.
- Fairchild, I.J. & Spiro, B., 1987. Petrological and isotopic implications of some contrasting Late Precambrian carbonates, NE Spitsbergen. *Sedimentology* **34**, 973-989.
- Hambrey, M.J. & Spencer, A.M., 1987. Late Precambrian glaciation of central East Greenland. *Meddelelser om Grønland, Geoscience* **19**, 50 p.
- Hegenberger, W., 1987. Gas escape structures in Precambrian peritidal carbonate rocks. *Communications of the Geological Survey of Namibia* **3**, 49-55.
- Miller, J.M.G., 1987. Paleotectonic and stratigraphic implications of the Kingston Peak–Noonday contact in the Panamint Range, eastern California. *Journal of Geology* **95**, 75-85.
- Mustard, P.S. & Donaldson, J.A., 1987. Early Proterozoic ice-proximal glaciomarine deposition: the lower Gowganda Formation at Cobalt, Ontario, Canada. *Geological Society of America Bulletin* **98**, 373-387.
- Preiss, W.V., 1987. The Adelaide Geosyncline: Late Proterozoic stratigraphy, sedimentation, palaeontology and tectonics. *Geological Survey of South Australia Bulletin* **53**, 438 p.
- Yakobsen, K.E., 1987. Vendian strata in their type area. *Geological Magazine* **124**, 73-78.

1988: 9

- Badenhorst, F.P., 1988. The lithostratigraphy of the Chuos mixtite in part of the southern central zone of the Damara orogen, South West Africa. *Communications of the Geological Survey of South West Africa/Namibia* **4**, 103-110.
- Hambrey, M.J., 1988. Late Proterozoic stratigraphy of the Barents Shelf. In: Harland, W.B. and Dowdeswell, E.K. (eds) *The Geological Evolution of the Barents Shelf Region*. Graham & Trotman, 49-72.
- Karfunkel, J. & Hoppe, A., 1988. Late Proterozoic glaciation in central-eastern Brazil: synthesis and model. *Palaeogeography, Palaeoclimatology, Palaeoecology* **65**, 1-21.
- Marshall, H.G., Walker, J.C.G., & Kuhn, W.R., 1988. Long-term climate change and the geochemical cycle of carbon. *Journal of Geophysical Research* **93**(D1), 791-801.
- Moncrieff, A.C.M. & Hambrey, M.J., 1988. Late Precambrian glacially-related grooved and striated surfaces in the Tillite Group of central East Greenland. *Palaeogeography, Palaeoclimatology, Palaeoecology* **65**, 183-200.

- Ojakangas, R.W., 1988. Glaciation: an uncommon “mega-event” as a key to intracontinental and intercontinental correlation of Early Proterozoic basin fill, North American and Baltic cratons. *In: Kleinspehn, K.L. and Paola, C. (eds) New Perspectives in Basin Analysis*. Springer, New York, 431-444.
- Rainbird, R.H. & Donaldson, J.A., 1988. Nonglacial deltaic deposits in the early Proterozoic Gowganda Formation, Cobalt Basin, Ontario. *Canadian Journal of Earth Sciences* **25**, 710-724.
- Young, G.M., 1988. Proterozoic plate tectonics, glaciation and iron-formations. *Sedimentary Geology* **58**, 127-144.
- Young, G.M. & Gostin, V.A., 1988. Stratigraphy and sedimentology of Sturtian glacial deposits in the western part of the North Flinders Basin, South Australia. *Precambrian Research* **39**, 151-170.
- 1989: 12**
- Chumakov, N.M. & Elston, D.P., 1989. The paradox of Late Proterozoic glaciations at low latitudes. *Episodes* **12**, 115-120.
- Deynoux, M., Kocurek, G., & Proust, J.N., 1989. Late Proterozoic periglacial aeolian deposits on the West African Platform, Taoudeni Basin, western Mali. *Sedimentology* **36**, 531-549.
- Eyles, N. and Eyles, C.H., 1989. Glacially-influenced deep-marine sedimentation of the Late Precambrian Gaskiers Formation, Newfoundland, Canada. *Sedimentology* **36**, 601-620.
- Fairchild, I.J., Hambrey, M.J., Spiro, B., & Jefferson, T.H., 1989. Late Proterozoic glacial carbonates in northeast Spitsbergen: new insights into the carbonate-tillite association. *Geological Magazine* **126**, 469-490.
- Fralick, P.W. & Miall, A.D., 1989. Sedimentology of the Lower Huronian Supergroup (Early Proterozoic), Elliot Lake area, Ontario, Canada. *Sedimentary Geology* **63**, 127-153.
- Harker, R.I. & Giegengack, R., 1989. Brecciation of clasts in diamictites of the Gowganda Formation, Ontario, Canada. *Geology* **17**, 123-126.
- Hoffmann, K.-H., 1989. New aspects of lithostratigraphic subdivision and correlation of late Proterozoic to early Cambrian rocks of the southern Damara Belt and their correlation with the central and northern Damara Belt and the Gariiep Belt. *Communications of the Geological Survey of Namibia* **5**, 59-67.
- Williams, G.E., 1989. Precambrian tidal sedimentary cycles and Earth's paleorotation. *Eos* **70**, 33, 40-41.
- Williams, G.E., 1989. Tidal rhythmites: geochronometers for the ancient Earth-Moon system. *Episodes* **12**, 162-171.
- Williams, G.E., 1989. Late Precambrian tidal rhythmites in South Australia and the history of the Earth's rotation. *Journal of the Geological Society, London* **146**, 97-111.
- Young, G.M. & Gostin, V.A., 1989a. An exceptionally thick late Proterozoic (Sturtian) glacial succession in the Mount Painter area, South Australia. *Geological Society of America Bulletin* **101**, 834-845.
- Young, G.M. & Gostin, V.A., 1989b. Depositional environment and regional significance of the Serle Conglomerate; a late Proterozoic submarine fan complex, South Australia. *Palaeogeography, Palaeoclimatology, Palaeoecology* **71**, 237-252.
- Young, G.M. & Gostin, V.A., 1989c. Sturtian glacial deposition in the vicinity of the Yankaninna anticline, North Flinders Basin, South Australia. *Australian Journal of Earth Sciences* **37**, 447-458.

1990: 13

- Alsop, G.I. & Hutton, D.H.W., 1990. A review and revision of Dalradian stratigraphy in central and southern Donegal, Ireland. *Irish Journal of Earth Sciences* **10**, 181-198.
- Bernstein, L. and Young, G.M., 1990. Depositional environments of the Early Proterozoic Espanola Formation, Ontario, Canada. *Canadian Journal of Earth Sciences* **27**, 539-551.
- Deubner, F.-L., 1990. Discussion of Late Precambrian tidal rhythmites in South Australia and the history of the Earth's paleorotation. *Journal of the Geological Society, London* **147**, 1083-1084.
- Fairchild, I.J. & Spiro, B., 1990. Carbonate minerals in glacial sediments: geochemical clues to palaeoenvironment. In: Dowdeswell, J.A. & Scourse, J.D. (eds) *Glacimarine Environments: Processes and Sediments*. Geological Society of London Special Publication **53**, 201-216.
- Gibsher, A.S. & Khomentovsky, V.V., 1990. The section of the Tsagaan Olum and Bayan Gol Formations of the Vendian—Lower Cambrian in the Dzabkhan zone of Mongolia. In: Khomentovsky, V.V., Gibsher, A.S. & Karlova, G.A. (eds) *The Late Precambrian and Early Paleozoic of Siberia*. Institut Geologii i Geofiziki, Sibirskoe Otdelenie, Akademiya Nauk SSSR, Novosibirsk, 79-91.
- Ilyin, A.V., 1990. Proterozoic supercontinent, its latest Precambrian rifting, breakup, dispersal into smaller continents, and subsidence of their margins: evidence from Asia. *Geology* **18**, 1231-1234.
- Lemon, N.M. & Gostin, V.A., 1990. Glacigenic sediments of the late Proterozoic Elatina Formation and equivalents, Adelaide Geosyncline, South Australia. In: Jago, J.B. and Moore, P.S. (eds) *The Evolution of a Late Precambrian—Early Paleozoic rift complex: the Adelaide Geosyncline*. Geological Society of South Australia Special Publication **16**, Adelaide, 149-163.
- Moncrieff, A.C.M. & Hambrey, M.J., 1990. Marginal-marine glacial sedimentation in the late Precambrian succession of East Greenland. In: Dowdeswell, J.A. and Scourse, J.D. (eds.) *Glacimarine Environments: Processes and Sediments*. Geological Society Special (London) Special Publication **53**, 387-410.
- Peryt, T.M., Hoppe, A., Bechstädt, Köster, J., Pierre, C., & Richter, D.K., 1990. Late Proterozoic aragonitic cement crusts, Bambuí Group, Minas Gerais, Brazil. *Sedimentology* **37**, 279-286.
- Proust, J.-N., Deynoux, M., & Guillocheau, F., 1990. *Effets conjugués de l'eustatisme et de l'isostasie sur les plates-formes stables en période glaciaire. Exemple des dépôts glaciaires du Protérozoïque supérieur de l'Afrique de l'Ouest au Mali occidental* (Combined effects of eustatism and isostasy on stable epicratonic platforms during glacial periods with the example of the late Proterozoic glacial deposits in western Mali in West Africa). *Bulletin Société géologique de France* **6**(4), 637-681.
- Socci, A.D., 1990. Stratigraphic implications of facies within the Boston Basin. In: Socci, A.D., Skehan, J.W., and Smith, G.W. (eds) *Geology of the Composite Avalon Terrane of Southern New England*. Geological Society of America Special Paper **245**, 55-74.
- Williams, G.E., 1990. Precambrian cyclic rhythmites: solar-climatic or tidal signatures? *Philosophical Transactions of the Royal Society, London A* **330**, 445-458.
- Williams, G.E., 1990. Tidal rhythmites: key to the history of the Earth's rotation and the Lunar orbit. *Journal of Physics of the Earth* **38**, 475-491.

1991: 12

- Aitken, J.D., 1991. Two late Proterozoic glaciations, Mackenzie Mountains, northwestern Canada. *Geology* **19**, 445-448.
- Aitken, J.D., 1991. The Ice Brook Formation and post-Rapitan, late Proterozoic glaciation, Mackenzie Mountains, Northwest Territories. *Geological Survey of Canada Bulletin* **404**, 43 p.
- Culver, S.J. & Hunt, D., 1991. Lithostratigraphy of the Precambrian-Cambrian boundary sequence in the southwestern Taoudeni Basin, West Africa. *Journal of African Earth Sciences* **13**, 407-413.
- Deynoux, M., Proust, J.N. & Simon, B., 1991. Late Proterozoic glacially controlled shelf sequences in Western Mali (West Africa). *Journal of African Earth Sciences* **12**, 181-198.
- Germes, G.J.B. and Gresse, P.G., 1991. The foreland basin of the Damara and Gariep orogens in Namaqualand and southern Namibia: stratigraphic correlations and basin dynamics. *South African Journal of Geology* **94**, 159-169.
- Hambrey, M.J., Fairchild, I.J., Glover, B.W., Stewart, A.D., Treagus, J.E. & Winchester, J.A., 1991. The Late Precambrian geology of the Scottish Highlands and Islands. *Geologists' Association Guide* **44**, London, 130 p.
- Jenkins, R.J.F., 1991. The early environment. In: Bryant, C. (ed.) *Metazoan Life without Oxygen*. Chapman & Hall, New York.
- Kaufman, A.J., Hayes, J.M., Knoll, A.H., & Germes, J.B., 1991. Isotopic compositions of carbonates and organic carbon from upper Proterozoic successions in Namibia: stratigraphic variation and the effects of diagenesis and metamorphism. *Precambrian Research* **49**, 301-327.
- Schmidt, P.W., Williams, G.E. & Embleton, B.J.J., 1991. Low palaeolatitude of Late Proterozoic glaciation: early timing of remanence in haematite of the Elatina Formation, South Australia. *Earth and Planetary Science Letters* **105**, 355-367.
- Williams, G.E., 1991. Upper Proterozoic tidal rhythmites, South Australia: sedimentary features, deposition, and implications for the Earth's paleorotation. In: Smith, D.G., Reinson, G.E., Zaitlin, B.A. & Rahmani, R.A. (eds) *Clastic Tidal Sedimentology*. Canadian Society of Petroleum Geologists Memoir **16**, Calgary, Alberta, 161-178.
- Worseley, T.R. & Kidder, D.L., 1991. First-order coupling of paleogeography and CO₂, with global surface temperature and its latitudinal contrast. *Geology* **19**, 1161-1164.
- Young, G.M. & Gostin, V.A., 1991. Late Proterozoic (Sturtian) succession of the North Flinders Basin, South Australia: an example of temperate glaciation in an active rift setting. In: Anderson, J.B. & Ashley, G.M. (eds.) *Glacial Marine Sedimentation: Paleoclimatic Significance*. Geological Society of America, Boulder, CO, p. 207-222.

1992: 8

- de Alvarenga, C.J.S. & Trompette, R., 1992. Glacially influenced sedimentation in the Later Proterozoic of the Paraguay belt (Mato Grosso, Brazil). *Palaeogeography, Palaeoclimatology, Palaeoecology* **92**, 85-105.
- Beukes, N. & Klein, C., 1992. Models for iron-formation deposition. In: Schopf, J.W. & Klein, C. (eds) *The Proterozoic Biosphere*, pp. 147-151, Cambridge University Press, Cambridge.
- Caldeira, K., & Kasting, J.F., 1992. Susceptibility of the early Earth to irreversible glaciation caused by carbon dioxide clouds. *Nature* **359**, 226-228.
- Chumakov, N.M., 1992. Problems of old glaciations (Pre-Pleistocene glaciogeology in the USSR). *Soviet Scientific Reviews, Geology Section* **1**(3), Harwood, New York, 208 p.

- Hambrey, M.J., 1992. Secrets of a tropical ice age. *New Scientist*, 1 Feb., 42-49.
- Hamdi, B., 1992. Late Precambrian glacial deposits in central Iran. *29th International Geological Congress Abstracts* **2**, 263, Kyoto, Japan.
- Kirschvink, J.L., 1992. Late Proterozoic low-latitude glaciation: the snowball Earth. *In*: Schopf, J.W. & Klein, C. (eds) *The Proterozoic Biosphere*, pp. 51-52, Cambridge University Press, Cambridge.
- Urban, H., Stribny, B. & Lippolt, H.J., 1992. Iron and manganese deposits of the Urucum District, Mato Grosso do Sul, Brazil. *Economic Geology* **87**, 1375-1892.

1993: 17

- Crowley, T.J. & Baum, S.K., 1993. Effect of decreased solar luminosity on Late Precambrian ice extent. *Journal of Geophysical Research* **98**, 16,723-16,732.
- Eyles, N., 1993. Earth's glacial record and its tectonic setting. *Earth-Science Reviews* **35**, 1-248.
- Fairchild, I.J., 1993. Balmy shores and ice wastes: the paradox of carbonates associated with glacial deposits in Neoproterozoic times. *Sedimentology Review* **1**, 1-16.
- Gresse, P.G. & Germs, G.J.B., 1993. The Nama foreland basin: sedimentation, major unconformity bounded sequences and multisided active margin advance. *Precambrian Research* **63**, 247-272.
- Harker, R.I., 1993. Fracture patterns in clasts of diamictites (? Tillites). *Journal of the Geological Society, London* **150**, 251-254.
- Harland, W.B., Hambrey, M.J., & Waddams, P., 1993. Vendian Geology of Svalbard. *Norsk-Polarinstitutt Skrifter* **193**, 150 p.
- Hegenberger, W., 1993. Stratigraphy and sedimentology of the Late Precambrian Witvlei and Nama Groups, East of Windhoek. *Geological Survey of Namibia Memoir* **17**, 82 p.
- Johnston, J.D., 1993. Ice wedge casts in the Dalradian of South Donegal—evidence for subaerial exposure of the Boulder Bed. *Irish Journal of Earth Sciences* **12**, 13-26.
- Kaufman, A.J., Jacobsen, S.B., & Knoll, A.H., 1993. The Vendian record of Sr and C isotopic variations in seawater: implications for tectonic and paleoclimate. *Earth and Planetary Science Letters* **120**, 409-430.
- Klein, C. & Beukes, N.J., 1993. Sedimentology and geochemistry of the glaciogenic Late Proterozoic Rapitan iron-formation in Canada. *Economic Geology* **88**, 542-565.
- Link, P.K., Christie-Blick, N., Devlin, W.J., Elston, D.P., Horodyski, R.J., Levy, M., Miller, J.M.G., Pearson, R.C., Prave, A., Stewart, J.H., Winston, D., Wright, L.A., Wrucke, C.T., 1993. Middle and Late Proterozoic stratified rocks of the western U.S. Cordillera, Colorado Plateau, and Basin and Range province. *In*: Reed, J.C., Jr., Bickford, M.E., Link, P.K., Rankin, D.W., Sims, P.K. & Van Schmus, W.R. (eds) *Precambrian: Conterminous U.S.* Geological Society of America, Boulder, *The Geology of North America*, v. C-2, p. 463-595.
- Overbeck, V.R., Marshall, J.R., & Aggarwal, H., 1993. Impacts, tillites, and the breakup of Gondwanaland. *Journal of Geology* **101**, 1-19.
- Rampino, M.R., 1993. Tillites, diamictites, and ballistic ejecta of large impacts. *Journal of Geology* **101**, 675-679.
- Roscoe, S.M. & Card, K.D., 1993. The reappearance of the Huronian in Wyoming: rifting and drifting of ancient continents. *Canadian Journal of Earth Sciences* **30**, 2475-2480.
- Von Brunn, V. & Gold, D.J.C., 1993. Diamictite in the Archean Pongola sequence of southern Africa. *Journal of African Earth Science* **16**, 367-374.

- Walsh, K.J. & Sellers, W.D., 1993. Response of a global climate model to a thirty percent reduction of the solar constant. *Global and Planetary Change* **8**, 219-230.
- Williams, G.E., 1993. History of the Earth's obliquity. *Earth-Science Reviews* **34**, 1-45.

1994: 18

- Brookfield, M.E., 1994. Problems in applying preservation, facies and sequence models to Sinian (Neoproterozoic) glacial sequences in Australia and Asia. *Precambrian Research* **70**, 113-143.
- Carver, J.H. & Vardavas, I.M., 1994. Precambrian glaciations and the evolution of the atmosphere. *Annales Geophysicae* **12**, 674-682.
- Crossing, A.R. & Gostin, V.A., 1994. Isotopic signatures of carbonates associated with Sturtian (Neoproterozoic) glacial facies, central Flinders Ranges, South Australia. *In: Deynoux, M., Miller, J.M.G., Domack, E.W., Eyles, N., Fairchild, I.J., & Young, G.M. (eds) Earth's Glacial Record*. Cambridge University Press, Cambridge, p. 165-175.
- Dyson, I.A. von der Borch, C.C., 1994. Sequence stratigraphy of an incised-valley fill: the Neoproterozoic Seacliff Sandstone, Adelaide Geosyncline, South Australia. *In: Dalrymple, R.W., Boyd, R., & Zaitlin, B.A., 1994. Incised-valley systems: origin and sedimentary sequences*. SEPM (Society for Sedimentary Geology) Special Publication **51**, Tulsa, OK, 209-222.
- Eyles, N. & Young, G.M., 1994. Geodynamic controls on glaciation in Earth history. *In: Deynoux, M., Miller, J.M.G., Domack, E.W., Eyles, N., Fairchild, I.J., & Young, G.M. (eds) Earth's Glacial Record*. Cambridge University Press, Cambridge, p. 1-28.
- Graf, J.L.Jr., O'Connor, E.A., & Van Leeuwen, P., 1994. Rare earth element evidence of origin and depositional environment of Late Proterozoic ironstone beds and manganese-oxide deposits, SW Brazil and SE Bolivia. *Journal of South American Earth Sciences* **7**, 115-133.
- Link, P.K., Miller, J.M.G., & Christie-Blick, N., 1994. Glacial-marine facies in a continental rift environment: Neoproterozoic rocks of the western United States Cordillera. *In: Deynoux, M., Miller, J.M.G., Domack, E.W., Eyles, N., Fairchild, I.J., & Young, G.M. (eds.) International Geological correlation Project 260: Earth's Glacial Record*. Cambridge University Press, London, p. 29-46.
- Lu, S. & Gao, Z., 1994. Neoproterozoic gillite and tilloid in the Aksu area, Tarim Basin, Xinjiang Uygur Autonomous Region, northwest China. *In: Deynoux, M., Miller, J.M.G., Domack, E.W., Eyles, N., Fairchild, I.J., & Young, G.M. (eds) Earth's Glacial Record*. Cambridge University Press, Cambridge, p. 95-100.
- Miller, J.M.G., 1994. The Neoproterozoic Konnarock Formation, southern Virginia, USA: glaciolacustrine facies in a continental rift. *In: Deynoux, M., Miller, J.M.G., Domack, E.W., Eyles, N., Fairchild, I.J., & Young, G.M. (eds) Earth's Glacial Record*. Cambridge University Press, Cambridge, p. 47-59.
- Meert, J.G. & van der Voo, R., 1994. The Neoproterozoic (1000-540 Ma) glacial intervals: no more snowball Earth? *Earth and Planetary Science Letters* **123**, 1-13.
- Misi, A. & Kyle, J.R., 1995. Upper Proterozoic carbonate stratigraphy, diagenesis, and stromatolitic phosphorite formation, Irecê Basin, Bahia, Brazil. *Journal of Sedimentary Research* **A64**, 299-310.
- Proust, J.-N. & Deynoux, M., 1994. Marine to non-marine sequence architecture of an intracratonic glacially related basin. Late Proterozoic of the West African platform in western Mali. *In: Deynoux, M., Miller, J.M.G., Domack, E.W., Eyles, N., Fairchild, I.J., & Young,*

- G.M. (eds) *The Earth's glacial record: facies models and geodynamic evolution*. Cambridge University Press, Cambridge, p. 121-145.
- Qi, R.Z., 1994. Environmental evolution during the early phase of Late Proterozoic glaciation, Hunan, China. *In: Deynoux, M., Miller, J.M.G., Domack, E.W., Eyles, N., Fairchild, I.J., & Young, G.M. (eds) Earth's Glacial Record*. Cambridge University Press, Cambridge, p. 260-266.
- Trompette, R., 1994. *Geology of Western Gondwana (2000-500 Ma): Pan-African–Brasiliano Aggregation of South America and Africa*. Balkema, Amsterdam, 350 p.
- Williams, G.E., 1994. History of Earth's rotation and the Moon's orbit: a key datum from Precambrian tidal strata in Australia. *Australian Journal of Astronomy* **5**(4), 135-147.
- Williams, G.E., 1994. The enigmatic Late Proterozoic glacial climate: an Australian perspective. *In: Deynoux, M., Miller, J.M.G., Domack, E.W., Eyles, N., Fairchild, I.J., & Young, G.M. (eds) Earth's Glacial Record*. Cambridge University Press, Cambridge, p. 146-164.
- Young, G.M., 1994. Impacts, tillites, and the breakup of Gondwanaland: a discussion. *Journal of Geology* **102**, 439-456.
- Zheng, Z., Li, Y., Lu, S. & Li, H., 1994. Lithology, sedimentology and genesis of the Zhengmuguan Formation of Ningxia, China. *In: Deynoux, M., Miller, J.M.G., Domack, E.W., Eyles, N., Fairchild, I.J., & Young, G.M. (eds) Earth's Glacial Record*. Cambridge University Press, Cambridge, p. 101-108.

1995: 12

- Bertrand-Sarfati, J., Moussine-Pouchkine, A., Amard, B., & Aït Kaci Ahmed, A., 1995. First Ediacaran fauna found in western Africa and evidence for an Early Cambrian glaciation. *Geology* **23**, 133-136.
- Christie-Blick, N., Dyson, I.A., & von der Borch, C.C., 1995. Sequence stratigraphy and the interpretation of Neoproterozoic earth history. *Precambrian Research* **73**, 3-26.
- Fairchild, I.J. & Hambrey, M.J., 1995. Vendian basin evolution in East Greenland and NE Svalbard. *Precambrian Research* **73**, 217-233.
- Germis, G.J.B., 1995. The Neoproterozoic of southwestern Africa, with emphasis on platform stratigraphy and paleontology. *Precambrian Research* **73**, 137-151.
- Grotzinger, J.P. & Knoll, A.H., 1995. Anomalous carbonate precipitates: Is the Precambrian the key to the Permian? *Palaeos* **10**, 578-596.
- Iyer, S.S., Babinski, M., Krouse, H.R., & Chemale, F.Jr., 1995. Highly ¹³C-enriched carbonate and organic matter in the Neoproterozoic sediments of the Bambuí Group, Brazil. *Precambrian Research* **73**, 271-282.
- Schmidt, P.W. & Williams, G.E., 1995. The Neoproterozoic climatic paradox: Equatorial paleolatitude for Marinoan glaciation near sea level in South Australia. *Earth and Planetary Science Letters* **134**, 107-124.
- Torsvik, T.H., Lohmann, K.C., & Sturt, B.A., 1995. Vendian glaciations and their relation to the dispersal of Rodinia: paleomagnetic constraints. *Geology* **23**, 727-730.
- Vidal, G. & Moczydkłowska, M., 1995. The Neoproterozoic of Baltica—stratigraphy, palaeobiology and general geological evolution. *Precambrian Research* **73**, 197-216.
- Walter, M.R., Veevers, J.J., Calver, C.R. & Grey, K., 1995. Neoproterozoic stratigraphy of the Centralian Superbasin. *Precambrian Research* **73**, 173-195.

Williams, G.E., Schmidt, P.W., & Embleton, B.J.J., 1995. Comment on 'The Neoproterozoic (1000-540 Ma) glacial intervals: No more snowball earth? By Joseph G. Meert and Rob van der Voo. *Earth and Planetary Science Letters* **131**, 115-122.

Young, G.M., 1995. Are Neoproterozoic glacial deposits preserved on the margins of Laurentia related to the fragmentation of two supercontinents? *Geology* **23**, 153-156.

1996: 10

Cornell, D.H., Schütte, S.S., & Eglinton, B.L., 1996. The Ongeluk basaltic andesite formation in Griqualand West, South Africa: submarine alteration in a 2222 Ma Proterozoic sea. *Precambrian Research* **79**, 101-123.

Fedonkin, M.A., 1996. Cold water cradle of animal life. *Palaeontological Journal* **30**, 669-673.

Frimmel, H.E., Klötzli, U.S. & Siegfried, P.R., 1996. New Pb-Pb single zircon age constraints on the timing of Neoproterozoic glaciation and continental break-up in Namibia. *Journal of Geology* **104**, 459-469.

Hoffmann, K.-H. & Prave, A.R., 1996. A preliminary note on a revised subdivision and regional correlation of the Otavi Group based on glaciogenic diamictites and associated cap dolomites. *Communications of the Geological Survey of Namibia* **11**, 77-82.

Jensen, P.A. & Wulff-Pedersen, E., 1996. Glacial or non-glacial origin for the Bigganjargga tillite, Finnmark, northern Norway. *Geological Magazine* **133**, 137-145.

Kennedy, M.J., 1996. Stratigraphy, sedimentology, and isotopic geochemistry of Australian Neoproterozoic postglacial cap dolostones: deglaciation, $\delta^{13}\text{C}$ excursions, and carbonate precipitation. *Journal of Sedimentary Research* **66**, 1050-1064.

Khomentovsky, V.V. & Gibsher, A.S., 1996. The Neoproterozoic-lower Cambrian in northern Gobi-Altay, western Mongolia: regional setting, lithostratigraphy and biostratigraphy. *Geological Magazine* **133**, 371-390.

Lindsay, J.F., Brasier, M.D., Shields, G., Khomentovsky, V.V. & Bat-Ireedui, Y.A., 1996. Glacial facies associations in a Neoproterozoic back-arc setting, Zavkhan Basin, western Mongolia. *Geological Magazine* **133**, 391-402.

Trompette, R., 1996. Temporal relations between cratonization and glaciation: the Vendian–Early Cambrian glaciation in western Gondwana. *Palaeogeography, Palaeoclimatology, Palaeoecology* **123**, 373-383.

Williams, G.E., 1996. Soft-sediment deformation structures from the Marinoan glacial succession, Adelaide foldbelt: implications for the palaeolatitude of late Neoproterozoic glaciation. *Sedimentary Geology* **106**, 165-175.

1997: 14

Edwards, M.B., 1997. Discussion of glacial or non-glacial origin of the Bigganjargga tillite, Finnmark, northern Norway. *Geological Magazine* **134**, 873-876.

Evans, D.A., Beukes, N.J. & Kirschvink, J.L., 1997. Low-latitude glaciation in the Palaeoproterozoic era. *Nature* **386**, 262-266.

Bertrand-Sarfati, J., Flicoteaux, R., Moussine-Pouchkine, A., & Aït Kaci Ahmed, A., 1997. Lower Cambrian apatitic stromatolites and phospharenites related to the glacio-eustatic cratonic rebound (Sahara, Algeria). *Journal of Sedimentary Research* **67**, 957-974.

Kaufman, A.J., Knoll, A.H. & Narbonne, G.M., 1997. Isotopes, ice ages, and terminal Proterozoic earth history. *Proceedings of the National Academy of Sciences* **94**, 6600-6605.

- Moussine-Pouchkine, A. & Bertrand-Sarfati, J., 1997. Tectonosedimentary subdivisions in the Neoproterozoic to Early Cambrian cover of the Taoudeni Basin (Algeria-Mauritania-Mali). *Journal of African Earth Sciences* **24**, 425-443.
- Néron de Surgy, O. and Laskar, J., 1997. On the long term evolution of the spin of the Earth. *Astronomy and Astrophysics* **318**, 975-989.
- Park, J.K., 1997. Paleomagnetic evidence for low-latitude glaciation during deposition of the Neoproterozoic Rapitan Group, Mackenzie Mountains, N.W.T., Canada. *Canadian Journal of Earth Sciences* **34**, 34-49.
- Panahi, A. & Young, G.M., 1997. A geochemical investigation into the provenance of the Neoproterozoic Port Askaig Tillite, Dalradian Supergroup, western Scotland. *Precambrian Research* **85**, 81-96.
- Ross, G.M. & Villeneuve, M.E., 1997. U-Pb geochronology of stranger stones in Neoproterozoic diamictites, Canadian Cordillera: implications for provenance and ages of deposition. *In: Radiogenic Age and Isotopic Studies: Report 10*. Geological Survey of Canada Current Research **1997-F**, p. 141-155.
- Rui, Z.Q. & Piper, J.D.A., 1997. Palaeomagnetic study of Neoproterozoic glacial rocks of the Yangtze Block: palaeolatitude and configuration of South China in the late Proterozoic Supercontinent. *Precambrian Research* **85**, 173-199.
- Shields, G., Stille, P., Brasier, M.D., & Atudorei, N.-V., 1997. Stratified oceans and oxygenation of the late Precambrian environment: a post glacial geochemical record from the Neoproterozoic of W. Mongolia. *Terra Nova* **9**, 218-222.
- Walter, M.R. & Veevers, J.J., 1997. Australian Neoproterozoic paleogeography, tectonics, and supercontinental connections. *AGSO(Australian Geological Survey Organization) Journal of Australian Geology & Geophysics* **17**(1), 73-92.
- Williams, G.E. & Schmidt, P.W., 1997. Paleomagnetism of the Palaeoproterozoic Gowganda and Lorrain formations, Ontario: low paleolatitude for Huronian glaciation. *Earth and Planetary Science Letters* **153**, 157-169.
- Young, G.M., 1997. Tectonic and glacioeustatic controls on postglacial stratigraphy: Proterozoic examples. *In: Martini, I.P. (ed.) Late Glacial and Postglacial Environmental Changes: Quaternary, Carboniferous-Permian and Proterozoic*. Oxford University Press, New York, p. 249-267.

1998: 20

- Benan, C.A.A. & Deynoux, M., 1998. Facies analysis and sequence stratigraphy of Neoproterozoic platform deposits in Adrar of Mauritania, Taoudeni basin, West Africa. *Geologische Rundschau* **87**, 283-302.
- Calver, C.R., 1998. Isotope stratigraphy of the Neoproterozoic Togari Group, Tasmania. *Australian Journal of Earth Sciences* **45**, 865-874.
- Flicoteaux, R. & Trompette, R., 1998. Cratonic and foreland Early Cambrian phosphorites of West Africa: palaeoceanographical and climatical contexts. *Palaeogeography, Palaeoclimatology, Palaeoecology* **139**, 107-120.
- Grey, K. & Corkeron, M., 1998. Late Neoproterozoic stromatolites in glacial successions of the Kimberley region, Western Australia: evidence for a younger Marinoan glaciation. *Precambrian Research* **92**, 65-87.
- Hoffman, P.F., Kaufman, J.A. & Halverson, G.P., 1998. Comings and goings of global glaciations on a Neoproterozoic carbonate platform in Namibia. *GSA Today* **8**,1-9.

- Hoffman, P.F., Kaufman, A.J., Halverson, G.P. & Schrag, D.P., 1998. A Neoproterozoic snowball Earth. *Science* **281**, 1342-1346.
- Hoffman, P.F., Schrag, D.P., Halverson, G.P., & Kaufman, J.A., 1998. Response: An early Snowball Earth? *Science* **282**, 1645-1646.
- Jenkins, G.S. & Frakes, L.A., 1998. GCM sensitivity test using increased rotation rate, reduced solar forcing and orography to examine low latitude glaciation in the Neoproterozoic. *Geophysical Research Letters* **25**, 3525-3528.
- Jenkins, G.S. & Scotese, C.R., 1998. An early Snowball Earth? *Science* **282**, 1645.
- Kennedy, M.J., Runnegar, B., Prave, A.R., Hoffmann, K.-H. & Arthur, M.A., 1998. Two or four Neoproterozoic glaciations? *Geology* **26**, 1059-1063.
- Misi, A. & Veizer, J., 1998. Neoproterozoic carbonate sequences of the Una Group, Irecê Basin, Brazil: chemostratigraphy, age and correlations. *Precambrian Research* **89**, 87-100.
- Oglesby, R.J. & Ogg, J.G., 1998. The effect of large fluctuations in obliquity on climates of the late Proterozoic. *Palaeoclimates* **2**, 293-316.
- Rumble, D. & Yui, T.-F., 1998. The Qinglongshan oxygen and hydrogen isotope anomaly near Donghai in Jiangsu Province, China. *Geochimica et Cosmochimica Acta* **62**, 3307-3321.
- Saylor, B.Z., Kaufman, A.J., Grotzinger, J.P., & Urban, F., 1998. A composite reference section for terminal Proterozoic strata of southern Namibia. *Journal of Sedimentary Research* **68**, 1223-1235.
- Trompette, R., de Alvarenga, C.J.A., & Wade, D., 1998. Geological evolution of the Neoproterozoic Corumbá graben system (Brazil). Depositional context of the stratified Fe and Mn ores of the Jacadigo Group. *Journal of South American Earth Sciences* **11**, 587-597.
- Tsikos, H. & Moore, J.M., 1998. The Kalahari manganese field: an enigmatic association of iron and manganese. *South African Journal of Geology* **101**, 287-290.
- Williams, D.M., Kasting, J.F., & Frakes, L.A., 1998. Low-latitude glaciation and rapid changes in the Earth's obliquity explained by obliquity–oblateness feedback. *Nature* **396**, 453-455.
- Williams, G.E., 1998. Precambrian tidal and glacial deposits: implications for Precambrian Earth-Moon dynamics and paleoclimate. *Sedimentary Geology* **120**, 55-74.
- Williams, G.E., 1998. Late Neoproterozoic periglacial aeolian sand sheet, Stuart Shelf, South Australia. *Australian Journal of Earth Sciences* **45**, 733-741.
- Young, G.M., von Brunn, V., Gold, D.J.C., & Minter, W.E.L., 1998. Earth's oldest reported glaciation: physical and chemical evidence from the Archean Mozoan Group (~2.9 Ga) of South Africa. *Journal of Geology* **106**, 523-538.

1999: 18

- Bau, M., Romer, R.L., Lüders, V., & Beukes, N.J., 1999. Pb, O, and C isotopes in silicified Moodraai dolomite (Transvaal Supergroup, South Africa): implications for the composition of Paleoproterozoic seawater and 'dating' the increase of oxygen in the Precambrian atmosphere. *Earth and Planetary Science Letters* **174**, 43-57.
- Canfield, D.E. & Raiswell, R., 1999. The evolution of the sulfur cycle. *American Journal of Science* **299**, 697-723.
- Christie-Blick, N., Sohl, L.E., & Kennedy, M.J., 1999. Considering a Neoproterozoic snowball Earth. *Science* 284 online, <http://www.sciencemag.org/cgi/content/full/284/5417/1087a>
- Crowell, J.C., 1999. Pre-Mesozoic ice ages: their bearing on understanding the climate system. *Geological Society of America Memoir* **192**, Boulder, CO, 106 p.

- Gaidos, E.J., Neelson, K.H., & Kirschvink, J.L., 1999. Life in ice-covered oceans. *Science* **284**, 1631-1633.
- Hoffman, P.F., 1999. The break-up of Rodinia, birth of Gondwana, true polar wander and the snowball Earth. *Journal of African Earth Sciences* **28**, 17-33.
- Hoffman, P.F. & Schrag, D.P., 1999. Response: Considering a Neoproterozoic snowball Earth. *Science* **284** online, <http://www.sciencemag.org/cgi/content/full/284/5417/1087a>
- Hoffman, P.F., 1999. Snowball Earth theory still stands. *Nature* **400**, 708.
- Hoffman, P.F. & Maloof, A.C., 1999. Glaciation: the snowball theory still holds water. *Nature* **397**, 384.
- Jacobsen, S.B. & Kaufman, A.J., 1999. The Sr, C and O isotopic evolution of Neoproterozoic seawater. *Chemical Geology* **161**, 37-57.
- Jenkins, G.S. & Smith, S.R., 1999. GCM simulations of Snowball Earth conditions during the late Proterozoic. *Geophysical Research Letters* **26**, 2263-2266.
- Martins-Neto, M.A., Gomes, N.S., Hercos, C.M. & Reis, L., 1999. Fácies glácio-continentais (outwash plain) na megasequência Macaúbas, norte da serra da Agua Fria (MG). *Revista Brasileiras Geociencias* **29**, 281-292.
- Myrow, P.M. & Kaufman, A.J., 1999. A newly discovered cap carbonate above Varanger-age glacial deposits in Newfoundland, Canada. *Journal of Sedimentary Research* **69**, 784-793.
- Pais, M.A., Le Mouél, J.L., Lambeck, K., & Poirier, J.P., 1999. Late Precambrian paradoxical glaciation and obliquity of the Earth—a discussion of dynamical constraints. *Earth and Planetary Science Letters* **174**, 155-171.
- Prave, A.R., 1999. Two diamictites, two cap carbonates, two $\delta^{13}\text{C}$ excursions, two rifts: The Neoproterozoic Kingston Peak Formation, Death Valley, California. *Geology* **27**, 339-342.
- Schmidt, P.W. & Williams, G.E., 1999. Paleomagnetism of the Paleoproterozoic hematitic breccia and paleosol at Ville-Marie, Québec: further evidence for the low paleolatitude of Huronian glaciation. *Earth and Planetary Science Letters* **172**, 273-285.
- Sohl, L.E., Christie-Blick, N. & Kent, D.V., 1999. Paleomagnetic polarity reversals in Marinoan (ca 600 Ma) glacial deposits of Australia: implications for the duration of low-latitude glaciation in Neoproterozoic time. *Geological Society of America Bulletin* **111**, 1120-1139.
- Stocker, M.S., Howe, J.A., & Stoker, S.J., 1999. Late Vendian–?Cambrian glacially influenced deep-water sedimentation, Macduff Slate Formation (Dalradian), NE Scotland. *Journal of the Geological Society, London* **156**, 55-61.

2000: 38

- Brasier, M.D. & Shields, G., 2000. Neoproterozoic chemostratigraphy and correlation of the Port Askaig glaciation, Dalradian Supergroup of Scotland. *Journal of the Geological Society, London* **157**, 909-914.
- Brasier, M., McCarron, G., Tucker, R., Leather, J., Allen, P., & Shields, G., 2000. New U-Pb zircon dates for the Neoproterozoic Gubrah glaciation and for the top of the Huqf Supergroup, Oman. *Geology* **28**, 175-178.
- Condon, D.J. & Prave, A.R., 2000. Two from Donegal: Neoproterozoic glacial episodes on the northeast margin of Laurentia. *Geology* **28**, 951-954.
- Calver, C.R. & Walter, M.R., 2000. The late Neoproterozoic Grassy Group of King Island, Tasmania: correlation and palaeogeographic significance. *Precambrian Research* **100**, 299-312.

- Chandler, M.A. & Sohl, L.E., 2000. Climate forcings and the initiation of low-latitude ice sheets during the Neoproterozoic Varanger glacial interval. *Journal of Geophysical Research* **105**, 20,737-20,756.
- Dempster, T.J., Rogers, G., Tanner, P.W.G., Bluck, B.J., Muir, R.J., Redwood, S.D., Ireland, T.R., & Paterson, B.A., 2002. Timing of deposition, orogenesis and glaciation within the Dalradian rocks of Scotland: constraints from U-Pb ages. *Journal of the Geological Society, London* **159**, 83-94.
- Evans, D.A.D., 2000. Stratigraphic, geochronological, and paleomagnetic constraints upon the Neoproterozoic climatic paradox. *American Journal of Science* **300**, 347-433.
- Evans, D.A.D., Li, Z.X., Kirschvink, J.L., & Wingate, M.T.D., 2000. A high-quality mid-Neoproterozoic paleomagnetic pole from South China, with implications for ice ages and the breakup configuration of Rodinia. *Precambrian Research* **100**, 313-334.
- Fairchild, I.J., Spiro, B., Herrington, P.M. & Song, T.R., 2000. Controls on Sr and C isotope compositions of Neoproterozoic Sr-rich limestones of East Greenland and North China. In: Grotzinger, J.P. and James, N.P. (eds.) *Carbonate Sedimentation and Diagenesis in the Evolving Precambrian World*. SEPM (Society for Sedimentary Geology) Special Publication **67**, Tulsa, OK, p. 297-313.
- Frimmel, H.E., 2000. The Pan-African Gariep Belt in southwestern Namibia and western South Africa. *Communications of the Geological Survey of Namibia* **12**, 197-209.
- Gorjan, P., Veevers, J.J., & Walter, M.R., 2000. Neoproterozoic sulfur-isotope variations in Australia and global implications. *Precambrian Research* **100**, 151-179.
- Grotzinger, J.P. & James, N.P., 2000. Precambrian carbonates: evolution of understanding. In: Grotzinger, J.P. and James, N.P. (eds.) *Carbonate Sedimentation and Diagenesis in the Evolving Precambrian World*. SEPM (Society for Sedimentary Geology) Special Publication **67**, Tulsa, OK, p. 3-20.
- Hoffman, P.F., 2000. Discussion: Vreeland Diamictites—Neoproterozoic glaciogenic slope deposits, Rocky Mountains, northeast British Columbia. *Bulletin of Canadian Petroleum Geology* **48**, 360-363.
- Hoffman, P.F. & Schrag, D.P., 2000. Snowball Earth. *Scientific American* **282**, 68-75.
- Hyde, W.T., Crowley, T.J., Baum, S.K. & Peltier, W.R., 2000. Neoproterozoic 'snowball Earth' simulations with a coupled climate/ice-sheet model. *Nature* **405**, 425-429.
- Jasper, M.J.U., Stanistreet, I.G., and Charlesworth, E.G., 2000. Neoproterozoic inversion tectonics, half-graben depositories and glacial controversies, Gariep fold-thrust belt, southern Namibia. *Communications of the Geological survey of Namibia* **12**, 187-196.
- Jenkins, G.S., 2000. Global climate model high-obliquity solutions to the ancient climate puzzles of the faint-young-Sun paradox and low-latitude Proterozoic glaciation. *Journal of Geophysical Research* **105**, 7357-7370.
- Li, Z.X., 2000. New palaeomagnetic results from the 'cap dolomite' of the Neoproterozoic Walsh Tillite, northwestern Australia. *Precambrian Research* **100**, 359-370.
- Labotka, T.C., Bergfeld, D., & Nabelek, P.I., 2000. Two diamictites, two cap carbonates, two $\delta^{13}\text{C}$ excursions, two rifts: The Neoproterozoic Kingston Peak Formation, Death Valley, California: comment and reply. *Geology* **28**, 191.
- Lottermoser, B.G. & Ashley, P.M., 2000. Geochemistry, petrology and origin of Neoproterozoic ironstones in the eastern part of the Adelaide Geosyncline, *Precambrian Research* **101**, 49-67.

- Kempf, O., Kellerhals, P., Lowrie, W. & Matter, A., 2000. Paleomagnetic directions in Late Precambrian glaciomarine sediments of the Mirbat Sandstone Formation, Oman. *Earth and Planetary Science Letters* **175**, 181-190.
- Kirschvink, J.L., Gaidos, E.J., Bertani, L.E., Beukes, N.J., Gutsmer, J., Maepa, L.N. & Steinberger, R.E., 2000. Paleoproterozoic snowball Earth: extreme climatic and geochemical global change and its biological consequences. *Proceedings of the National Academy of Sciences* **97**, 1400-1405.
- McKay, C.P., 2000. Thickness of tropical ice and photosynthesis on a snowball Earth. *Geophysical Research Letters* **27**, 2153-2156.
- McKirdy, D.M., Burgess, J.M., Lemon, N.M., Yu, X., Cooper, A.M., Gostin, V.A., Jenkins, R.J.F., & Both, R.A., 2001. A chemostratigraphic overview of the late Cryogenian interglacial sequence in the Adelaide fold-thrust belt, South Australia. *Precambrian Research* **106**, 149-186.
- McMechan, M.E., 2000. Vreeland Diamictites—Neoproterozoic glaciogenic slope deposits, Rocky Mountains, northeast British Columbia. *Bulletin of Canadian Petroleum Geology* **48**, 246-261.
- McMechan, M.E., 2000. Reply to discussion: Vreeland Diamictites—Neoproterozoic glaciogenic slope deposits, Rocky Mountains, northeast British Columbia. *Bulletin of Canadian Petroleum Geology* **48**, 364-366.
- Pavlov, A.A., Kasting, J.F., Brown, L.L., Rages, K.A., Freedman, R., 2000. Greenhouse warming by CH₄ in the atmosphere of early Earth. *Journal of Geophysical Research* **105**, 11,981-11,990.
- Porada, H. & Berhorst, V., 2000. Towards a new understanding of the Neoproterozoic-Early Paeozoic Lufilian and northern Zambezi Belts in Zambia and the Democratic Republic of Congo. *Journal of African Earth Sciences* **30**, 727-771.
- Prave, A.R., 2000. Two diamictites, two cap carbonates, two $\delta^{13}\text{C}$ excursions, two rifts: The Neoproterozoic Kingston Peak Formation, Death Valley, California: comment and reply. *Geology* **28**, 192.
- Preiss, W.V., 2000. The Adelaide Geosyncline of South Australia and its significance in Neoproterozoic continental reconstruction. *Precambrian Research* **100**, 21-63.
- Rice, A.H.N. & Hofmann, C.-C., 2000. Evidence for a glacial origin of Neoproterozoic III striations at Oaibaccannjar'ga, Finnmark, northern Norway. *Geological Magazine* **137**, 355-366.
- Thompson, M.D. & Bowring, S.A., 2000. Age of the Squantum "tillite", Boston Basin, Massachusetts: U-Pb zircon constraints on terminal Neoproterozoic glaciation. *American Journal of Science* **300**, 630-655.
- Santos, R.V., de Alvarenga, C.J.S., Dardenne, M.A., Sial, A.N., & Ferreira, V.P., 2000. Carbon and oxygen isotope profiles across Meso-Neoproterozoic limestones from central Brazil: Mabuí and Paraná groups. *Precambrian Research* **104**, 107-122.
- Vincent, W.F., Gibson, J.A.E., Pienitz, R., Villeneuve, V., Broady, P.A., Hamilton, P.B., & Howard-Williams, C., 2000. Ice shelf microbial ecosystems in the High Arctic and implications for life on snowball Earth. *Naturwissenschaften* **87**, 137-141.
- Walter, M.R., Veevers, J.J., Calver, C.R., Gorjan, P. & Hill, A.C., 2000. Dating the 840-544 Ma Neoproterozoic interval by isotopes of strontium, carbon, and sulfur in seawater, and some interpretive models. *Precambrian Research* **100**, 371-433.

- Williams, G.E., 2000. Geological constraints on the Precambrian history of Earth's rotation and the Moon's orbit. *Reviews of Geophysics* **38**(1), 37-59.
- Williams, G. & Schmidt, P., 2000. Proterozoic equatorial glaciation: Has 'snowball Earth' a snowball's chance? *The Australian Geologist* **117**, 21-25.

2001: 19

- Baum, S.K. & Crowley, T.J., 2001. GCM response to Late Precambrian (~590 Ma) ice-covered continents. *Geophysical Research Letters* **28**, 583-586.
- Bekker, A., Kaufman, A.J., Karhu, J.A., Beukes, N.J., Swart, Q.D., Coetzee, L.L., & Eriksson, K.A., 2001. Chemostratigraphy of the Paleoproterozoic Deutschland Formation, South Africa: implications for coupled climate change and carbon cycling. *American Journal of Science* **301**, 261-285.
- Catling, D.C., Zahnle, K.J., McKay, C.P., 2001. Biogenic methane, hydrogen escape, and the irreversible oxidation of early Earth. *Science* **293**, 839-843.
- Corkeron, M.L. & George, A.D., 2001. Glacial incursion on a Neoproterozoic carbonate platform in the Kimberley region, Australia. *Geological Society of America Bulletin* **113**, 1121-1132.
- Crowley, T.J., Hyde, W.T. & Peltier, W.R., 2001. CO₂ levels required for deglaciation of the "Near-Snowball" Earth. *Geophysical Research Letters* **28**, 283-286.
- Evans, D.A.D., Li, Z.X., Kirschvink, J.L. & Wingate, M.T.D., 2000. A high-quality mid-Neoproterozoic paleomagnetic pole from South China, with implications for ice ages and the breakup configuration of Rodinia. *Precambrian Research* **100**, 313-334.
- Fairchild, I.J., 2001. Encapsulating climatic catastrophe: Snowball Earth. *Geoscientist* **11**, 00-00.
- Gorokhov, I.N., Siedlecka, A., Roberts, D., Melnikov, N.N., & Turchenko, T.L., 2001. Rb-Sr dating of diagenetic illite in Neoproterozoic shales, Varanger Peninsula, northern Norway. *Geological Magazine* **138**, 541-562.
- Hoffman, P.F. & Maloof, A.C., 2001. Tilting at snowballs.
<http://www.eps.harvard.edu/people/faculty/hoffman/TAG.html>
- James, N.P., Narbonne, G.M. & Kyser, T.K., 2001. Late Neoproterozoic cap carbonates: Mackenzie Mountains, northwestern Canada: precipitation and global glacial meltdown. *Canadian Journal of Earth Sciences* **38**, 1229-1262.
- Kennedy, M.J., Christie-Blick, N. & Prave, A.R., 2001. Carbon isotopic composition of Neoproterozoic glacial carbonates as a test of paleoceanographic models for snowball Earth phenomena. *Geology* **29**, 1135-1138.
- Kennedy, M.J., Christie-Blick, N. & Sohl, L.E., 2001. Are Proterozoic cap carbonates and isotopic excursions a record of gas hydrate destabilization following Earth's coldest intervals? *Geology* **29**, 443-446.
- Key, R.M., Liyungu, A.K., Njamu, F.M., Somwe, V., Banda, J., Mosley, P.N., & Armstrong, R.A., 2001. The western arm of the Lufilian Arc in NW Zambia and its potential for copper mineralization. *Journal of African Earth Sciences* **33**, 503-528.
- Laajoki, K., 2001. Additional observations on the Late Proterozoic Varangerfjorden unconformity, Finnmark, northern Norway. *Bulletin of the Geological Society of Finland* **73**, 17-34.
- McNamara, A.K., Mac Niocaill, C., van der Pluijm, B.A., & Van der Voo, R., 2001. West African proximity of the Avalon terrane in the latest Precambrian. *Geological Society of America Bulletin* **113**, 1161-1170.

- Poulsen, C.J., Pierrehumbert, R.T. & Jacob, R.L., 2001. Impact of ocean dynamics on the simulation of the Neoproterozoic “snowball Earth”. *Geophysical Research Letters* **28**, 1575-1578.
- Schrag, D.P. & Hoffman, P.F., 2001. Life, geology and snowball Earth. *Nature* **409**, 306.
- Tsikos, H., Moore, J.M., and Harris, C., 2001. Geochemistry of the Palaeoproterozoic Mooi-draai Formation: Fe-rich limestone as end member of iron formation deposition, Kalahari Manganese Field, Transvaal Supergroup, South Africa. *Journal of African Earth Sciences* **32**, 19-27.
- Young, G.M., Long, D.G.F., Fedo, C.M., & Nesbitt, H.W., 2001. Paleoproterozoic Huronian basin: product of a Wilson cycle punctuated by glaciations and a meteorite impact. *Sedimentary Geology* **141-142**, 233-254.
- 2002: 33**
- Arnaud, E. & Eyles, C.H., 2002. Glacial influence on Neoproterozoic sedimentation: the Smalfjord Formation, northern Norway. *Sedimentology* **49**, 765-788.
- Arnaud, E. & Eyles, C.H., 2002. Catastrophic mass failure of a Neoproterozoic glacially influenced continental margin, the Great Breccia, Port Askaig Formation, Scotland. *Sedimentary Geology* **151**, 313-333.
- Barfod, G.H., Albarède, F., Knoll, A.H., Xiao, S., Télouk, Frei, R. & Baker, J., 2002. New Lu-Hf and Pb-Pb age constraints on the earliest animal fossils. *Earth and Planetary Science Letters* **201**, 203-212.
- Bendtsen, J., 2002. Climate sensitivity to changes in solar insolation in a simple coupled climate model. *Climate Dynamics* **18**, 595-609.
- Bendtsen, J. & Bjerrum, C.J., 2002. Vulnerability of climate on Earth to sudden changes in insolation. *Geophysical Research Letters* **29**, 10.1029/2002GL014829.
- Beukes, N.J., Dorland, H., Gutzmer, J., Nedachi, M., & Ohmoto, H., 2002. Tropical laterites, life on land, and the history of atmospheric oxygen in the Paleoproterozoic. *Geology* **30**, 491-494.
- Catuneanu, O. & Eriksson, P.G., 2000. Sequence stratigraphy of the Precambrian Rooihoogte–Timeball Hill rift succession, Transvaal Basin, South Africa. *Sedimentary Geology* **147**, 71-88.
- Condon, D.J., Prave, A.R. & Benn, D.I., 2002. Neoproterozoic glacial-rainout intervals: observations and implications. *Geology* **30**, 35-38.
- Donnadieu, Y., Ramstein, G., Fluteau, F., Besse, J. & Meert, J., 2002. Is high obliquity a plausible cause for Neoproterozoic glaciations? *Geophysical Research Letters* **29**, 10.1029/2002GL015902.
- Fawcett, P.J. & Boslough, M.B.E., 2002. Climatic effects of an impact-induced equatorial debris ring. *Journal of Geophysical Research* **107**, 10.1029/2001JD001230.
- Fölling, P.G. & Frimmel, H.E., 2002. Chemostratigraphy correlation of carbonate successions in the Gariiep and Saldania Belts, Namibia and South Africa. *Basin Research* **14**, 69-88.
- Frimmel, H.E., Fölling, P.G. & Eriksson, P.G., 2002. Neoproterozoic tectonic and climatic evolution recorded in the Gariiep Belt, Namibia and South Africa. *Basin Research* **14**, 55-67.
- Halverson, G.P., Hoffman, P.F., Schrag, D.P. & Kaufman, A.J., 2002. A major perturbation of the carbon cycle before the Ghaub glaciation (Neoproterozoic) in Namibia: Prelude to snowball Earth? *Geophysics, Geochemistry, Geosystems* **3**, doi: 10.1029/2001GC000244.

- Hartman, H., 2002. Macroevolution, catastrophe and horizontal transfer. *In*: Syvanen, M. & Kado, C.I. (eds.) *Horizontal Gene Transfer*, 2nd ed. Academic Press, San Diego, 411-415.
- Hoffman, P.F., 2002. Carbonates bounding glacial deposits: Evidence for Snowball Earth episodes and greenhouse aftermaths in the Neoproterozoic Otavi Group of northern Namibia. *Excursion Guide, 16th International Sedimentological Conference*, Auckland Park, South Africa, 39 p.
- Hoffman, P.F. & Schrag, D.P., 2002. The snowball Earth hypothesis: testing the limits of global change. *Terra Nova* **14**, 129-155.
- Hoffman, P.F., Halverson, G.P., & Grotzinger, J.P., 2002. Are Proterozoic cap carbonates and isotopic excursions a record of gas hydrate destabilization following Earth's coldest intervals? Comment and Reply. *Geology* **30**, 286-288.
- Hurtgen, M.T., Arthur, M.A., Suits, N.S., & Kaufman, A.J., 2002. The sulfur isotopic composition of Neoproterozoic seawater sulfate: implications for a snowball Earth? *Earth and Planetary Science Letters* **203**, 413-429.
- Jiang, G., Christie-Blick, N., Kaufman, A.J., Banerjee, D.M., & Rai, V., 2002. Sequence stratigraphy of the Neoproterozoic Infra Krol Formation and Krol Group, Lesser Himalaya, India. *Journal of Sedimentary Research* **72**, 524-542.
- Kirschvink, J.L., 2002. Quand tous les océans étaient gelés (When all of the oceans were frozen). *La Recherche* **355**, 26-30.
- Laajoki, K., 2002. New evidence of glacial abrasion of the Late Proterozoic unconformity around Varangerfjorden, northern Norway. *In*: Altermann, W. & Corcoran, P.L., eds., *Precambrian sedimentary environments: a modern approach to ancient depositional systems*. International Association of Sedimentologists, Special Publication **33**, 405-436.
- Leather, J., Allen, P.A., Brasier, M.D. & Cozzi, A., 2002. Neoproterozoic snowball Earth under scrutiny: evidence from the Fiq glaciation of Oman. *Geology* **30**, 891-894.
- Lindsay, J.F. & Brasier, M.D., 2002. Did global tectonics drive early biosphere evolution? Carbon isotope record from 2.6 to 1.9 Ga carbonates of Western Australian basins. *Precambrian Research* **114**, 1-34.
- Mallof, A.C., Kellogg, J.B. & Anders, A.M., 2002. Neoproterozoic sand wedges: crack formation in frozen soils under diurnal forcing during a snowball Earth. *Earth and Planetary Science Letters* **204**, 1-15.
- Pierrehumbert, R.T., 2002. The hydrologic cycle in deep-time climate problems. *Nature* **419**, 191-198.
- Poulsen, C.J., Jacob, R.L., Pierrehumbert, R.T. & Huynh, T.T., 2002. Testing paleogeographic controls on a Neoproterozoic snowball Earth. *Geophysical Research Letters*, **29**, 10.1029/2001GL014352.
- Rumble, D., Giorgis, D., Ireland, T., Zhang, Z., Xu, H., Yui, T.F., Yang, J., Xu, Z. & Liou, J.G., 2002. Low $\delta^{18}\text{O}$ zircons, U-Pb dating, and the age of the Qinglongshan oxygen and hydrogen isotope anomaly near Donhai in Jiangsu Province, China. *Geochimica et Cosmochimica Acta* **66**, 2299-2306.
- Shapiro, R.S., 2002. Are Proterozoic cap carbonates and isotopic excursion a record of gas hydrate destabilization following Earth's coldest intervals?: Comment and Reply. *Geology* **30**, 761-763.
- Shields, G.A., Brasier, M.D., Stille, P., & Dorjnamjaa, D., 2002. Factors contributing to high $\delta^{13}\text{C}$ values in Cryogenian limestones of western Mongolia. *Earth and Planetary Science Letters* **196**, 99-111.

- Schrag, D.P., Berner, R.A., Hoffman, P.F. & Halverson, G.P. 2002. On the initiation of a snowball Earth. *Geophysics, Geochemistry, Geosystems* **3**, on-line 10.1029/2001GC000219.
- Sovetov, J.K., 2002. Vendian foreland basin of the Siberian cratonic margin: Paleopangean accretionary phases. *Russian Journal of Earth Sciences* **4**, 363-387.
- Sumner, D.Y., 2002. Decimetre-thick encrustations of calcite and aragonite on the sea-floor and implications for Neoproterozoic and Neoproterozoic ocean chemistry. *Special Publications of the International Association of Sedimentologists* **33**, 107-120.
- Warren, S.G., Brandt, R.E., Grenfell, T.C. & McKay, C.P., 2002. Snowball Earth: Ice thickness on the tropical ocean. *Journal of Geophysical Research* **107**(C10), 3167, doi:10.1029/2001JC001123.
- Young, G.M., 2002. Stratigraphic and tectonic settings of Proterozoic glaciogenic rocks and banded iron-formations: relevance to the snowball Earth debate. *Journal of African Earth Sciences* **35**, 451-466.

2003: 43

- Baum, S.K. & Crowley, T.J., 2003. The snow/ice instability as a mechanism for rapid climate change: a Neoproterozoic snowball Earth model example. *Geophysical Research Letters* **30**, 10.1029/2003GL017333.
- Bekker, A., Karhu, J.A., Eriksson, K.A., & Kaufman, A.J., 2003. Chemostratigraphy of Paleoproterozoic carbonate successions of the Wyoming Craton: tectonic forcing of biogeochemical change? *Precambrian Research* **120**, 279-325.
- Beyth, M., Avigad, D., Wetzell, H.U. & Berhe, S.M., 2003. Crustal exhumation and indications for Snowball Earth in the East African orogen: north Ethiopia and east Eritrea. *Precambrian Research* **123**, 187-201.
- Bowring, S.A., Myrow, P., Landing, E., Ramezani, J., Grotzinger, J.P., 2003. Geochronological constraints on terminal Neoproterozoic events and the rise of metazoans. European Geophysical Union Annual Meeting, Nice 2003, Geophysical Research Abstracts 5, p. 13219.
- Christner, B.C., Kvitko, B.H., II & Reeve, J.N., 2003. Molecular identification of Bacteria and Eukarya inhabiting an Antarctic cryoconite hole. *Extremophiles* **7**, 177-183.
- Corsetti, F.A. & Kaufman, A.J., 2003. Stratigraphic investigations of carbon isotope anomalies and Neoproterozoic ice ages in Death Valley, California. *Geological Society of America Bulletin* **115**, 916-932.
- Corsetti, F.A., Awramik, S.M. & Pierce, D., 2003. A complex microbiota from snowball Earth times: microfossils from the Neoproterozoic Kingston Peak Formation, Death Valley, USA. *Proceedings of the National Academy of Sciences* **100**, 4399-4404.
- Donnadieu, Y., Fluteau, F., Ramstein, G., Ritz, C. & Besse, J., 2003. Is there a conflict between the Neoproterozoic glacial deposits and the snowball Earth interpretation: an improved understanding with numerical modeling. *Earth and Planetary Science Letters* **208**, 101-112.
- Evans, D.A.D., 2003. A fundamental Precambrian–Phanerozoic shift in earth's glacial style? *Tectonophysics* **375**, 353-385.
- Fraiser, M.L. & Corsetti, F.A., 2003. Neoproterozoic carbonate shrubs: interplay of microbial activity and unusual environmental conditions in post-snowball Earth oceans. *Palaios* **18**, 378-387.
- Gaucher, C., Boggiani, P.C., Sprechmann, P., Sial, A.N., and Fairchild, T., 2003. Integrated correlation of the Vendian to Cambrian Arroyo del Soldado and Corumbá Groups (Uruguay

- and Brazil): palaeogeographic, palaeoclimatic and palaeobiologic implications. *Precambrian Research* **120**, 241-278.
- Goddéris, Y., Donnadieu, Y., Nédélec, A., Dupré, B., Dessert, C., Grard, A., Ramstein, G. & Francois, L.M., 2003. The Sturtian ‘snowball’ glaciation: fire and ice. *Earth and Planetary Science Letters* **211**, 1-12.
- Goodman, J. & Pierrehumbert, R.T., 2003. Glacial flow of floating marine ice in “Snowball Earth”. *Journal of Geophysical Research* **108**(C10), 3308, doi:10.1029/2002JC001471.
- Gorjan, P., Walter, M.R. & Swart, R., 2003. Global Neoproterozoic (Sturtian) post-glacial sulfide-sulfur isotope anomaly recognized in Namibia. *Journal of African Earth Sciences* **36**, 89-98.
- Grey, K., Walter, M.R. & Calver, C.R., 2003. Neoproterozoic biotic diversification: Snowball Earth or aftermath of the Acraman impact? *Geological Society of America Bulletin* **31**, 459-462.
- Higgins, J.A. & Schrag, D.P., 2003. Aftermath of a snowball Earth. *Geophysics, Geochemistry, Geosystems* **4**, 10.1029/2002GC000403.
- Jackson, M.P.A., Warin, O.N., Woad, G.M., & Hudec, M.R., 2003. Neoproterozoic allochthonous salt tectonics during Lufilian orogeny in the Katangan Copperbelt, central Africa. *Geological Society of America Bulletin* **115**, 314-330.
- Jiang, G., Kennedy, M.J. & Christie-Blick, N., 2003. Stable isotopic evidence for methane seeps in Neoproterozoic postglacial cap carbonates. *Nature* **426**, 822-826.
- Jiang, G., Sohl, L.E. & Christie-Blick, N., 2003. Neoproterozoic stratigraphic comparison of the Lesser Himalaya (India) and Yangtze clock (south China): paleogeographic implications. *Geology* **31**, 917-920.
- Jiang, G., Christie-Blick, N., Kaufman, A.J., Banerjee, D.M., & Rai, V., 2003. Carbonate platform growth and cyclicity at a terminal Proterozoic passive margin, Infra Krol Formation and Krol Group, Lesser Himalaya, India. *Sedimentology* **50**, 921-952.
- Kellerhals, P. & Matter, A., 2003. Facies analysis of a glaciomarine sequence, the Neoproterozoic Mirbat Sandstone Formation, Sultanate of Oman. *Eclogae Geologicae Helvetiae* **96**, 49-70.
- Levrard, B. & Laskar, J., 2003. Climate friction and the Earth’s obliquity. *Geophysical Journal International* **154**, 970-990.
- Lewis, J.P., Weaver, A.J., Johnston, S.T., & Eby, M., 2003. Neoproterozoic “snowball Earth”: Dynamic sea ice over a quiescent ocean. *Paleoceanography* **18**, 10.1029/2003PA000296.
- Lund, K., Aleinikoff, J.N., Evans, K.V. & Fanning, C.M., 2003. SHRIMP geochronology of Neoproterozoic Windermere Supergroup, central Idaho: implications for rifting of western Laurentia and synchronicity of Sturtian glacial deposits. *Geological Society of America Bulletin* **115**, 349-372.
- Miller, N.R., Alene, M., Scchi, R., Stern, R.J., Conti, A., Kröner, A. & Zuppi, G., 2003. Significance of the Tambien Group (Tigray, N. Ethiopia) for Snowball Earth events in the Arabian-Nubian Shield. *Precambrian Research* **121**, 263-283.
- Narbonne, G.M. & Gehling, J.G., 2003. Life after snowball: the oldest complex Ediacaran fossils. *Geology* **31**, 27-30.
- Nogueira, A.C.R., Riccomini, C., Sial, A.N., Moura, C.A.V. & Fairchild, T.R., 2003. Soft-sediment deformation at the base of the Neoproterozoic Puga cap carbonate (southwestern Amazon craton, Brazil): confirmation of rapid icehouse to greenhouse transition in snowball Earth. *Geology* **31**, 613-616.

- Pazos, P.J., Sánchez-Bettucci, L., Tofalo, O.R., 2003. The record of the Varanger glaciation at the Río de la Plata craton, Vendian-Cambrian of Uruguay. *Gondwana Research* **6**, 65-77.
- Poulsen, C.J., 2003. Absence of a runaway ice-albedo feedback in the Neoproterozoic. *Geology* **31**, 473-476.
- Pavlov, A.A., Hurtgen, M.T., Kasting, J.F., & Arthur, M.A., 2003. Methane-rich Proterozoic atmosphere? *Geology* **31**, 87-90.
- Ridgwell, A.J., Kennedy, M.J., & Caldeira, K., 2003. Carbonate deposition, climate stability, and Neoproterozoic ice ages. *Science* **302**, 859-862.
- Røe, S.-L., 2003. Neoproterozoic peripheral-basin deposits in eastern Finnmark, N. Norway: stratigraphic revision and palaeotectonic implications. *Norwegian Journal of Geology* **83**, 259-274.
- Sankaran, A.V., 2003. Neoproterozoic 'snowball earth' and the 'cap' carbonate controversy. *Current Science* **84**, 871-873.
- Schaefer, B.F. & Burgess, J.M., 2003. Re-Os isotopic age constraints on deposition in the Neoproterozoic Amadeus Basin: implications for the 'Snowball Earth'. *Journal of the Geological Society, London* **160**, 825-828.
- Tajika, E., 2003. Faint young Sun and the carbon cycle: implication for the Proterozoic global glaciations. *Earth and Planetary Science Letters* **214**, 443-453. (Sumner 2002)
- Trindade, R.I.F., Font, E., D'Agrella-Filho, M.S., Nogueira, A.C.R. & Riccomini, C., 2003. Low-latitude and multiple geomagnetic reversals in the Neoproterozoic Puga cap carbonate, Amazon craton. *Terra Nova* **15**, 441-446, doi: 10.1046/j.1365-3121.2003.00510.x.
- Vincent, W.F., Mueller, D., Van Hove, P., & Howard-Williams, C., 2004. Glacial periods on early Earth and implications for the evolution of life. In: Seckbach, J. (ed.) *Origins: Genesis, Evolution and Diversity of Life*. Kluwer Academic Publishers, Dordrecht, Netherlands, pp. 481-501.
- Walker, G., 2003. Snowball Earth: the story of the great global catastrophe that spawned life as we know it. Crown Publishers, New York, 269 p.
- Walker, G., 2003. The longest winter. *Natural History*, April 2003. 44-51.
- Wang, J. & Li, Z.-X., 2003. History of Neoproterozoic rift basins in South China: implications for Rodinia break-up. *Precambrian Research* **122**, 141-158.
- Yoshioka, H., Asahara, Y., Tojo, B., & Kawakami, S., 2003. Systematic variations in C, O, and Sr isotopes and elemental concentrations in Neoproterozoic carbonates in Namibia: implications for a glacial to interglacial transition. *Precambrian Research* **124**, 69-85.
- Zheng, Y.F., Fu, B., Gong, B., & Li, L., 2003. Stable isotope geochemistry of ultrahigh pressure metamorphic rocks from the Dabie-Sulu orogen in China: implications for geodynamics and fluid regime. *Earth-Science Reviews* **62**, 105-161.
- Zheng, Y.F., Gong, B., Zhao, Z.F., & Li, Y.L., 2003. Two types of gneisses associated with eclogite at Chuanghe in the Dabie terrane: carbon isotope, zircon U-Pb dating and oxygen isotope. *Lithos* **70**, 321-343.

2004: 56

- Allen, P., Leather, J., & Brasier, M.D., 2004. The Neoproterozoic Fiq glaciation and its aftermath, Huqf Supergroup of Oman. *Basin Research* **16**, 507-534, doi: 10.1111/j.1365-2117.2004.00249.x

- de Alvarenga, C.J.S., Santos, R.V., & Dantas, E.L., 2004. C–O–Sr isotopic stratigraphy of cap carbonates overlying Marinoan-age glacial diamictites in the Paraguay Belt, Brazil. *Precambrian Research* **131**, 1-21.
- Arnaud, E., 2004. Giant cross-beds in the Neoproterozoic Port Askaig Formation, Scotland: implications for snowball Earth. *Sedimentary Geology* **165**, 155-174.
- Arnaud, E. & Eyles, C.H., 2004. Glacial influence on Neoproterozoic sedimentation: the Smalfjord Formation, northern Norway—reply. *Sedimentology* **51**, 1423-1430.
- Bekker, A., Holland, H.D., Wang, P.-L., Rumble III, D., Stein, H.J., Coetzee, L.L., & Beukes, N.J., 2004. Dating the rise of atmospheric oxygen. *Nature* **427**, 117-120.
- Bosak, T., Souza-Egipsy, V., & Newman, D.K., 2004. A laboratory model of abiotic peloid formation. *Geobiology* **2**, 189-198.
- Calver, C.R., Black, L.P., Everard, J.L., & Seymour, D.B., 2004. U-Pb zircon age constraints on late Neoproterozoic glaciation in Tasmania. *Geology* **32**, 893-896, doi: 10.1130/G20713.1
- Chen, D.F., Dong, W.Q., Zhu, B.Q., & Chen, X.P., 2004. Pb-Pb ages of Neoproterozoic Doushantuo phosphorites in South China: constraints on early metazoan evolution and glaciation events. *Precambrian Research* **132**, 123-132.
- Corsetti, F.A., Lorentz, N.J., & Pruss, S.B., 2004. Formerly-aragonite seafloor fans from Neoproterozoic strata, Death Valley and southeastern Idaho, United States: implications for “cap carbonate” formation and Snowball Earth. *In: Jenkins, G.S., McMenamin, M.A.S., McKey, C.P., & Sohl, L. (eds.) The Extreme Proterozoic: Geology, Geochemistry, and Climate*. Geophysical Monograph 146, American Geophysical Union, Washington, DC., p. 33-44.
- Dobrzinski, N., Bahlburg, H., Strauss, H., & Zhang, Q., 2004. Geochemical proxies applied to the Neoproterozoic glacial succession on the Yangtze Platform, South China. *In: Jenkins, G.S., McMenamin, M.A.S., McKey, C.P., & Sohl, L. (eds.) The Extreme Proterozoic: Geology, Geochemistry, and Climate*. Geophysical Monograph 146, American Geophysical Union, Washington, DC., p. 13-32.
- Donnadieu, Y., Godd ris, Y., Ramstein, G., N d lec, A., & Meert, J., 2004. A ‘snowball Earth’ climate triggered by continental break-up through changes in runoff. *Nature* **428**, 303-306.
- Donnadieu, Y., Ramstein, G., Godd ris, Y., & Fluteau, F., 2004. Global tectonic setting and climate of the Late Neoproterozoic: a climate-geochemical coupled study. *In: Jenkins, G.S., McMenamin, M.A.S., McKey, C.P., & Sohl, L. (eds.) The Extreme Proterozoic: Geology, Geochemistry, and Climate*. Geophysical Monograph 146, American Geophysical Union, Washington, DC., p. 79-89.
- Donnadieu, Y., Ramstein, G., Fluteau, F., Roche, D. & Gonopolski, A., 2004. The impact of atmospheric and oceanic heat transport on the sea-ice instability during the Neoproterozoic. *Climate Dynamics* **22**(2-3), 293-306.
- Edwards, M.B., 2004. Glacial influence on Neoproterozoic sedimentation: the Smalfjord Formation, northern Norway—discussion. *Sedimentology* **51**, 1409-1417.
- Eyles, N., 2004. Frozen in time: concepts of ‘global glaciation’ from 1837 (die Eiszeit) to 1998 (the Snowball Earth). *Geoscience Canada* **31**, 157-166.
- Eyles, N. & Januszcak, N., 2004a. ‘Zipper-rift’: a tectonic model for Neoproterozoic glaciations during the breakup of Rodinia after 750 Ma. *Earth-Science Reviews* **65**, 1-73.
- Eyles, N. & Januszcak, N., 2004b. Interpreting the Neoproterozoic glacial record: the importance of tectonics. *In: Jenkins, G.S., McMenamin, M.A.S., McKey, C.P., & Sohl, L.*

- (eds.) *The Extreme Proterozoic: Geology, Geochemistry, and Climate*. Geophysical Monograph 146, American Geophysical Union, Washington, DC., p. 125-144.
- Fanning, C.M. & Link, P.K., 2004. U-Pb SHRIMP ages of Neoproterozoic (Sturtian) glaciogenic Pocatello Formation, southeastern Idaho. *Geology* **32**, 881-884, doi:10.1130/G20609.1
- Frimmel, H.E., 2004. Neoproterozoic sedimentation rates and timing of glaciation—a southern African perspective. In: Eriksson, P.G., Altermann, W., Nelson, D.R., Mueller, W.U., & Catuneanu, O. (eds.) *The Precambrian Earth: Tempos and Events*. Elsevier, Amsterdam, p. 459-473.
- Frimmel, H.E. & Fölling, 2004. Late Vendian closure of the Adamastor Ocean: timing of tectonic inversion and syn-orogenic sedimentation in the Gariep Basin. *Gondwana Research* **7**, 685-700.
- Halverson, G.P., Maloof, A.C., & Hoffman, P.F., 2004. The Marinoan glaciation (Neoproterozoic) in northeast Svalbard. *Basin Research* **16**, 297-324, doi: 10.1111/j.1365-2117.2004.00234.x
- Hannah, J.L., Bekker, A., Stein, H.J., Markey, R.J., & Holland, H.D., 2004. Dating the rise of atmospheric oxygen. *Earth and Planetary Science Letters* **225**, 43-52.
- Hoffmann, K.-H., Condon, D.J., Bowring, S.A., & Crowley, J.L., 2004. U-Pb zircon date from the Neoproterozoic Ghaub Formation, Namibia: constraints on Marinoan glaciation. *Geology* **32**, 817-820, doi:10.1130/G20519.1
- Hurtgen, M.T., Arthur, M.A., & Prave, A.R., 2004. The sulfur isotope composition of carbonate-associated sulfate in Mesoproterozoic to Neoproterozoic carbonates from Death Valley, California. In: Amend, J.P., Edwards, K.J., & Lyons, T.W. (eds.) *Sulfur Biogeochemistry—Past and Present*. Geological Society of America Special Paper **379**, Boulder, CO, p. 177-194.
- Jenkins, G.S., 2004. A review of Neoproterozoic climate modeling studies. In: Jenkins, G.S., McMenamin, M.A.S., McKey, C.P., and Sohl, L. (eds.) *The Extreme Proterozoic: Geology, Geochemistry, and Climate*. Geophysical Monograph 146, American Geophysical Union, Washington, DC., p. 73-78.
- Jenkins, G.S., 2004. High obliquity as an alternative hypothesis to early and late Proterozoic extreme climate conditions. In: Jenkins, G.S., McMenamin, M.A.S., McKey, C.P., & Sohl, L. (eds.) *The Extreme Proterozoic: Geology, Geochemistry, and Climate*. Geophysical Monograph 146, American Geophysical Union, Washington, DC., p. 183-192.
- Kendall, B.S., Craeser, R.A., Ross, G.M., & Selby, D., 2004. Constraints on the timing of Marinoan “Snowball Earth” glaciation by ^{187}Re - ^{187}Os dating of a Neoproterozoic, post-glacial black shale in western Canada. *Earth and Planetary Science Letters* **222**, 729-740.
- Klein, C. & Ladeira, E.A., 2004. Geochemistry and mineralogy of Neoproterozoic banded iron-formations and some selected, siliceous manganese formations from the Urucum District, Mato Grosso do Sul, Brazil. *Economic Geology* **99**, 1233-1244.
- Laajoki, K., 2004. The Lårajeaggi outcrop—a large combined Neoproterozoic/Pleistocene roche moutonnée at Karlebotn, Finnmark, northern Norway. *Norwegian Journal of Geology* **84**, 107-115.
- Lenton, T.M. & Watson, A.J., 2004. Biotic enhancement of weathering, atmospheric oxygen and carbon dioxide in the Neoproterozoic. *Geophysical Research Letters* **31**, L05202, doi:10.1029/2003GL018802.

- Lewis, J.P., Eby, M., Weaver, A.J., & Johnston, S.T., 2004. Global glaciation in the Neoproterozoic: reconciling previous modelling results. *Geophysical Research Letters* **31**, L08201, doi:10.1029/2004GL019725.
- Li, Z.X., Evans, D.A.D., & Zhang, S., 2004. A 90° spin on Rodinia: possible causal links between the Neoproterozoic supercontinent, superplume, true polar wander and low-latitude glaciation. *Earth and Planetary Science Letters* **220**, 409-421.
- Lorentz, N.J., Corsetti, F.A., & Link, P.K., 2004. Seafloor precipitates and C-isotope stratigraphy from the Neoproterozoic Scout Mountain Member of the Pocatello Formation, southeast Idaho: implications for Neoproterozoic earth system behavior. *Precambrian Research* **130**, 57-70.
- Macouin, M., Besse, J., Ader, M., Gilder, S., Yang, Z., Sun, Z., & Agrinier, P., 2004. Combined paleomagnetic and isotopic data from the Doushantuo carbonates, South China: implications for the “snowball Earth” hypothesis. *Earth and Planetary Science Letters* **224**, 387-398.
- McKay, C.P., 2004. Thin ice on the Snowball Earth. In: Jenkins, G.S., McMenamin, M.A.S., McKey, C.P., & Sohl, L. (eds.) *The Extreme Proterozoic: Geology, Geochemistry, and Climate*. Geophysical Monograph 146, American Geophysical Union, Washington, DC., p. 193-198.
- McMenamin, M.A.S., 2004. Climate, paleoecology and abrupt change during the late Proterozoic: a consideration of causes and effects. In: Jenkins, G.S., McMenamin, M.A.S., McKey, C.P., & Sohl, L. (eds.) *The Extreme Proterozoic: Geology, Geochemistry, and Climate*. Geophysical Monograph 146, American Geophysical Union, Washington, DC., p. 215-229.
- Meert, J.G. & Torsvik, T.H., 2004. Paleomagnetic constraints on Neoproterozoic ‘Snowball Earth’ continental reconstructions. In: Jenkins, G.S., McMenamin, M.A.S., McKey, C.P., & Sohl, L. (eds.) *The Extreme Proterozoic: Geology, Geochemistry, and Climate*. Geophysical Monograph 146, American Geophysical Union, Washington, DC., p. 5-11.
- Peltier, W.R., Tarasov, L., Vettoretti, G., & Solheim, L.P., 2004. Climate dynamics in deep time: modeling the “snowball bifurcation” and assessing the plausibility of its occurrence. In: Jenkins, G.S., McMenamin, M.A.S., McKey, C.P., & Sohl, L. (eds.) *The Extreme Proterozoic: Geology, Geochemistry, and Climate*. Geophysical Monograph 146, American Geophysical Union, Washington, DC., p. 107-124.
- Peterson, K.J., Lyons, J.B., Nowak, K.S., Takacs, C.M., Wargo, M.J., & McPeck, M.A., 2004. Estimating metazoan divergence times with a molecular clock. *Proceedings of the National Academy of Sciences* **101**, 6536-6541.
- Pierrehumbert, R.T., 2004. High levels of atmospheric carbon dioxide necessary for the termination of global glaciation. *Nature* **429**, 646-649.
- Pollard, D. & Kasting, J.F., 2004. Climate-ice sheet simulations of Neoproterozoic glaciation before and after collapse to Snowball Earth. In: Jenkins, G.S., McMenamin, M.A.S., McKay, C.P., & Sohl, L. (eds.) *The Extreme Proterozoic: Geology, Geochemistry, and Climate*. Geophysical Monograph 146, American Geophysical Union, Washington, DC., p. 91-105.
- Porter, S.M., Knoll, A.H., & Affaton, P., 2004. Chemostratigraphy of Neoproterozoic cap carbonates from the Volta Basin, West Africa. *Precambrian Research* **130**, 99-112.
- Poulsen, C. & Jacob, R., 2004. Factors that inhibit snowball Earth simulation. *Paleoceanography* **19**, PA4021, doi: 10.1029/2004PA001056
- Rice, A.H.N., 2004. Glacial influence on Neoproterozoic sedimentation: the Smalfjord Formation, northern Norway—discussion. *Sedimentology* **51**, 14219-1422.

- Ridgwell, A. & Kennedy, M., 2004. Secular changes in the importance of neritic carbonate deposition as a control on the magnitude and stability of Neoproterozoic ice ages. *In: Jenkins, G.S., McMenamin, M.A.S., McKey, C.P., & Sohl, L. (eds.) The Extreme Proterozoic: Geology, Geochemistry, and Climate*. Geophysical Monograph 146, American Geophysical Union, Washington, DC., p. 55-72.
- Tajika, E., 2004. Analysis of carbon cycle system during the Neoproterozoic: implications for Snowball Earth events. *In: Jenkins, G.S., McMenamin, M.A.S., McKey, C.P., & Sohl, L. (eds.) The Extreme Proterozoic: Geology, Geochemistry, and Climate*. Geophysical Monograph 146, American Geophysical Union, Washington, DC., p. 45-54.
- Thomas, C.W., Graham, C.M., Ellam, R.M. & Fallick, A.E., 2004. $^{87}\text{Sr}/^{86}\text{Sr}$ chemostratigraphy of Neoproterozoic Dalradian limestones of Scotland and Ireland: constraints on depositional ages and time scales. *Journal of the Geological Society, London* **161**, 229-242.
- Vincent, W.F., Mueller, D.R., & Bonilla, S., 2004. Ecosystems on ice: the microbial ecology of Markham Ice Shelf in the high Arctic. *Cryobiology* **48**, 103-112.
- Williams, G.E., 2004. The paradox of Proterozoic glaciomarine deposition, open seas and strong seasonality near the palaeo-equator: global implications. *In: Eriksson, P.G., Altermann, W., Nelson, D.R., Mueller, W.U., & Catuneanu, O. (eds.) The Precambrian Earth: Tempos and Events*. Elsevier, Amsterdam, p. 448-459.
- Williams, G.E. & Schmidt, P.W., 2004. Neoproterozoic glaciation: reconciling low paleolatitudes and the geologic record. *In: Jenkins, G.S., McMenamin, M.A.S., McKey, C.P., and Sohl, L. (eds.) The Extreme Proterozoic: Geology, Geochemistry, and Climate*. Geophysical Monograph 146, American Geophysical Union, Washington, DC., p. 145-159.
- Xiao, S., 2004. Neoproterozoic glaciations and the fossil record. *In: Jenkins, G.S., McMenamin, M.A.S., McKey, C.P., & Sohl, L. (eds.) The Extreme Proterozoic: Geology, Geochemistry, and Climate*. Geophysical Monograph 146, American Geophysical Union, Washington, DC., p. 199-214.
- Xiao, S., Bao, H., Wang, H., Kaufman, A.J., Zhou, C., Li, G., Yuan, X., & Ling, H., 2004. The Neoproterozoic Quruqtagh Group in eastern Chinese Tianshan: evidence for a post-Marinoan glaciation. *Precambrian Research* **130**, 1-26.
- Yang, Z., Sun, Z., Yang, T., & Pei, J., 2004. A long connection (750-380 Ma) between South China and Australia: paleomagnetic constraints. *Earth and Planetary Science Letters* **7002**, 1-12.
- Young, G.M., 2004. Earth's earliest glaciations: tectonic setting and stratigraphic context of Paleoproterozoic glaciogenic deposits. *In: Jenkins, G.S., McMenamin, M.A.S., McKey, C.P., and Sohl, L. (eds.) The Extreme Proterozoic: Geology, Geochemistry, and Climate*. Geophysical Monograph 146, American Geophysical Union, Washington, DC., p. 161-181.
- Young, G.M., 2004. Earth's two great Precambrian glaciations: aftermath of the "snowball Earth" hypothesis. *In: Eriksson, P.G., Altermann, W., Nelson, D.R., Mueller, W.U., & Catuneanu, O. (eds.) The Precambrian Earth: Tempos and Events*. Elsevier, Amsterdam, p. 440-448.
- Zheng, Y.F., Wu, Y.B., Chen, F.K., Gong, B., Li, L., & Zhao, Z.F., 2004. Zircon U-Pb and oxygen isotope evidence for a large-scale ^{18}O depletion event in igneous rocks during the Neoproterozoic. *Geochimica et Cosmochimica Acta* **68**, 4245-4165.
- Zhou, C., Tucker, R., Xiao, S., Peng, Z., Yuan, X., & Chen, Z., 2004. New constraints on the ages of Neoproterozoic glaciations in south China. *Geology* **32**, 437-440.

- Aharon, P., 2005. Redox stratification and anoxia of the early Precambrian oceans: implications for carbon isotope excursions and oxidation events. *Precambrian Research* **137**, 207-222.
- Allen, P.A. & Hoffman, P.F., 2005. Extreme winds and waves in the aftermath of a Neoproterozoic glaciation. *Nature* **433**, 123-127.
- Allen, P.A. & Hoffman, P.F., 2005. Formation of Precambrian sediment ripples: Reply to Jerolmack, D.J. & Mohrig, D. *Nature*, 10.1038/nature04025.
- Bekker, A., Kaufman, A.J., Karhu, J.A., & Eriksson, K.A., 2005. Evidence for Paleoproterozoic cap carbonates in North America. *Precambrian Research* **137**, 167-206.
- Bingen, B., Griffin, W.L., Torsvik, T.H., and Saeed, A., 2005. Timing of Late Neoproterozoic glaciation on Baltica constrained by detrital zircon geochronology in the Hedmark Group, south-east Norway. *Terra Nova* **17**(3), 250-258.
- Bodiselitsch, B., Koeberl, C., Master, S., & Reimold, W.U., 2005. Estimating duration and intensity of Neoproterozoic snowball glaciations from Ir anomalies. *Science* **308**, 239-242.
- Clapham, M.E. & Corsetti, F.A., 2005. Deep valley incision in the terminal Neoproterozoic (Ediacaran) Johnnie Formation, eastern California, USA: tectonically or glacially driven? *Precambrian Research* **141**, 154-164.
- Collins, A.S. & Pisarevsky, S.A., 2005. Amalgamating eastern Gondwana: the evolution of the Circum-Indian orogens. *Earth-Science Reviews* **71**, 229-270.
- Condon, D., Zhu, M., Bowring, S.A., Wang, W., Yang, A., & Jin, Y., 2005. U-Pb ages from the Neoproterozoic Doushantuo Formation, China. *Science* **308**, 95-98.
- Corsetti, F.A. & Grotzinger, J.P., 2005. Origin and significance of tube structures in Neoproterozoic post-glacial cap carbonates: example from Noonday Dolomite, Death Valley, United States. *Palaios* **20**, 348-363.
- Corsetti, F.A. & Kaufman, A.J., 2005. The relationship between the Neoproterozoic Noonday Dolomite and the Ibex Formation: new observations and their bearing on 'snowball Earth'. *Earth-Science Reviews* **73**, 63-78.
- Cukrov, N., Alvarenga, C.J.S. & Uhlein, A., 2005. Lithofácies da glaciação neoproterozóica nas porções sul do Cráton do São Francisco: exemplos de Jequitaiá (MG) e Cristalina (GO). *Revista Brasileiras Geociencias* **35**, 69-76.
- Font, E., Trindade, R.I.F. & Nédélec, A., 2005. Detrital remanent magnetization in haematite-bearing Neoproterozoic Puga cap dolostone, Amazon craton: a rock magnetic and SEM study. *Geophysical Journal International* **163**, 491-500.
- Gammon, P.R., McKirdy, D.M., & Smith, H.D., 2005. The timing and environment of tepee formation in a Marinoan cap carbonate. *Sedimentary Geology* **177**, 195-208.
- Gaucher, C., Frimmel, H.E., & Germs, G.J.B., 2005. Organic-walled microfossils and biostratigraphy of the upper Port Nolloth Group (Namibia): implications for latest Neoproterozoic glaciations. *Geological Magazine* **142**, 539-559.
- Goldberg, T., Poulton, S.W., & Strauss, H., 2005. Sulphur and oxygen isotope signatures of late Neoproterozoic to early Cambrian sulphate, Yangtze Platform, China: diagenetic constraints and seawater evolution. *Precambrian Research* **137**, 223-241.
- Grey, K., 2005. *Ediacaran palynology of Australia*. Association of Australian Paleontologists, Memoir **31**, Canberra, 439 p.
- Le Guerroué, E., Allen, P., & Cozzi, A., 2005. Two distinct glacial successions in the Neoproterozoic of Oman. *GeoArabia* **10**, 2005.

- Halverson, G.P., Hoffman, P.F., Schrag, D.P., Maloof, A.C. & Rice, A.H.N., 2005. Toward a Neoproterozoic composite carbon-isotope record. *Geological Society of America Bulletin* **117**, 1181-1207, 10.1130/B25630.1
- Hoffman, P.F., 2005. 28th DeBeers Alex. Du Toit Memorial Lecture: On Cryogenian (Neoproterozoic) ice-sheet dynamics and the limitations of the glacial sedimentary record. *South African Journal of Geology* **108**, 557-576.
- Hurtgen, M.T., Arthur, M.A., & Halverson, G.P., 2005. Neoproterozoic sulfur isotopes, the evolution of microbial sulfur species, and the burial efficiency of sulfide as sedimentary pyrite. *Geology* **33**, 41-44.
- James, N.P., Narbonne, G.M., Dalrymple, R.W., & Kyser, T.K., 2005. Glendonites in Neoproterozoic low-latitude, interglacial, sedimentary rocks, northwest Canada: insights into Cryogenian ocean and Precambrian cold-water carbonates. *Geology* **33**, 9-12.
- Jerolmack, D.J. & Mohrig, D., 2005. Formation of Precambrian sediment ripples: Arising from P.A. Allen & P.F. Hoffman *Nature* **433**, 123-127 (2005). *Nature*, 10.1038/nature04025.
- Kasemann, S.A., Hawkesworth, C.J., Prave, A.R., Fallick, A.E., & Pearson, P.N., 2005. Boron and calcium isotope composition in Neoproterozoic carbonate rocks from Namibia: evidence for extreme environmental change. *Earth and Planetary Science Letters* **231**, 73-86.
- Kasting, J.F., 2005. Methane and climate during the Precambrian era. *Precambrian Research* **137**, 119-129.
- Kilner, B., Mac Niocaill, C., & Brasier, M., 2005. Low-latitude glaciation in the Neoproterozoic of Oman. *Geology* **33**, 413-416.
- Kimura, H., Azmy, K., Yamamuro, M., Wen, J.Z., & Cizdziel, J.V., 2005. Integrated stratigraphy of the upper Neoproterozoic succession in Yunnan Province of South China: re-evaluation of global correlation and carbon cycle. *Precambrian Research* **138**, 1-36.
- Klein, C., 2005. Some Precambrian banded iron-formations (BIFs) from around the world: their age, geologic setting, mineralogy, metamorphism, geochemistry, and origin. *American Mineralogist*, **90**, 1473-1499.
- Kopp, R.E., Kirschvink, J.L., Hilburn, I.A., & Nash, C.Z., 2005. The Paleoproterozoic snowball Earth: A climate disaster triggered by the evolution of oxygenic photosynthesis. *Proceedings of the National Academy of Sciences (USA)* **102**, 11131-11136, 10.1073/pnas.0504878102
- Kump, L.R. & Seyfried, W.E., Jr., 2005. Hydrothermal Fe fluxes during the Precambrian: effect of low oceanic sulfate concentrations and low hydrostatic pressure on the composition of black smokers. *Earth and Planetary Science Letters* **235**, 654-662.
- MacGabhann, B.A., 2005. Age constraints on Precambrian glaciations and the subdivision of Neoproterozoic time. IGCP Project 512 Report, 13 p.
- Melezhik, V.A., Fallick, A.E., & Pokrovsky, B.G., 2005. Enigmatic nature of thick sedimentary carbonates depleted in ¹³C beyond the canonical mantle value: The challenges to our understanding of the terrestrial carbon cycle. *Precambrian Research* **137**, 131-165.
- Narbonne, G.M., 2005. The Ediacara biota: Neoproterozoic origin of animals and their ecosystems. *Annual Reviews of Earth and Planetary Sciences* **33**, 421-442.
- Olcott, A.N., Sessions, A.L., Corsetti, F.A., Kaufman, A.J., & de Oliveira, T.F., 2005. Biomarker evidence for photosynthesis during Neoproterozoic glaciation. *Science* **310**, 471-474.
- Pavlov, A.A., Toon, O.B., Pavlov, A.K., Bally, J., & Pollard, D., 2005. Passing through a giant molecular cloud: "Snowball" glaciations produced by interstellar dust. *Geophysical Research Letters* **32**, L03705, 10.1029/2004GL021890

- Peterson, K.J. & Butterfield, N.J., 2005. Origin of the Eumetazoa: testing ecological predictions of molecular clocks against the Proterozoic fossil record. *Proceedings of the National Academy of Sciences* **102**, 9547-9552.
- Peterson, K.J., McPeck, M.A., & D.A.D. Evans, 2005. Tempo and mode of early animal evolution: inferences from rocks, Hox, and molecular clocks. *Paleobiology* **31**, 36-55.
- Pierrehumbert, R.T., 2005. Climate dynamics of a hard snowball Earth. *Journal of Geophysical Research* **110**, D01111, 10.1029/2004JD005162
- Pollard, D. & Kasting, J.F., 2005. Snowball Earth: a thin-ice solution with flowing glaciers. *Journal of Geophysical Research* **110**, C07010, 10.1029/2004JC002525
- Shen, Y., Zhang, T., & Chu, X., 2005. C-isotopic stratification in a Neoproterozoic postglacial ocean. *Precambrian Research* **137**, 243-251.
- Shields, G.A., 2005. Neoproterozoic cap carbonates: a critical appraisal of existing models and the plumeworld hypothesis. *Terra Nova* **17**, 299-310.
- Sovetov, Yu.K. & Komlev, D.A., 2005. Tillites at the base of the Oselok Group, foothills of the Sayan Mountains, and the Vendian lower boundary in the southwestern Siberian Platform. *Stratigraphy and Geological Correlations* **13**, 337-366.
- Wendorff, M., 2005. Evolution of Neoproterozoic–Lower Paleozoic Lufilian arc, Central Africa: a new model based on syntectonic conglomerates. *Journal of the Geological Society, London* **162**, 5-8.
- Williams, G.E., 2005. Subglacial meltwater channels and glaciofluvial deposits in the Kimberley Basin, Western Australia: 1.8 Ga low-latitude glaciation coeval with continental assembly. *Journal of the Geological Society, London* **162**, 111-124.
- Xu, B., Jian, P., Zheng, H., Zou, H., Zhang, L., & Liu, D., 2005. U-Pb zircon geochronology and geochemistry of Neoproterozoic volcanic rocks in the Tarim Block of northwest China: implications for the breakup of Rodinia supercontinents and Neoproterozoic glaciations. *Precambrian Research* **136**, 107-123.
- Yin, C., Tang, F., Liu, Y., Gao, L., Liu, P., Xing, Y., Yang, Z., Wan, Y., & Wang, Z., 2005. U-Pb zircon age from the base of the Ediacaran Doushantuo Formation in the Yangtze Gorges, South China: constraint on the age of Marinoan glaciation. *Episodes* **28**, 48-49
- Zhang, S., Jiang, G., Zhang, J., Song, B., Kennedy, M.J., & Christie-Blick, N., 2005. U-Pb sensitive high-resolution ion microprobe ages from the Doushantuo Formation in south China: constraints on late Neoproterozoic glaciations. *Geology* **33**, 473-476.
- 2006: 54**
- Alene, M., Jenkin, G.R.T., Leng, M.J., & Darbyshire, D.P.F., 2006. The Tambien Group, Ethiopia: an early Cryogenian (ca. 800-735 Ma) Neoproterozoic sequence in the Arabian–Nubian Shield. *Precambrian Research* **147**, 79-99.
- Allen, P. A. & Leather, J. 2006. Post-Marinoan marine siliciclastic sedimentation: The Masirah Bay Formation, Neoproterozoic Huqf Supergroup of Oman. *Precambrian Research* **144** (3-4), 167-198.
- Arnaud, E. & Eyles, C.H., 2006. Neoproterozoic environmental change recorded in the Port Askaig Formation, Scotland: climatic vs tectonic controls. *Sedimentary Geology* **183**, 99-124.
- Azmy, K., Kaufman, A.J., Misi, A., & de Oliveira, T.F., 2006. Isotope stratigraphy of the Lapa Formation, São Francisco Basin, Brazil: Implications for late Neoproterozoic glacial events in South America. *Precambrian Research* **149**, 231-248.

- Baarli, B.G., Levine, R., & Johnson, M.E.J., 2006. The late Neoproterozoic Smalfjord Formation of the Varanger Peninsula in northern Norway: a shallow fjord deposit. *Norwegian Journal of Geology* **86**, 133-150.
- Baker, M.E., 2006. The genetic response to Snowball Earth: role of HSP90 in the Cambrian explosion. *Geobiology* **4**, 11-14.
- Batumike, M. J., Kampunzu, A. B. & Cailteux, J. H. 2006 Petrology and geochemistry of the Neoproterozoic Nguba and Kundelungu Groups, Katangan Supergroup, southeast Congo: Implications for provenance, paleoweathering and geotectonic setting. *Journal of African Earth Sciences*, **44**, 97-115.
- Benn, D.I. & Prave, A.R., 2006. Subglacial and proglacial glacitectonic deformation in the Neoproterozoic Port Askaig Formation, Scotland. *Geomorphology* **75**, 266-280.
- Bestmann, M., Rice, A.H.N., Langenhorst, F., Grasemann, B., & Heidelbach, F., 2006. Subglacial bedrock welding associated with glacial earthquakes. *Journal of the Geological Society, London* **163**, 417-420.
- Bottjer, D.J. & Clapham, M.E., 2006. Evolutionary paleoecology of Ediacaran benthic marine animals. In: Xiao, S. & Kaufman, A.J. (eds.) *Neoproterozoic Geobiology and Paleobiology*. Springer, Dordrecht, pp. 91-114.
- Cavalier-Smith, T., 2006. Cell evolution and Earth history: stasis and revolution. *Philosophical Transactions of the Royal Society B* **361**, 969-1006.
- Claire, M.W., Catling, D.C., & Zahnle, K.J., 2006. Biogeochemical modelling of the rise in atmospheric oxygen. *Geobiology* **4**, 239-269.
- Coetzee, L.L., Beukes, N.J., Gutzmer, J., & Kakegawa, T., 2006. Links of organic carbon cycling and burial to depositional depth gradients and establishment of snowball Earth at 2.3 Ga. Evidence from the Timeball Hill Formation, Transvaal Supergroup, South Africa. *South African Journal of Geology* **109**, 109-122.
- Corsetti, F.A. & Lorentz, N.J., 2006. On Neoproterozoic cap carbonates as chronostratigraphic markers. In: Xiao, S. & Kaufman, A.J. (eds.) *Neoproterozoic Geobiology and Paleobiology*. Springer, Dordrecht, pp. 273-294.
- Corsetti, F.A., Olcott, A.N. & Bakermans, C., 2006. The biotic response to Neoproterozoic snowball Earth. *Palaeogeography, Palaeoclimatology, Palaeoecology* **232**, 114-130.
- Deynoux, M., Affaton, P., Trompette, R. & Villeneuve, M., 2006. Pan-African tectonic evolution and glacial events registered in Neoproterozoic to Cambrian cratonic and foreland basins of West Africa. *Journal of African Earth Sciences* **46**, 397-426.
- Evans, D.A.D., 2006. Proterozoic low orbital obliquity and axial-dipolar geomagnetic field from evaporite palaeolatitudes. *Nature* **444**, 51-55; doi:10.1038/nature05203
- Fike, D.A., Grotzinger, J.P., Pratt, L.M., & Summons, R.E., 2006. Oxidation of the Ediacaran Ocean. *Nature* **444**, 744-747, doi:10.1038/nature05345
- Font, E., Nédélec, A., Trindade, R.I.F., Macouin, M., & Charrière, A., 2006. Chemostratigraphy of the Neoproterozoic Mirassol d'Oeste cap dolostones (Mato Grosso, Brazil): An alternative model for Marinoan cap dolostone formation. *Earth and Planetary Science Letters* **250**, 89-103.
- Frimmel, H.E., Tack, L., Basei, M.S., Nutman, A.P., & Boven, A., 2006. Provenance and chemostratigraphy of the Neoproterozoic West Congolian Group in the Democratic Republic of Congo. *Journal of African Earth Sciences* **46**, 221-239.
- Goddéris, Y., Donnadiou, Y., Dessert, C., Dupré, B., Fluteau, F., François, L. M., Meert, J., Nédélec, A., & Ramstein, G., 2006 Coupled modeling of global carbon cycle and climate in

- the Neoproterozoic: links between Rodinia breakup and major glaciations. *Comptes Rendus Geosciences*, In Press, Available online 24 January 2006.
- Goodman, J.C., 2006. Through thick and thin: Marine and meteoric ice in a “Snowball Earth” climate. *Geophysical Research Letters* **33**, L16701, doi: 10.1029/2006GL026840.
- Halverson, G.P., 2006. A Neoproterozoic chronology. In: Xiao, S. & Kaufman, A.J. (eds.) *Neoproterozoic Geobiology and Paleobiology*. Springer, Dordrecht, pp. 231-271.
- Hedges, S.B., Battistuzzi, F.U. & Blair, J.E., 2006. Molecular timescale of evolution in the Proterozoic. In: Xiao, S. & Kaufman, A.J. (eds.) *Neoproterozoic Geobiology and Paleobiology*. Springer, Dordrecht, pp. 199-229.
- Huntley, J.W., Xiao, S., & Kowalewski, M., 2006. 1.3 billion years of acritarch: an empirical morphospace approach. *Precambrian Research* **144**, 52-68.
- Huntley, J.W., Xiao, S., & Kowalewski, M., 2006. On the morphological history of Proterozoic and Cambrian acritarchs. In: Xiao, S. & Kaufman, A.J. (eds.) *Neoproterozoic Geobiology and Paleobiology*. Springer, Dordrecht, pp. 23-56.
- Hurtgen, M.T., Halverson, G.P., Arthur, M.A., & Hoffman, P.F., 2006. Sulfur cycling in the aftermath of a 635-Ma snowball glaciation: Evidence for a syn-glacial sulfidic deep ocean. *Earth and Planetary Science Letters* **245**, 551-570.
- Jiang, G., Shi, X., Zhang, S., 2006. Methane seeps, methane hydrate destabilization, and the late Neoproterozoic cap carbonates. *Chinese Science Bulletin* **51**(10), 1152-1173.
- Jiang, G., Kennedy, M.J., Christie-Blick, N., Wu, H., & Zhang, S., 2006. Stratigraphy, sedimentary structures, and textures of the late Neoproterozoic Doushantuo cap carbonate in South China. *Journal of Sedimentary Research* **76**, 978-995.
- Kasting, J.F. & Ono, S., 2006. Palaeoclimates: the first two billion years. *Philosophical Transactions of the Royal Society, London, Series B* **361**, 917-919, doi: 1.1098/rstb.2006.1839.
- Kaufman, A.J., Jiang, G., Christie-Blick, N., Banerjee, D.M., & Rai, V., 2006. Stable isotope record of the terminal Neoproterozoic Krol platform in the Lesser Himalayas of northern India. *Precambrian Research* **147**, 156-185.
- Knoll, A.H., Javaux, E.J., Hewitt, D., & Cohen, P., 2006. Eukaryotic organisms in Proterozoic oceans. *Philosophical Transactions of the Royal Society, London, Series B* **361**, 1023-1038, doi: 10.1098/rstb.2006.1843.
- Knoll, A.H., Walter, M.R., Narbonne, G.M., & Christie-Blick, N., 2006. The Ediacaran Period: a new addition to the geologic time scale. *Lethaia* **39**, 13-30.
- Levine, R., Baarli, B.G., & Johnson, M.E., 2006. Glacial and rocky-shore dynamics of the Karlebotn monadnocks: late Neoproterozoic of northern Norway. *Canadian Journal of Earth Sciences* **43**(8), 1215-1228.
- Lewis, J.P., Weaver, A.J., & Eby, M., 2006. Deglaciating the snowball Earth: Sensitivity to surface albedo. *Geophysical Research Letters* **33**, L23604, doi: 10.1029/2006GL027774.
- Liang, M.C., Hartman, H., Kopp, R.E., Kirschvink, J.L., Yung, Y.L., 2006. Production of hydrogen peroxide in the atmosphere of the Snowball Earth and the origin of oxygenic photosynthesis. *Proceedings of the National Academy of Sciences (USA)* **103**(50), 18896-18899.
- McCall, G.J.H., 2006. The Vendian (Ediacaran) in the geological record: Enigmas in geology's prelude to the Cambrian explosion. *Earth-Science Reviews* **77**, 1-229.

- McCay, G.A., Prave, A.R., Alsop, G.I., & Fallick, A.E., 2006. Glacial trinity: Neoproterozoic Earth history within the British-Irish Caledonides. *Geology* **34**, 909-912, doi: 10.1130/G22694A.1
- McKirdy, D. M., Webster, L. J., Arouri, K. R., Grey, K. & Gostin, V. A. 2006 Contrasting sterane signatures in Neoproterozoic marine rocks of Australia before and after the Acraman asteroid impact. *Organic Geochemistry* **37** (2), 189-207.
- Melezhik, V.A., 2006. Multiple causes of Earth's earliest global glaciation. *Terra Nova* **18**, 130-137, doi: 1.1111/j.1365-3121.2006.00672.x
- Ono, S., Beukes, N.J., Rumble, D., & Fogel, M.L., 2006. Early evolution of atmospheric oxygen from multiple sulfur and carbon isotope records of the 2.9 Ga Mozaan Group of the Pongola Supergroup, southern Africa. *South African Journal of Geology* **109**, 97-108.
- Pokrovskii, B.G., Melezhik, V.A. & Bujakaite, M.I., 2006. Carbon, oxygen, and sulfur isotopes in Late Precambrian rocks of the Patom Complex, central Siberia: Communication 1. Results, isotope stratigraphy, and dating problems. *Lithology and Mineral Resources* **41**, 450-474.
- Pokrovskii, B.G., Melezhik, V.A. & Bujakaite, M.I., 2006. Carbon, oxygen, and sulfur isotopes in Late Precambrian rocks of the Patom Complex, central Siberia: Communication 2. Nature of carbonates with ultralow and ultrahigh $\delta^{13}\text{C}$ values. *Lithology and Mineral Resources* **41**, 576-587.
- Pollard, D. & Kasting, J.F., 2006. Reply to comment by Stephen G. Warren and Richard E. Brandt on "Snowball Earth: A thin-ice solution with flowing sea glaciers". *Journal of Geophysical Research* **111**, C09017, doi: 10.1029/2006JC003488.
- Polteau, S., Moore, J.M., & Tsikos, H., 2006. The geology and geochemistry of the Palaeoproterozoic Makganyene diamictite. *Precambrian Research* **148**, 257-274.
- Riding, R., 2006. Cyanobacterial calcification, carbon dioxide concentrating mechanisms, and Proterozoic—Cambrian changes in atmospheric composition. *Geobiology* **4**, 299-316.
- Rieu, R., Allen, P.A., Etienne, J.L., Cozzi, A., & Wiechert, U., 2006. A Neoproterozoic glacially influenced basin margin succession and 'atypical' cap carbonate associated with bedrock paleovalleys, Mirbat area, southern Oman. *Basin Research* **18**, 471-496, doi: 10.1111/j.1365-2117.2006.00304.x
- Romanova, V., Lohmann, G. & Grosfeld, K., 2006. Effect of land albedo, CO_2 , orography, and oceanic heat transport on extreme climates. *Climate of the Past* **2**, 31-42.
- Stern, R.J., Avigad, D., Miller, N.R., & Beyth, M., 2006. Evidence for the Snowball Earth hypothesis in the Arabian-Nubian Shield and the East African Orogen. *Journal of African Earth Sciences* **44**, 1-20.
- Warren, S.G. & Brandt, R.E., 2006. Comment on "Snowball Earth: A thin-ice solution from flowing sea glaciers" by David Pollard and James F. Kasting. *Journal of Geophysical Research* **111**, C09016, doi: 10.1029/2005JC003411.
- Xiao, S. & Dong, L., 2006. On the morphological and ecological history of Proterozoic macroalgae. In: Xiao, S. & Kaufman, A.J. (eds.) *Neoproterozoic Geobiology and Paleobiology*. Springer, Dordrecht, pp. 57-90.
- Zahnle, K., Claire, M., & Catling, D., 2006. The loss of mass-independent fractionation in sulfur due to a Palaeoproterozoic collapse of atmospheric methane. *Geobiology* **4**, 271-283.
- Zhang, S. Li, Z.-X., & Wu, H., 2006. New Precambrian palaeomagnetic constraints on the position of the North China Block in Rodinia. *Precambrian Research* **144** (3-4), 213-238.

2007: 64

- Allen, P.A., 2007. The Huqf Supergroup of Oman: basin development and context for Neoproterozoic glaciation. *Earth-Science Reviews* **84**, 139-185.
- Alvarenga, C.J.S. de, Figueiredo, M.F., Babinski, M., Pinho, F.E.C., 2007. Glacial diamictites of Serra Azul Formation (Ediacaran, Paraguay belt): Evidence of the Gaskiers glacial event in Brazil. *Journal of South American Earth Sciences* **23**, 236-241.
- Álvarez, J.J., Macouin, M., Bauluz, B., Clausen, S., & Ader, M., 2007. The Ediacarn sedimentary architecture and carbonate productivity in the Atar cliffs, Adrar, Mauritania: palaeoenvironments, chemostratigraphy and diagenesis. *Precambrian Research* **154**, 236-261.
- Avigad, D., Stern, R.J., Beyth, M., Miller, N., & McWilliams, M.O., 2007. Detrital zircon U-Pb geochronology of Cryogenian diamictites and Lower Paleozoic sandstone in Ethiopia (Tigrai): Age constraints on Neoproterozoic glaciation and crustal evolution of the southern Arabian-Nubian Shield. *Precambrian Research* **154**, 88-106.
- Babinski, M., Vieira, L.C. & Trindade, R.I.F., 2007. Direct dating of the Sete Lagoas cap carbonate (Bambuí Group, Brazil) and implications for the Neoproterozoic glacial events. *Terra Nova* **19**, 401-406.
- Bowring, S.A., Grotzinger, J.P., Condon, D.J., Ramezani, J. & Newall, M. 2007. Geochronologic constraints on the chronostratigraphic framework of the Neoproterozoic Huqf Supergroup, Sultanate of Oman. *American Journal of Science* **307**, 1097-1145.
- Boyle, R.A., Lenton, T.M., Williams, H.T.P., 2007. Neoproterozoic 'snowball Earth' glaciations and the evolution of altruism. *Geobiology* **5**(4), 337-349.
- Buick, R., 2007. Did the Proterozoic 'Canfield Ocean' cause a laughing gas greenhouse? *Geobiology* **5**, 97-100.
- Canfield, D.E., Poulton, S.W., & Narbonne, G.M., 2007. Late-Neoproterozoic deep-ocean oxygenation and the rise of animal life. *Science* **315**, 92-95.
- Chew, D., Kirkland, C., Schaltegger, U. & Goodhue, R., 2007. Neoproterozoic glaciation in the Proto-Andes: Tectonic implications and global correlation. *Geology* **35**, 1095-1098.
- Chumakov, N.M., 2007. Climates and climate zonality of the Vendian: geological evidence. In: Vickers-Rich, P. & Komarower, P. (Eds) *The Rise and Fall of the Ediacaran Biota*. Geological Society, London, Special Publication **286**, 15-26.
- Corkeron, M., 2007. 'Cap carbonates' and Neoproterozoic glacial successions from the Kimberley region, north-west Australia. *Sedimentology* **54**, 871-903.
- Corsetti, F.A., Stewart, J.H., & Hagadorn, J.W., 2007. Neoproterozoic diamictite-cap carbonate succession and $\delta^{13}\text{C}$ chemostratigraphy from eastern Sonora, Mexico. *Chemical Geology* **237**, 129-142.
- Dobrzinski, N., Bahlburg, H., 2007. Sedimentology and environmental significance of the Cryogenian successions of the Yangtze platform, South China block. *Palaeogeography, Palaeoclimatology, Palaeoecology* **254**, 100-122.
- Elie, M., Nogueira, A.C.R., Nédélec, A., Trindade, R.I.F., & Kenig, F., 2007. Biodiversity collapse and red algal bloom in the aftermath of the Marinoan Snowball Earth. *Terra Nova* **19**, 303-308.
- Étienne, J.L., Allen, P.A., Rieu, R. & Le Guerroué, E., 2007. Neoproterozoic glaciated basins: A critical review of the 'Snowball Earth' hypothesis by comparison with Phanerozoic glaciations. In: Hambrey, M., Christofferson, P., Glasser, N. & Hubbard, B. (eds) *Glacial Sedimentary Processes and Products*. Blackwell, New York, pp. 343-399.

- Eyles, C.H., Eyles, N., & Grey, K., 2007. Palaeoclimate implications from deep drilling of Neoproterozoic strata in the Officer Basin and Adelaide Rift Complex of Australia: a marine record of wet-based glaciers. *Palaeogeography, Palaeoclimatology, Palaeoecology* **248**, 291-312.
- Eyles, N. & Januszczak, N. 2007. Syntectonic subaqueous mass flows of the Neoproterozoic Otavi Group, Namibia: where is the evidence of global glaciation? *Basin Research* **19**, 179-198.
- Fairchild, I.J. & Kennedy, M.J., 2007. Neoproterozoic glaciation in the Earth System. *Journal of the Geological Society, London* **164**, 895-921.
- Gaidos, E., Dubuc, T., Dunford, M., McAndrew, P., Padilla-Gamiño, Studer, B., Weersing, K. & Stanley, S., 2007. The Precambrian emergence of animal life: a geobiological perspective. *Geobiology* **5**(4), 351-373.
- Goddéris, Y., Donnadiéu, Y., Dessert, C., Dupré, B., Fluteau, F., François, L.M., Meert, J., Nédélec, A., Ramstein, G., 2007. Coupled modeling of global carbon cycle and climate in the Neoproterozoic: links between Rodinia breakup and major glaciations. *C. R. Geoscience* **339**, 212-222.
- Halverson, G.P. & Hurtgen, M.T., 2007. Ediacaran growth of the marine sulfate reservoir. *Earth and Planetary Science Letters* **263**, 32-44.
- Halverson, G.P., Dudás, F.Ö., Maloof, A.C. & Bowring, S.A., 2007. Evolution of the $^{87}\text{Sr}/^{86}\text{Sr}$ composition of Neoproterozoic seawater. *Palaeogeography, Palaeoclimatology, Palaeoecology* **256**, 103-129.
- Halverson, G.P., Maloof, A.C., Schrag, D.P., Dudás, F.Ö., & Hurtgen, M., 2007. Stratigraphy and geochemistry of a ca. 800 Ma negative carbon isotope interval in northeastern Svalbard. *Chemical Geology* **237**, 5-27.
- Harland, W.B., 2007. Origins and assessment of snowball Earth hypotheses. *Geological Magazine* **144**, 633-642.
- Hoffman, P.F., Halverson, G.P., Domack, E.W., Husson, J.M., Higgins, J.A., Schrag, D.P., 2007. Are basal Ediacaran (635 Ma) post-glacial "cap dolostones" diachronous? *Earth and Planetary Science Letters* **258**, 114-131.
- Katsuta, N., Tojo, B., Takano, M., Yoshioka, H. & Kawakami, S., 2007. Non-destructive method to detect the cycle of lamination in sedimentary rocks: rhythmite sequence in Neoproterozoic Cap carbonates. In: Vickers-Rich, P. & Komarower, P. (Eds) *The Rise and Fall of the Ediacaran Biota*. Geological Society, London, Special Publication **286**, 27-34.
- Kaufman, J.A., Corsetti, F.A., & Varni, F.A., 2007. The effect of rising oxygen on carbon and sulphur isotope anomalies in the Neoproterozoic Johnnie Formation, Death Valley, USA. *Chemical Geology* **237**, 47-63
- Le Hir, G., Ramstein, G., Donnadiéu, Y. & Pierrehumbert, R.T., 2007. Investigating plausible mechanisms to trigger a deglaciation from a hard snowball Earth. *C. R. Geoscience* **339**, 274-287.
- Lewis, J.P., Weaver, A.J. & Eby, M., 2007. Snowball versus slushball Earth: Dynamic versus nondynamic sea ice? *Journal of Geophysical Research* **112**, C11014, doi: 10.1029/2006JC004037
- Lorentz, N.J., & Corsetti, F.A., 2007. Another test for snowball Earth. *Geology* **35**, 383-384.
- Marotzke, J. & Botzet, M., 2007. Present-day and ice-covered equilibrium states in a comprehensive climate model. *Geophysical Research Letters* **34**, L16704, doi: 10.1029/2006GL028880

- Meert, J.G., Walderhaug, H.J., Torsvik, T.H., & Hendriks, B.W.H., 2007. Age and paleomagnetic signature of the Alnø carbonatite complex (NE Sweden): additional controversy for the Neoproterozoic paleoposition of Baltica. *Precambrian Research* **000**, 000-000.
- Misi, A., Kaufman, A.J., Veizer, J., Powis, K., Azmy, K., Boggiani, P.C., Gaucher, C., Teixeira, J.B.G., Sanches, A.L., Iyer, S.S.S., 2007. Chemostratigraphy correlation of Neoproterozoic successions in South America. *Chemical Geology* **237**, 143-167.
- Nédélec, A., Affaton, P., France-Lanord, C., Charrière, A., & Alvaro, J., 2007. Sedimentology and chemostratigraphy of the Bwipe Neoproterozoic cap dolostones (Ghana, Volta Basin): a record of microbial activity in a peritidal environment. *C. R. Geoscience* **339**, 223-239.
- Nogueira, A.C.R., Riccomini, C., Sial, A.N., Moura, C.A.V., Trindade, R.I.F., & Fairchild, T.R., 2007. Carbon and strontium isotope fluctuations and paleoceanographic changes in the late Neoproterozoic Araras carbonate platform, southern Amazon craton, Brazil. *Chemical Geology* **237**, 168-190.
- Pease, V., Daly, J.S., Elming, S.-A., Kumpulainen, R., Moczydlowska, M., Puchkov, V., Roberts, D., Saintot, A., Stephenson, R., 2007. Baltica in the Cryogenian, 850-630 Ma. *Precambrian Research* **000**, 000-000.
- Pecoits, E., Gingras, M., Aubet, N. & Konhauser, K., 2007. Ediacaran in Uruguay: palaeoclimatic and palaeobiological implications. *Sedimentology* doi: [10.1111/j.1365-3091.2001.00918.x](https://doi.org/10.1111/j.1365-3091.2001.00918.x)
- Peltier, W.R., Liu, Y., Crowley, J.W., 2007. Snowball Earth prevention by dissolved organic carbon remineralization. *Nature* **450**, 813-818.
- Pisarevsky, S.A., Wingate, M.T.D., Stevens, M.K., Haines, P.W., 2007. Palaeomagnetic results from the Lanver 1 stratigraphic drillhole, Officer Basin, Western Australia, and implications for Rodinia reconstructions. *Australian Journal of Earth Sciences* **54**, 561-572.
- Poidevin, J.-L., 2007. Stratigraphie isotopique de strontium et datation des formations carbonatées et glaciogéniques néoproterozoïques du nord et de l'ouest du craton de Congo. *C. R. Geoscience* **339**, 259-273.
- Raub, T.D., Evans, D.A.D., Smirnov, A.V., 2007. Siliciclastic prelude to Elatina-Nuccaleena deglaciation: lithostratigraphy and rock magnetism of the base of the Ediacaran System. In: Vickers-Rich, P. & Komarower, P. (Eds) *The Rise and Fall of the Ediacaran Biota*. Geological Society, London, Special Publication **286**, 53-76.
- Rieu, R., Allen, P.A., Cozzi, A., Kosler, J. & Bussy, F., 2007a. A composite stratigraphy for the Neoproterozoic Huqf Supergroup of Oman: integrating new litho-, chemo- and chronostratigraphic data of the Mirbat area, southern Oman. *Journal of the Geological Society, London* **164**, 997-1009.
- Rieu, R., Allen, P.A., Plötze, M., & Pettke, T., 2007b. Compositional and mineralogical variations in a Neoproterozoic glacially influenced succession, Mirbat area, south Oman: implications for paleoweathering conditions. *Precambrian Research* **154**, 248-265.
- Rieu, R., Allen, P.A., Plötze, M., & Pettke, T., 2007c. Climatic cycles during a Neoproterozoic "snowball" glacial epoch. *Geology* **35**, 299-302.
- Shen, B., Xiao, S., Kaufman, A.J., Bao, H., Zhou, C. & Wang, H., 2007. Stratification and mixing of a post-glacial Neoproterozoic ocean: Evidence from carbon and sulfur isotopes in a cap dolostone from northwest China. *Earth and Planetary Science Letters*, doi: [10.1016/j.epsl.2007.10.005](https://doi.org/10.1016/j.epsl.2007.10.005)

- Shields, G.A., Deynoux, M., Culver, S.J., Brasier, M.D., Affaton, P., & Vandamme, D., 2007. Neoproterozoic glaciomarine and cap dolostone facies of the southwestern Taoudéni Basin (Walidiala Valley, Senegal/Guinea, NW Africa). *C. R. Geoscience* **339**, 186-199.
- Shields, G.A., Deynoux, M., Strauss, H., Paquet, H., & Nahon, D., 2007. Barite-bearing cap dolostone of the Taoudéni Basin, northwest Africa: sedimentary and isotopic evidence for methane seepage after a Neoproterozoic glaciation. *Precambrian Research* **154**, 209-235.
- Sohl, L.E., Chandler, M.A., 2007. Reconstructing Neoproterozoic palaeoclimates using a combined data/modeling approach. In: Williams, M., Haywood, A.M., Gregory, F.J., Schmidt, D.N. (eds) *Deep-time Perspectives on Climate Change: Marrying the Signal from Computer Models and Biological Proxies*. Special Publication, Geological Society of London, 61-80.
- Stoeck, T., Kasper, J., Bunge, J., Leslin, C., Ilyin, V., Epstein, S., 2007. Protistan diversity in the Arctic: A case of paleoclimate shaping modern biodiversity. *PloS ONE* **2**(8): e728. doi: 10.1371/journal.pone.0000728
- Strik, G., de Wit, M.J., & Langereis, C.G., 2007. Palaeomagnetism of the Neoproterozoic Pongola and Ventersdorp Supergroups and an appraisal of the 3.0-1.9 Ga apparent polar wander path of the Kaapvaal Craton, Southern Africa. *Precambrian Research* **153**, 96-115.
- Tewari, V.C. & Sial, A.N., 2007. Neoproterozoic—Early Cambrian isotopic variation and chemostratigraphy of the Lesser Himalaya, India, eastern Gondwana. *Chemical Geology* **237**, 64-88.
- Tojo, B., Katsuta, N., Takano, M., Kawakami, S. & Ohno, T., 2007. Calcite-dolomite cycles in the Neoproterozoic Cap carbonates, Otavi Group, Namibia. In: Vickers-Rich, P. & Komarower, P. (Eds) *The Rise and Fall of the Ediacaran Biota*. Geological Society, London, Special Publication **286**, 103-113.
- Trindade, R.I.F. & Macouin, M., 2007. Paleolatitude of glacial deposits and paleogeography of Neoproterozoic ice ages. *C. R. Geoscience* **339**, 200-211.
- Vickers-Rich, P., 2007. Saline giants, cold cradles and global playgrounds of Neoproterozoic Earth: the origin of animalia. In: Vickers-Rich, P. & Komarower, P. (Eds) *The Rise and Fall of the Ediacaran Biota*. Geological Society, London, Special Publication **286**, 447-448.
- Vieira, L.C., Trindade, R.I.F., Nogueira, A.C.R., & Ader, M., 2007. Identification of a Sturtian cap carbonate in the Neoproterozoic Sete Lagoas carbonate platform, Bambuí Group, Brazil. *C. R. Geoscience* **339**, 240-258.
- Walderhaug, H.J., Torsvik, T.H., & Halvorsen, E., 2007. The Egersund dykes (SW Norway): a robust Early Eadiacaran (Vendian) palaeomagnetic pole from Baltica. *Geophysical Journal International* **168**, 935-948.
- Williams, G.E., Jenkins, J.F., Walter, M.R., 2007. No heliotrophism in Neoproterozoic columnar stromatolite growth, Amadeus Basin, central Australia: geophysical implications. *Palaeogeography, Palaeoclimatology, Palaeoecology* **249**, 80-89.
- Yang, C., Ma, J.Y., Sun, X.Y., Cong, P.Y., 2007. Phylochronology of early metazoans: combined evidence from molecular and fossil data. *Geological Journal*, doi: 10.1002/gj.1074.
- Yin, L., Zhu, M., Knoll, A.H., Yuan, X., Zhang, J., Hu, J., 2007. Doushantuo embryos preserved inside diapause egg cysts. *Nature* **446**, 661-663.
- Zhan, S., Chen, Y., Xu, B., Wang, B., Faure, M., 2007. Late Neoproterozoic paleomagnetic results from the Sugetbrak Formation of the Aksu area, Tarim basin (NW China) and their

implications to paleogeographic reconstructions and the snowball Earth hypothesis. *Precambrian Research* **154**, 143-158.

- Zheng, Y.F., Wu, Y.B., Gong, B., Chen, R.X., Tang, J., Zhao, Z.F., 2007. Tectonic driving of Neoproterozoic glaciations: Evidence from extreme oxygen isotope signature of meteoric water in granite. *Earth and Planetary Science Letters* **256**, 196-210.
- Zhou, C. & Xiao, S., 2007. Ediacaran $\delta^{13}\text{C}$ chemostratigraphy. *Chemical Geology* **237**, 89-108.
- Zhou, C., Guwei, X., McFadden, K., Xiao, S., & Xunlai, Y., 2007. The diversification and extinction of Doushantuo-Pertatataka acritarchs in South China: causes and biostratigraphic significance. *Geological Journal* doi: 10.1002/gj.1062.

2008: 51

- Allen, P.A. & Etienne, J.L., 2008. Sedimentary challenge to Snowball Earth. *Nature Geoscience* **1**, 817-825.
- Alvarenga, C.J.S. de, Dardenne, M.A., Santos, R.V., Brod, E.R., Gioia, S.M.C.L., Sial, A.N., Dantas, E.L. & Ferreira, V.P., 2008. Isotope stratigraphy of Neoproterozoic cap carbonates in the Araras Group, Brazil. *Gondwana Research* **13**, 469-479.
- Arnaud, E., 2008. Deformation in the Neoproterozoic Smalfjord Formation, northern Norway: an indicator of glacial depositional conditions? *Sedimentology* **55**, 335-356.
- Bao, H., Lyons, J.R. & Zhou, C., 2008. Triple oxygen isotope evidence for elevated CO_2 levels after a Neoproterozoic glaciation. *Nature* **452**, 504-506.
- Brito Neves, B.B. & Pedreira da Silva, A.J. de C., 2008. Diamictos e “cap dolomites” Sturtianos Sobre o Grupo Jacobona – Araras, Norte de Campo Formoso – Bahia. *Revista do Instituto de Geociências – USP* **8**(2), 11-27.
- Canfield, D.E., Poulton, S.W., Knoll, A.H., Narbonne, G.M., Ross, G., Goldberg, T. & Strauss, H., 2008. Ferruginous conditions dominated later Neoproterozoic deep-water chemistry. *Science* **321**, 949-952.
- Clifford, T.N., 2008. The geology of the Neoproterozoic Swakob-Otavi transition zone in the Outjo District, northern Damara Orogen, Namibia. *South African Journal of Geology* **111**, 117-140, 3 maps.
- Corkeron, M., 2008. Deposition and palaeogeography of a glacial Neoproterozoic succession in the east Kimberley, Australia. *Sedimentary Geology* **204**, 61-82.
- Costas, E., Flores-Moya, A., López-Roads, V., 2008. Rapid adaptation of phytoplankters to geothermal waters is achieved by single mutations: Were extreme environments ‘Noah’s Arks’ for photosynthesizers during the Neoproterozoic ‘snowball Earth’? *New Phytologist* **180**(4), 922-932.
- Direen, N.G. & Jago, J.B., 2008. The Cottons Breccia (Ediacaran) and its tectonostratigraphic context within the Grassy Group, King Island, Australia: a rift-related gravity slump deposit. *Precambrian Research* **165**, 1-14.
- Domagal-Goldman, S.D., Kasting, J.F., Johnston, D.T. & Farquhar, J., 2008. Organic haze, glaciations and multiple sulfur isotopes in the mid-Archean era. *Earth and Planetary Science Letters* **269**, 29-40.
- Drury, D.J., 2008. Brian Harland and the Neoproterozoic 'Snowball Earth' concept. In: Hambrey, M., Christofferson, P., Glasser, N. & Hubbard, B. (eds) *Glacial Sedimentary Processes and Products*. Blackwell, New York, pp. xi-xiv.
- Eyles, N. 2008. Glacio-epochs and the supercontinent cycle after ~3.0 Ga: tectonic boundary conditions for glaciation. *Palaeogeography, Palaeoclimatology, Palaeoecology* **258**, 89-129.

- Frimmel, H.E., 2008. An evaporitic facies in Neoproterozoic post-glacial carbonates: The Gifberg Group, South Africa. *Gondwana Research*, **13**, 453-479.
- Gaucher, C., Blanco, G., Chiglino, L., Poire, D. & Germs, G.J.B., 2008. Acritarchs of Las Ventanas Formation (Ediacaran, Uruguay): Implications for the timing of coeval rifting and glacial events in western Gondwana. *Gondwana Research*, **13**, 488-501.
- Haines, P.W., Hocking, R.M., Grey, K. & Stevens, M.K., 2008. Vines 1 revisited: are older Neoproterozoic glacial deposits preserved in Western Australia? *Australian Journal of Earth Sciences* **55**, 397-406.
- Hoffman, P.F., 2008. Snowball Earth: status and new developments. *GEO (IGC Special Climate Issue)* **11**, 44-46.
- Hoffman, P.F. & Halverson, G.P. 2008. Otavi Group of the western Northern Platform, the Eastern Kaoko Zone and the western Northern Margin Zone. In: Miller, R. McG. (ed.) *The Geology of Namibia, vol. 2*. Handbook of the Geological Survey of Namibia, Windhoek, pp. 13.69-13.136.
- Hoffman, P.F., Crowley, J.W., Johnston, D.T., Jones, D.S., Schrag, D.P., 2008. Snowball prevention questioned. *Nature* **456**, E7.
- Janikian, L., de Almeida, R.P., Trindade, R.I.de, Romalino, A., Fragoso-Cesar, A.R.S., D'Agrella-Filho, M.S., Dantas, E.L. & Tohver, E., 2008. The continental record of Ediacaran successions in southern Brasil and their global implications. *Terra Nova* **20**, 259-266.
- Jiang, G., Zhang, S., Shi, X., Wang, X., 2008. Chemocline instability and isotope variations of the Ediacaran Doushantuo basin in South China. *Science in China, Series D—Earth Sciences* **51**, 1560-1569.
- Kawai, T., Windley, B.F., Terabayashi, M., Yamamoto, H., Isozaki, Y. & Maruyama, S., 2008. Neoproterozoic glaciation in the mid-oceanic realm: An example from hemi-pelagic mudstones on Llanddwyn Island, Anglesey, UK. *Gondwana Research*, **14**, 105-114.
- Kennedy, M., Mrofka, D. & von der Borch, C., 2008. Snowball Earth termination by destabilization of equatorial permafrost methane clathrate. *Nature* **453**, 642-645.
- Kirschvink, J.L. & Kopp, R.E., 2008. Palaeoproterozoic ice houses and the evolution of oxygen-mediating enzymes: the case for a late origin of photosystem II. *Philosophical Transactions of the Royal Society, London, B*, **363**, 2755-2765.
- Kou, X.W., Wang, Y., Wei, W., He, J.Y. & Xu, B., 2008. The Neoproterozoic Altungol and Huangyanggou formations in Tarim plate: recognized newly glaciation and interglaciation? *Acta Petrologica Sinica* **24**(12), 817-825.
- Le Hir, G., Ramstein, G., Donnadieu, Y. & Godd eris, Y., 2008. Scenario for the evolution of atmospheric $p\text{CO}_2$ during a snowball Earth. *Geology* **36**, 47-50.
- Li, Z.X., Bogdanova, S.V., Collins, A.S., Davidson, A., De Waele, B., Ernst, R.E., Fitzsimons, I.C.W., Fuck, R.A., Gladkochub, D.P., Jacobs, J., Karlstrom, K.E., Lu, S., Natapov, L.M., Pease, V., Pisarevsky, S.A., Thrane, K. & Vernikovsky, V., 2008. Assembly, configuration, and break-up history of Rodinia: A synthesis. *Precambrian Research* **160**, 179-210.
- van Loon, A.J., 2008. Could 'Snowball Earth' have left thick glaciomarine deposits? *Gondwana Research*, **14**, 73-81.
- Maruyama, S. & Santosh, M., 2008a. Snowball Earth to Cambrian explosion. *Gondwana Research*, **14**, 1-4.
- Maruyama, S. & Santosh, M., 2008b. Models on Snowball Earth and Cambrian explosion: a synopsis. *Gondwana Research*, **14**, 22-32.

- Meert, J.G. & Lieberman, B.S., 2008. The Neoproterozoic assembly of Gondwana and its relationship to the Ediacaran-Cambrian radiation. *Gondwana Research* **14**, 5-21.
- Micheels, A. & Montenari, M., 2008. A snowball Earth versus slushball Earth: Results from Neoproterozoic climate modeling sensitivity experiments. *Geosphere* **4**, 401-410, doi: 10.1130/GES00098.1
- Miller, R.McG., 2008. *The Geology of Namibia* (3 volumes). Geological Survey of Namibia, Windhoek, 1600 p.
- Moczydlowska, M., 2008. The Ediacaran microbiota and the survival of Snowball Earth conditions. *Precambrian Research* **167**, 1-15.
- Nisbet, E.G. & Nisbet, R.E.R., 2008. Methane, oxygen, photosynthesis, rubisco and the regulation of the air through time. *Philosophical Transactions of the Royal Society, London, Series B* **363**, 2745-2754.
- Omori, S. & Santosh, M., 2008. Metamorphic decarbonation in the Neoproterozoic and its environmental implication. *Gondwana Research*, **14**, 97-104.
- Pazos, P.J., Bettucci, L.S., Loureiro, J., 2008. The Neoproterozoic glacial record in the Rio de la Plata Craton: a critical reappraisal. In: Pankhurst, R.J., Trouw, R.A.J., de Drito Neves, B.B., de Wit, M.J. (eds) *West Gondwana: Pre-Cenozoic Correlations Across the South Atlantic Region*. Geological Society of London Special Publication 294, 343-364.
- Raub, T.D. & Kirschvink, J.L., 2008. A Pan-African link between deglaciation and environmental oxidation. In: Cooper, A.K., Barrett, P.J., Stagg, H., Storey, B., Stump, E., Wise, W. & the 10th ISAES editorial team (eds) *Antarctica: A Keystone in a Changing World*. Proceedings of the 10th International Symposium on Antarctic Earth Sciences, Washington, DC, The National Academies Press.
- Rieu, R. & Allen, P.A., 2008. Siliciclastic sedimentation in the interlude between two Neoproterozoic glaciations, Mirbat area, southern Oman: A missing link in the Huqf Supergroup? *GeoArabia* **13**, 45-72.
- Santosh, M. & Omori, S., 2008. CO₂ windows from mantle to atmosphere: Models on ultrahigh-temperature metamorphism and speculations on the link with melting of snowball Earth. *Gondwana Research* **14**, 82-96.
- Schmidt, P.W. & Williams, G.E., 2008. Palaeomagnetism of red beds from the Kimberley Group, Western Australia: implications for the palaeogeography of the 1.8 Ga King Leopold glaciation. *Precambrian Research* **167**, 267-280.
- Skotnicki, S.J., Hill, A.C., Walter, M. & Jenkins, R., 2008. Stratigraphic relationships of Cryogenian strata disconformably overlying the Bitter Springs Formation, northeastern Amadeus Basin, central Australia. *Precambrian Research* **165**, 243-259.
- Sønderholm, M., Frederiksen, K.S., Smith, M.P. & Tisgaard, H., 2008. Neoproterozoic basins with glacial deposits of the East Greenland Caledonides. In: Higgins, A.K., Gilotti, J.A. & Smith, M.P. (eds) *The Greenland Caledonides: Evolution of the Northeastern Margin of Laurentia*. Geological Society of London, Memoir 202, pp. 99-136.
- Wang, J., Jiang, G., Xiao, S., Li, Q. & Wei, Q., 2008. Carbon isotope evidence for widespread methane seeps in the ca 635 Ma Doushantuo cap carbonate in South China. *Geology* **36**, 347-350.
- Wang, T.G., Li, M., Wang, C., Wang, G., Zhang, W., Shi, Q. & Zhu, L., 2008. Organic molecular evidence in the late Neoproterozoic tillites for a palaeo-oceanic environment during the snowball Earth era in the Yangtze region, southern China. *Precambrian Research* **162**, 317-326.

- Williams, G.E., 2008. Proterozoic (pre-Ediacaran) glaciation and the high-obliquity, low-latitude ice, strong seasonality (HOLIST) hypothesis: principles and tests. *Earth-Science Reviews* **87**, 61-93.
- Williams, G.E., Gostin, V.A., McKirdy, D.M. & Preiss, W.V., 2008. The Elatina glaciation, late Cryogenian (Marinoan Epoch), South Australia: Sedimentary facies and palaeoenvironments. *Precambrian Research* **163**, 307-331.
- Xu, B., Kou, X.W., Song, B., Wei, W. & Wang, Y., 2008. SHRIMP dating of the upper Proterozoic volcanic rocks in the Tarim plate and constraints on the Neoproterozoic glaciation. *Acta Petrologica Sinica* **24**(12), 2857-2862.
- Zhang, Q.R., Li, X.H., Feng, L.J., Huang, J., Biao, S., 2008. A new age constraint on the onset of the Neoproterozoic glaciations in the Yangtze Platform, South China. *Journal of Geology* **116**, 423-429.
- Zhang, S., Jiang, G. & Han, Y., 2008. The age of the Nantuo Formation and Nantuo glaciation in South China. *Terra Nova* **20**, 289-294.
- Zhang, S., Jiang, G., Dong, J., Han, Y., Wu, H., 2008. New SHRIMP U-Pb age from the Wuqiangxi Formation of Banxi Group: Implications for rifting and stratigraphic erosion associated with the early Cryogenian (Sturtian) glaciation in South China. *Science in China, Series D—Earth Sciences* **51**, 1330-1339.
- 2009: 53**
- Ali, K.A., Stern, R.J., Manton, W.I., Johnson, P.R. & Mukherjee, S.K., 2009. Neoproterozoic diamictite in the Eastern Desert of Egypt and northern Saudi Arabia: evidence of ~750 Ma glaciation in the Arabian-Nubian Shield? *International Journal of Earth Sciences (Geologische Rundschau)*, doi: 10.1007/s00531-009-0427-3
- Alvarenga, C.J.S.De, Boggiani, P.C., Babinki, M., Dardenne, M.A., Figueiredo, M., Santos, R.V. & Dantas, E.L., 2009. The Amazonian paleocontinent. In: Gaucher, C., Sial, A.N., Frimmel, H.E. & Halverson, G.P. (eds) *Neoproterozoic-Cambrian Tectonics, Global Change and Evolution: A Focus on South Western Gondwana*. Developments in Precambrian Geology 16, Elsevier, Amsterdam, pp. 15-28.
- Bao, H., Fairchild, I.J., Wynn, P.M. & Spötl, C., 2009. Stretching the envelope of past surface environments: Neoproterozoic glacial lakes from Svalbard. *Science* **323**, 119-122.
- Bechstädt, T., Jäger, H., Spence, G. & Werner, G., 2009. Late Cryogenian (Neoproterozoic) glacial and post-glacial successions at the southern margin of the Congo Craton, northern Namibia: facies, paleogeography and hydrocarbon perspective. In: Craig, J., Thurow, J., Thusu, B., Whitham, A. & Abutarruma (eds) *Global Neoproterozoic Petroleum Systems: The Emerging Potential in North Africa*. Geological Society of London Special Paper 326, pp. 255-287.
- Blank, C.E. & Sánchez-Baracaldo, P., 2009. Timing of morphological and ecological innovations in the cyanobacteria—a key to understanding the rise in atmospheric oxygen. *Geobiology* **7**, 1-23.
- Brocks, J.J. & Butterfield, N.J., 2009. Early animals out in the cold. *Nature* **457**, 672-673.
- Brookfield, M.E., Coniglio, M., Glasauer, S. & Rieu, R., in press. Petrology, elemental and isotope geochemistry, and geomicrobiology of carbonate infillings and biofilms lining cracks below the Neoproterozoic (Sturtian) cap carbonate in the Mirbat inlier, southernmost Oman. In: Seckbach, J. & Tewari, V.C. (eds) *Stromatolites: Interaction of Microbes with Sediments*. John Wiley & Sons, New York.

- Cavalier-Smith, T., 2009. Deep phylogeny, ancestral groups and the four stages of life. *Philosophical Transactions of the Royal Society B* **365**, 111-132.
- Chumakov, N.M., 2009. The Baykonurian glaciohorizon of the late Vendian. *Stratigraphy and Geological Correlation* **17**, 373-381.
- Chumakov, N.M., 2009. Neoproterozoic glacial events in Eurasia. In: Gaucher, C., Sial, A.N., Frimmel, H.E. & Halverson, G.P. (eds) *Neoproterozoic-Cambrian Tectonics, Global Change and Evolution: A Focus on South Western Gondwana*. Developments in Precambrian Geology 16, Elsevier, Amsterdam, pp. 389-403.
- Cohen, P.A., Knoll, A.H. & Kodner, R.B., 2009. Large spinose microfossils in Ediacaran rocks as resting stages of early animals. *Proceedings of the National Academy of Sciences (USA)* **106**(16), 6519-6524.
- Craig, J., Thurow, J., Whitham, A. & Abutarruma, Y., 2009. Global Neoproterozoic petroleum systems: the emerging potential in North Africa. In: Craig, J., Thurow, J., Thusu, B., Whitham, A. & Abutarruma (eds) *Global Neoproterozoic Petroleum Systems: The Emerging Potential in North Africa*. Geological Society of London Special Paper 326, pp. 1-25.
- Dantas, E.L., de Alvarenga, C.J.S., Santos, R.V. & Pimental, M.M., 2009. Using Nd isotopes to understand the provenance of sedimentary rocks from a continental margin to a foreland basin in the Neoproterozoic Paraguay Belt, central Brazil. *Precambrian Research* **170**, 1-12.
- Figueiredo, F.T., de Almeida, R.P., Tohver, E., Babinski, M., Liu, D. & Fanning, C.M., 2009. Neoproterozoic glacial dynamics revealed by provenance of diamictites of the Bebedouro Formation, São Francisco craton, central eastern Brazil. *Terra Nova* **21**, 375-385.
- Gaucher, C. & Poiré, D., 2009. Palaeoclimatic events. In: Gaucher, C., Sial, A.N., Frimmel, H.E. & Halverson, G.P. (eds) *Neoproterozoic-Cambrian Tectonics, Global Change and Evolution: A Focus on South Western Gondwana*. Developments in Precambrian Geology 16, Elsevier, Amsterdam, pp. 123-130.
- Gaucher, C., Sial, A.N., Frimmel, H.E. & Halverson, G.P. (eds), 2009. *Neoproterozoic-Cambrian Tectonics, Global Change and Evolution: A Focus on South Western Gondwana*. Developments in Precambrian Geology 16, Elsevier, Amsterdam, 466 p.
- Giddings, J.A. & Wallace, M.W., 2009. Sedimentology and C-isotope geochemistry of the 'Sturtian' cap carbonate, South Australia. *Sedimentary Geology* **223**, 35-50.
- Goldblatt, C., Claire, M.W., Lenton, T.M., Matthews, A.J., Watson, A.J. & Zahnle, K.J., 2009. Nitrogen-enhanced greenhouse warming on early Earth. *Nature Geoscience* **2**, 891-896.
- Guo, Q., Strauss, H., Kaufman, A.J., Schröder, S., Gutzmer, J., Wing, B., Baker, M.A., Bekker, A., Jin, Q., Kim, S.-T. & Farquhar, J., 2009. Reconstructing Earth's surface oxidation across the Archean-Proterozoic transition. *Geology* **37**, 399-402.
- Halverson, G.P., Hurtgen, M.T., Porter, S.M. & Collins, A.S., 2009. Neoproterozoic-Cambrian biogeochemical evolution. In: Gaucher, C., Sial, A.N., Frimmel, H.E. & Halverson, G.P. (eds) *Neoproterozoic-Cambrian Tectonics, Global Change and Evolution: A Focus on South Western Gondwana*. Developments in Precambrian Geology 16, Elsevier, Amsterdam, pp. 351-365.
- Higgins, J.A., Fischer, W.W. & Schrag, D.P., 2009. Oxygenation of the ocean and sediments: Consequences for the seafloor carbonate factory. *Earth and Planetary Science Letters* **284**, 25-33.
- Hoffman, P.F., 2009. Pan-glacial—a third state in the climate system. *Geology Today* **25**, 107-114.

- Hoffman, P.F. & Li, Z.X., 2009. A palaeogeographic context for Neoproterozoic glaciation. *Palaeogeography, Palaeoclimatology, Palaeoecology*, **277**, 158-172.
- Hoffman, P.F., Calver, C.R. & Halverson, G.P., 2009. Cottons Breccia of King Island, Tasmania: glacial or non-glacial, Cryogenian or Ediacaran? *Precambrian Research* **172**, 311-322.
- Huybers, P. & Langmuir, C., 2009. Feedback between deglaciation, volcanism, and atmospheric CO₂. *Earth and Planetary Science Letters* **286**, 479-491.
- Ilyin, A.V., 2009. Neoproterozoic banded iron formations. *Lithology and Mineral Resources* **44**, 78-86.
- Johnston, D.T., Wolfe-Simon, F., Pearson, A. & Knoll, A.H., 2009. Anoxygenic photosynthesis modulated Proterozoic oxygen and sustained Earth's middle age. *Proceedings of the National Academy of Science USA* **106**, 16925-16929.
- Kaufman, A.J., Sial, A.N., Frimmel, H.E. & Misi, A., 2009. Neoproterozoic to Cambrian palaeoclimatic events in southwestern Gondwana. In: Gaucher, C., Sial, A.N., Frimmel, H.E. & Halverson, G.P. (eds) *Neoproterozoic-Cambrian Tectonics, Global Change and Evolution: A Focus on South Western Gondwana*. Developments in Precambrian Geology 16, Elsevier, Amsterdam, pp. 369-388.
- Kendall, B., Creaser, R.A., Calver, C.R., Raub, T.D. & Evans, D.A.D., 2009. Correlation of Sturtian diamictite successions in southern Australia and northwestern Tasmania by Re-Os black shale geochronology and the ambiguity of "Sturtian"-type diamictite—cap carbonate pairs as chronostratigraphic markers. *Precambrian Research* **172**, 301-310.
- Le Heron, D.P., Craig, J. & Etienne, J.L., 2009. Ancient glaciations and hydrocarbon accumulations in North Africa and the Middle East. *Earth-Science Reviews* **93**, 47-76.
- Le Hir, G., Donnadieu, Y., Godd ris, Y., Pierrehumbert, R.T., Halverson, G.P., Macouin, M., N d lic, A. & Ramstein, G., 2009. The snowball Earth aftermath: Exploring the limits of continental weathering processes. *Earth and Planetary Science Letters* **277**, 453-463.
- Love, G.D., Grosjean, E., Stalvies, C., Fike, D.A., Grotzinger, J.P., Bradley, A.S., Kelly, A.E., Bhatia, M., Meredith, W., Snape, C.E., Bowring, S.A., Condon, D.J. & Summons, R.E., 2009. Fossil steroids record the appearance of *Demospongiae* during the Cryogenian period. *Nature* **457**, 718-722.
- Macdonald, F.A., Jones, D.S. & Schrag, D.P., 2009. Stratigraphic and tectonic implications of a newly discovered glacial diamictite-cap carbonate couplet in southwestern Mongolia. *Geology* **37**, 123-126.
- Macdonald, F.A., McClelland, W.C., Schrag, D.P. & Macdonald, W.P., 2009. Neoproterozoic glaciation on a carbonate platform margin in Arctic Alaska and the origin of the North Slope subterranean. *Geological Society of America Bulletin* **121**, 448-473.
- McFadden, K.A., Xiao, S., Zhou, C. & Kowalewski, M., 2009. Quantitative evaluation of the biostratigraphic distribution of acanthomorphic acritarchs in the Ediacaran Doushantuo Formation in the Yangtze Gorges area, South China. *Precambrian Research* **173**, 170-190.
- Melezhik, V.A., Pokrovsky, B.G., Fallick, A.E., Kuznetsov, A.B. & Bujakaite, M.I., 2009. Constraints on ⁸⁷Sr/⁸⁶Sr of Late Ediacaran seawater: insight from Siberian high-Sr limestones. *Journal of the Geological Society, London* **166**, 183-191.
- Mikucki, J.A., Pearson, A., Johnston, D.T., Turchyn, A.V., Farquhar, J., Schrag, D.P., Anbar, A.D., Priscu, J.C. & Lee, P.A., 2009. A contemporary microbially maintained subglacial ferrous "ocean". *Science* **324**, 397-400.

- Miller, N.R., Stern, R.J., Avigad, D., Beyth, M. & Schilman, B., 2009. Cryogenian slate-carbonate sequences of the Tambien Group, Northern Ethiopia (I): Pre-"Sturtian" chemostratigraphy and regional correlations. *Precambrian Research* **170**, 129-156.
- Nagy, R.M., Porter, S.M., Dehler, C.M. & Shen, Y., 2009. Biotic turnover driven by eutrophication before the Sturtian low-latitude glaciation. *Nature Geoscience* **2**, 415-418.
- Neuweiler, F., Turner, E.C. & Burdige, D.J., 2009. Early Neoproterozoic origin of the metazoan clade recorded in carbonate rock texture. *Geology* **37**, 475-478.
- Prave, A.R., Fallick, A.E., Thomas, C.W. & Graham, C.M., 2009. A composite C-isotopic profile for the Neoproterozoic Dalradian Supergroup of Scotland and Ireland. *Journal of the Geological Society, London* **166**, 1-13.
- Prave, A.R., Strachan, R.A. & Fallick, A.E., 2009. Global C cycle perturbations recorded in marbles: a record of Neoproterozoic Earth history within the Dalradian succession of the Shetland Islands, Scotland. *Journal of the Geological Society, London* **166**, 129-135.
- Scotese, C.R., 2009. Late Proterozoic plate tectonics and palaeogeography: a tale of two supercontinents, Rodinia and Pannotia. In: Craig, J., Thurow, J., Thusu, B., Whitham, A. & Abutarruma (eds) *Global Neoproterozoic Petroleum Systems: The Emerging Potential in North Africa*. Geological Society of London Special Paper 326, pp. 67-83.
- Schmidt, P.W., Williams, G.E. & McWilliams, M.O., 2009. Palaeomagnetism and magnetic anisotropy of late Neoproterozoic strata, South Australia: Implications for the palaeolatitude of late Cryogenian glaciation, cap carbonate and the Ediacaran System. *Precambrian Research* **174**, 35-52.
- Smith, A.G., 2009. Neoproterozoic timescales and stratigraphy. In: Craig, J., Thurow, J., Thusu, B., Whitham, A. & Abutarruma (eds) *Global Neoproterozoic Petroleum Systems: The Emerging Potential in North Africa*. Geological Society of London Special Paper 326, pp. 27-54.
- Ueno, Y., Johnson, M.S., Danielache, S.O., Pandey, A., Yoshida, N., 2009. Geological sulfur isotopes indicate elevated OCS in the Archean atmosphere, solving the faint young sun paradox. *Proceedings of the National Academy of Science (USA)* **106**, 14784-14789.
- Voigt, A. & Marotzke, J., 2009. The transition from the present-day climate to a modern Snowball Earth. *Climate Dynamics* doi: 10.1007/s00382-009-0633-5
- Vorob'eva, N.G., Sergeev, V.N. & Knoll, A.H., 2009. Neoproterozoic microfossils from the margin of the East European Platform and the search for a biostratigraphic model of lower Ediacaran rocks. *Precambrian Research* **173**, 163-169.
- Wendorff, M. & Key, R.M., 2009. The relevance of the sedimentation history of the *Grand Conglomerat* Formation (Central Africa) to the interpretation of the climate during a major Cryogenian glacial event. *Precambrian Research* **172**, 127-142.
- Xu, B., Xiao, S., Zou, H., Chen, Y., Li, Z.-X., Song, B., Liu, D., Zhou, C. & Yuan, X., 2009. SHRIMP zircon U-Pb age constraints on Neoproterozoic Quruqtagh diamictites in NW China. *Precambrian Research* **168**, 247-258.
- Young, G.M., 2009. Snowball Earth. In: Gornitz, V. (ed.) *Encyclopedia of Paleoclimate and Ancient Environments*, Springer, Encyclopedia of Earth Sciences Series, pp. 907-910.
- Zhang, Q.R., Chu, X.L. & Feng, L.J., 2009. Discussion on the Neoproterozoic glaciations in the South China Block and their related paleolatitudes. *Chinese Science Bulletin* **54**, 1797-1800.
- Zhao, Y.Y., Zheng, Y.F. & Chen, F., 2009. Trace element and strontium isotope constraints on sedimentary environment of Ediacaran carbonates in southern Anhui, South China. *Chemical Geology* **000**, 000-000.

2010: (30)

- Abbot, D.S. & Halevy, I., 2010. Dust aerosol important for Snowball Earth deglaciation. *Journal of Climate* **00**, 000-000.
- Abbot, D.S. & Pierrehumbert, R.T., 2010. Mudball: Surface dust and Snowball Earth deglaciation. *Journal of Geophysical Research*. doi: 10.1029/2009JD012007
- Bindeman, I.N., Schmitt, A.K. & Evans, D.A.D., 2010. Limits of hydrosphere-lithosphere interaction: origin of the lowest known $\delta^{18}\text{O}$ silicate rocks on Earth in the Paleoproterozoic Karelian rift. *Geology* **38**, 631-634.
- Blank, C.E. & Sánchez-Baracaldo, P., 2010. Timing of morphological and ecological innovations in the cyanobacteria—a key to understanding the rise in atmospheric oxygen. *Geobiology* **8**, 1-23.
- Cooper, B.J., 2010. ‘Snowball Earth’: The early contribution from South Australia. *Earth Sciences History* **29**, 121-145.
- Font, E., Nédélec, A., Trindade, R.I.F. & Moreau, C., 2010. Fast or slow melting of the Marinoan snowball Earth? The cap dolostone record. *Palaeogeography, Palaeoclimatology, Palaeoecology* **295**, 215-225.
- Halverson, G.P., Wade, B.P., Hurtgen, M.T. & Barovich, K.M., 2010. Neoproterozoic chemostratigraphy. *Precambrian Research* **00**, 000-000.
- Kasemann, S.A., Prave, A.R., Fallick, A.E., Hawkesworth, C.J. & Hoffmann, K.-H., 2010. Neoproterozoic ice ages, boron isotopes, and ocean acidification: Implications for a snowball Earth. *Geology* **38**, 775-778.
- Lucarini, V., Fraedrich, K. & Lunkeit, F., 2010. Thermodynamic analysis of snowball Earth hysteresis experiment: Efficiency, entropy production and irreversibility. *Quarterly Journal of the Royal Meteorological Society* **136**, 2-11.
- Macdonald, F.A., Cohen, P.A., Dudás, F.Ö. & Schrag, D.P., 2010. Early Neoproterozoic siliceous scale microfossils in the Lower Tindir Group of Alaska and the Yukon Territory. *Geology* **38**, 143-146.
- Macdonald, F.A., Schmitz, M.D., Crowley, J.L., Roots, C.F., Jones, D.S., Maloof, A.C., Strauss, J.V., Cohen, P.A., Johnston, D.T. & Schrag, D.P., 2010. Calibrating the Cryogenian. *Science* **327**, 1241-1243.
- Mahan, K.H., Wernicke, B.P. & Jercinovic, M.J., 2010. Th-U-total Pb geochronology of authigenic monazite in the Adelaide rift complex, South Australia, and implications for the age of the type Sturtian and Marinoan glacial deposits. *Earth and Planetary Science Letters* **289**, 78-86.
- Papineau, D., 2010. Global biogeochemical changes at both ends of the Proterozoic: Insights from phosphorites. *Astrobiology* **10**, 165-181.
- Passchier, S. & Erukanure, E., 2010. Palaeoenvironmental and weathering regime of the Neoproterozoic Quantum ‘Tillite’, Boston Basin: no evidence of a snowball Earth. *Sedimentology* doi: 10.1111/j.1365-3091.2010.01154.x
- Pazos, P.J. & Sánchez Bettucci, L., 2010. Reply to discussion ‘The Neoproterozoic glacial record in the Río de la Plata Craton: a critical reappraisal’. *Journal of the Geological Society, London* **167**, 223.
- Pecoits, E., Aubet, N.R., Gingras, M.K. & Konhauser, K.O., 2010. Discussion on ‘The Neoproterozoic glacial record in the Río de la Plata Craton: a critical reappraisal’. *Journal of the Geological Society, London* **167**, 221-222.

- Pruss, S.B., Bosak, T., Macdonald, F.A., McLane, M. & Hoffman, P.F., 2010. Microbial facies in a Sturtian cap carbonate, the Rasthof Formation, Otavi Group, northern Namibia. *Precambrian Research* **181**, 187-108.
- Rodrigues, J.B., Pimental, M.M., Dardenne, M.A. & Armstrong, R.A., 2010. Age, provenance and tectonic setting of the Canastra and Iblá groups (Brasilia Belt, Brazil): Implications for the age of a Neoproterozoic glacial event in central Brazil. *Journal of South American Earth Sciences* **000**, 000-000.
- Roe, G.H. & Baker, M.B., 2010. Notes on a catastrophe: a feedback analysis of Snowball Earth. *Journal of Climate* **00**, 000-000.
- Rose, C.V. & Maloof, A.C., 2010. Testing models for post-glacial 'dap dolostone' deposition: Nuccaleena Formation, South Australia. *Earth and Planetary Science Letters* **00**, 000-000.
- Sawaki, Y., Kawai, T., Shibuya, T., Tahata, M., Omori, S., Komiya, T., Yoshida, N., Hirata, T., Ohno, T., Windley, B.F. & Maruyama, S., 2010. $^{86}\text{Sr}/^{87}\text{Sr}$ chemostratigraphy of Neoproterozoic Dalradian carbonates below the Port Askaig glacigenic formation, Scotland. *Precambrian Research* **179**, 150-164.
- Sawaki, Y., Ohno, T., Tahata, M., Komiya, T., Hirata, T., Maruyama, S., Windley, B.F., Han, J., Shu, D. & Li, Y., 2010. The Ediacaran radiogenic Sr isotope excursion in the Doushantuo Formation in the three Gorges area, South China. *Precambrian Research*, **176**, 46-64.
- Sekine, Y., Tajika, E., Ohkouchi, N., Ogawa, N.O., Goto, K., Tada, R., Yamamoto, S. & Kirschvink, J.L., 2010. Anomalous negative excursion of carbon isotope in organic carbon after the last Paleoproterozoic glaciation in North America. *Geophysics, Geochemistry, Geosystems* **11**(8), doi: 10.1029/2010GC003210
- Shen, B., Xiao, S., Zhou, C., Kaufman, A.J. & Yuan, X., 2010. Carbon and sulfur isotope chemostratigraphy of the Neoproterozoic Quanji Group of the Chaidam Basin, NW China: basin stratification in the aftermath of an Ediacaran glaciation postdating the Shuram event? *Precambrian Research* **000**, 000-000.
- Sial, A.N., Gaucher, C., da Silva Filho, M.A., Ferreira, V.P., Pimental, M.M., Lacerda, L.D., Silva Filhop, E.V. & Cezario, W., 2010. C-, Sr-isotope and Hg chemostratigraphy of Neoproterozoic cap carbonates of the Sergipano Belt, northeastern Brazil. *Precambrian Research* **000**, 000-000.
- Silva-Tamayo, J.C., Nägler, T.F., Villa, I.M., Kyser, K., Sial, A.N., Narbonne, G.M. & James, N.P., 2010. Global Ca isotope variations in c. 0.7 Ga old post-glacial carbonate successions. *Terra Nova* **00**, 000-000.
- Swanson-Hysell, N.L., Rose, C.V., Calmet, C.C., Halverson, G.P., Hurtgen, M.T. & Maloof, A.C., 2010. Cryogenian glaciation and the onset of carbon-isotope decoupling. *Science* **328**, 608-611.
- Van Staden, A., Zimmermann, U., Chemale, F., Jr., Gutzmer, J. & Germs, G.J.B., 2010. Correlation of Ordovician diamictites from Argentina and South Africa using detrital zircon dating. *Journal of the Geological Society, London* **167**, 217-220.
- Wang, X., Hu, S., Gan, L., Wiens, M. & Müller, W.E.G., 2010. Sponges (Porifera) as living metazoan witnesses from the Neoproterozoic: biomineralization and the concept of their evolutionary success. *Terra Nova* **22**, 1-11.
- Zhao, Y.-Y., Zheng, Y.-F., 2010. Stable isotope evidence for involvement of deglacial meltwater in Ediacaran carbonates in South China. *Chemical Geology* **271**, 86-100.